




Ergebnis:	495	(523.8) ^{QF}					
Serien:	82	84	83	83	82	81	
Zähler:	10	15	21	9	4	1	0 0 0 0
Innenzehner:	4						
weiteste:	15206 (11), 12753 (60), 10659 (30)						
beste Teiler	569.0 (20.) 1108.1 (10.) 1275.0 (18.)						
Trefferlage	0.63 mm links, 11.05 mm tief						
Streuwert	46.29, horizontal: 45.75, vertikal: 46.83						



Serie 1:

7.9 ↗	7.3 ↖	9.8 ↙	9.8 →	9.9 →
8.9 ↑	8.2 ↘	8.9 →	7.8 ↗	10.6 *


beste Teiler 1108.1 (10.) 3012.9 (5.) 3047.2 (3.)
 Trefferlage 13.24 mm rechts, 30.02 mm hoch
 Streuwert 37.54, horizontal: 35.45, vertikal: 39.52



Serie 2:

5.0 ←	8.6 ←	8.6 ↘	10.1 →	7.6 ↙
9.2 ←	9.2 ←	10.5 *	8.5 →	10.7 *


beste Teiler 569.0 (20.) 1275.0 (18.) 2236.4 (14.)
 Trefferlage 30.44 mm links, 6.06 mm tief
 Streuwert 45.75, horizontal: 57.67, vertikal: 29.35



Serie 3:

9.3 ↘	10.4 ↓	8.8 ↓	9.7 ↘	9.8 →
8.9 ←	10.4 →	7.0 ↑	7.1 ↓	6.8 ←


beste Teiler 1574.9 (22.) 1614.6 (27.) 3128.2 (25.)
 Trefferlage 4.74 mm links, 9.58 mm tief
 Streuwert 47.69, horizontal: 43.65, vertikal: 51.41



Serie 4:

9.7 ↘	8.7 ↓	8.2 ↘	9.4 ←	9.8 ↖
9.0 ←	8.9 ←	8.5 →	8.1 →	7.5 ↓


beste Teiler 3094.8 (35.) 3325.3 (31.) 4255.7 (34.)
 Trefferlage 7.41 mm rechts, 22.63 mm tief
 Streuwert 40.62, horizontal: 45.53, vertikal: 35.04



Serie 5:

8.3 →	10.3 ↘	7.0 ↑	8.1 ↓	8.4 ↙
8.5 →	8.8 ↘	10.5 *	7.3 ↙	8.7 ↘

beste Teiler 1301.4 (48.) 1852.8 (42.) 5660.0 (47.)
 Trefferlage 10.42 mm rechts, 19.28 mm tief
 Streuwert 47.56, horizontal: 46.77, vertikal: 48.34





Serie 6:

9.9 →	9.2 ↙	6.8 ↙	8.4 ←	8.4 →
6.9 ↓	10.0 ↙	9.1 ↑	10.1 ↓	6.0 ↓


beste Teiler 2427.9 (59.) 2676.9 (57.) 2979.6 (51.)
 Trefferlage 0.25 mm rechts, 38.77 mm tief
 Streuwert 46.41, horizontal: 39.31, vertikal: 52.56

Ergebnis:	480	(506.2) _{QF}				
Serien:	79	82	83	81	80	75
Zähler:	8	16	17	11	3	5 0 0 0 0
Innenzehner:	3					
weiteste:	15043 (2), 13312 (53), 13227 (13)					
beste Teiler	1412.3 (39.) 1462.0 (28.) 1494.5 (48.)					
Trefferlage	14.76 mm rechts, 12.98 mm hoch					
Streuwert	50.68, horizontal: 47.67, vertikal: 53.51					




Serie 1:

8.9 ↘	5.0 ↑	9.5 ←	8.0 ↓	9.8 ↑
8.8 ↘	7.1 ↑	8.4 →	9.0 ←	8.8 →
beste Teiler		3253.3 (5.) 3784.2 (3.) 5228.4 (9.)		
Trefferlage		22.04 mm rechts, 12.46 mm hoch		
Streuwert		52.91, horizontal: 37.82, vertikal: 64.57		




Serie 2:

8.8 ↑	10.1 →	5.8 ↑	9.0 ↑	8.4 ↑
9.3 ←	8.5 ←	9.2 ↘	8.5 ↓	8.3 ↑
beste Teiler		2491.9 (12.) 4295.6 (16.) 4691.9 (18.)		
Trefferlage		10.31 mm links, 29.93 mm hoch		
Streuwert		44.26, horizontal: 25.11, vertikal: 57.33		




Serie 3:

9.6 ↘	7.4 ↗	10.0 ↙	8.5 ↘	7.9 ↘
9.7 ↓	9.0 →	10.4 *	5.8 ↙	9.7 ↙
beste Teiler		1462.0 (28.) 2674.5 (23.) 3332.7 (30.)		
Trefferlage		5.92 mm rechts, 13.68 mm tief		
Streuwert		47.94, horizontal: 53.32, vertikal: 41.86		




Serie 4:

9.8 ↘	8.9 →	10.1 ↙	7.1 ↓	9.7 ↑
7.1 ←	8.0 →	7.3 →	10.4 *	6.1 ↗
beste Teiler		1412.3 (39.) 2234.6 (33.) 3190.9 (31.)		
Trefferlage		22.11 mm rechts, 6.61 mm hoch		
Streuwert		52.87, horizontal: 61.06, vertikal: 43.15		




Serie 5:

7.2 ↓	8.1 ↑	10.2 ↙	9.2 ↗	8.7 →
5.9 ↑	8.3 →	10.4 *	6.8 →	9.9 ↑
beste Teiler		1494.5 (48.) 2203.9 (43.) 2789.4 (50.)		
Trefferlage		21.99 mm rechts, 17.59 mm hoch		
Streuwert		50.75, horizontal: 42.32, vertikal: 57.96		





Serie 6:

10.1 ↖	7.6 ↖	5.7 →	9.2 ↑	9.5 ↗
8.9 ↘	7.1 →	6.6 ↓	7.4 ↑	7.7 →
beste Teiler		2387.0 (51.) 3782.5 (55.) 4620.8 (54.)		
Trefferlage		26.82 mm rechts, 24.97 mm hoch		
Streuwert		56.37, horizontal: 57.88, vertikal: 54.82		




Ergebnis:	436	(460.1)								
Serien:	74	72	75	71	69	75				
Zähler:	6	13	14	9	8	4	1	4	0	0
Innenzehner:	3									
weiteste:	19100 (22), 18918 (47), 17982 (32)									
beste Teiler	958.1 (14.) 1218.4 (58.) 1350.1 (8.)									
Trefferlage	1.69 mm links, 25.01 mm tief									
Streuwert	64.44, horizontal: 56.78, vertikal: 71.27									



Serie 1:

3.9 ↑	8.4 ←	9.1 →	5.8 ↙	9.4 ←
9.6 ↘	6.6 ↓	10.5 *	8.6 ↑	7.6 ↖


beste Teiler 1350.1 (8.) 3722.8 (6.) 4232.9 (5.)
 Trefferlage 28.40 mm links, 0.22 mm hoch
 Streuwert 64.36, horizontal: 47.98, vertikal: 77.34



Serie 2:

5.3 ↑	9.4 ↓	9.2 →	10.6 *	8.1 ↙
6.6 ↑	6.0 ↙	8.6 ↘	5.6 ↘	6.6 ←


beste Teiler 958.1 (14.) 4059.4 (12.) 4743.0 (13.)
 Trefferlage 5.90 mm links, 10.28 mm tief
 Streuwert 71.77, horizontal: 61.45, vertikal: 80.78



Serie 3:

9.1 ↘	3.4 ↘	7.9 ↙	7.3 ↓	8.9 →
9.2 ↘	7.3 ↖	6.2 ↓	9.2 ↓	10.3 ↙


beste Teiler 1845.6 (30.) 4554.3 (26.) 4610.1 (29.)
 Trefferlage 12.72 mm rechts, 54.52 mm tief
 Streuwert 54.58, horizontal: 65.34, vertikal: 41.09



Serie 4:

9.6 ↑	3.9 ↙	8.8 ↘	9.1 →	0.0F
8.1 ↓	8.1 ↑	10.2 ↘	8.8 ↓	8.6 ↘ ^{MIS}


beste Teiler 2004.0 (38.) 3745.4 (31.) 4884.0 (34.)
 Trefferlage 1.47 mm links, 18.32 mm tief
 Streuwert 58.44, horizontal: 50.11, vertikal: 65.73



Serie 5:

5.6 ↑	7.0 ↘	8.4 ↙	8.0 ↑	7.7 →
7.4 →	3.5 ↙	9.5 ↓	6.1 →	9.8 →


beste Teiler 3278.7 (50.) 3800.7 (48.) 6731.4 (43.)
 Trefferlage 28.51 mm rechts, 1.58 mm hoch
 Streuwert 74.77, horizontal: 70.57, vertikal: 78.74





Serie 6:

4.0 ↓	9.4 ↑	6.3 ↓	7.1 ↙	8.4 ↓
8.4 ↓	7.3 ↓	10.5 *	6.2 ↙	10.0 ↘

beste Teiler 1218.4 (58.) 2758.5 (60.) 4031.8 (52.)
 Trefferlage 15.58 mm links, 68.09 mm tief
 Streuwert 48.14, horizontal: 30.78, vertikal: 60.73




Ergebnis:	462	(489.2) ^{QF}					
Serien:	76	69	81	75	81	80	
Zähler:	7	17	9	16	4	4	2 1 0 0
Innenzehner:	4						
weiteste:	19411 (29), 17497 (2), 15314 (18)						
beste Teiler	422.1 (59.) 926.9 (30.) 1160.6 (45.)						
Trefferlage	3.40 mm links, 24.32 mm tief						
Streuwert	57.34, horizontal: 60.47, vertikal: 54.02						



Serie 1:

9.3 ↓	4.1 ↙	7.2 →	7.6 ↓	7.1 ↓
7.1 ↘	10.5 *	9.2 ↗	8.4 →	8.7 ↓


beste Teiler 1286.6 (7.) 4482.5 (1.) 4774.1 (8.)
 Trefferlage 1.07 mm links, 51.79 mm tief
 Streuwert 53.96, horizontal: 52.29, vertikal: 55.58



Serie 2:

6.5 →	9.2 ↖	5.4 ↗	5.3 ↘	9.8 ↘
7.0 →	6.1 →	4.9 ↓	9.3 ↘	9.4 ↘


beste Teiler 3126.2 (15.) 4157.2 (20.) 4479.7 (19.)
 Trefferlage 43.93 mm rechts, 18.25 mm tief
 Streuwert 69.68, horizontal: 64.75, vertikal: 74.28



Serie 3:

7.1 ↓	9.6 ↓	9.7 ↘	9.4 ↘	8.7 ↘
7.9 ←	9.3 ↙	10.3 ↖	3.3 ←	10.6 *


beste Teiler 926.9 (30.) 1693.0 (28.) 3425.4 (23.)
 Trefferlage 18.46 mm links, 16.90 mm tief
 Streuwert 56.55, horizontal: 68.19, vertikal: 41.78



Serie 4:

8.0 ↗	9.1 ↖	8.5 ↓	7.9 ←	6.8 ↙
5.4 ↘	7.9 ↖	8.3 →	9.8 ↗	8.9 ↓


beste Teiler 3199.3 (39.) 4946.6 (32.) 5464.6 (40.)
 Trefferlage 3.36 mm links, 14.62 mm tief
 Streuwert 59.13, horizontal: 62.92, vertikal: 55.07



Serie 5:

9.4 ↖	9.1 →	7.8 ↙	7.1 ↓	10.5 *
6.2 ↘	9.4 ↗	10.0 ↘	7.7 ↙	7.3 ↘

beste Teiler 1160.6 (45.) 2640.5 (48.) 4032.2 (41.)
 Trefferlage 18.28 mm links, 29.55 mm tief
 Streuwert 48.04, horizontal: 42.80, vertikal: 52.75





Serie 6:

7.3 ↘	7.8 ←	7.6 →	8.8 ↖	10.1 ↓
9.5 ↓	8.9 ↖	5.4 ↙	10.8 *	9.9 ↓


beste Teiler 422.1 (59.) 2235.6 (55.) 2869.3 (60.)
 Trefferlage 23.17 mm links, 14.83 mm tief
 Streuwert 49.82, horizontal: 56.38, vertikal: 42.25

Ergebnis:	448	(472.0) ^{QF}								
Serien:	66	81	74	82	67	78				
Zähler:	8	15	9	15	3	5	2	0	2	1
Innenzehner:	4									
weiteste:	23631 (10), 20635 (21), 20286 (1)									
beste Teiler	345.2 (20.) 1114.1 (55.) 1156.7 (35.)									
Trefferlage	10.78 mm rechts, 27.69 mm tief									
Streuwert	63.58, horizontal: 60.30, vertikal: 66.69									




Serie 1:

2.9 ↘	5.8 ↗	6.6 ↓	8.7 ←	10.2 ↓
8.0 ↘	9.4 ↓	7.3 ↓	10.2 ↖	1.6 ↓
beste Teiler	2124.0 (5.) 2154.2 (9.) 4046.5 (7.)			
Trefferlage	27.63 mm rechts, 62.74 mm tief			
Streuwert	74.43, horizontal: 48.36, vertikal: 93.49			




Serie 2:

8.8 ↗	7.3 ↓	9.1 ↖	9.7 ↓	6.6 ↙
5.4 ↓	9.0 →	9.5 ←	9.3 ↘	10.8 *
beste Teiler	345.2 (20.) 3299.2 (14.) 3860.0 (18.)			
Trefferlage	0.56 mm rechts, 30.55 mm tief			
Streuwert	49.65, horizontal: 39.36, vertikal: 58.15			




Serie 3:

2.8 →	7.4 ↗	5.1 →	10.0 ↓	7.4 ↘
9.4 ↙	9.7 ↓	8.7 ←	8.1 ↘	9.1 ↗
beste Teiler	2709.3 (24.) 3328.7 (27.) 4224.8 (26.)			
Trefferlage	37.63 mm rechts, 2.67 mm tief			
Streuwert	67.80, horizontal: 84.41, vertikal: 45.47			




Serie 4:

9.4 ↖	7.0 →	10.3 ↘	9.6 ↓	10.5 *
7.2 ↓	7.9 ↗	8.0 ↖	6.7 ↑	9.1 ↗
beste Teiler	1156.7 (35.) 1787.9 (33.) 3715.4 (34.)			
Trefferlage	13.95 mm rechts, 6.40 mm tief			
Streuwert	51.18, horizontal: 44.93, vertikal: 56.75			



Serie 5:

4.6 →	9.3 ↖	9.1 ↓	7.9 ↘	5.2 ↗
7.6 ↓	7.1 ←	4.3 ↓	8.5 ↓	7.0 ↓
beste Teiler	4303.9 (42.) 4898.9 (43.) 6357.4 (49.)			
Trefferlage	19.51 mm rechts, 44.06 mm tief			
Streuwert	72.36, horizontal: 74.54, vertikal: 70.11			





Serie 6:

7.3 ↘	7.0 ↖	7.0 ←	9.4 ↓	10.5 *
7.7 ↖	5.6 ↓	10.4 *	8.6 ←	8.3 ↑
beste Teiler	1114.1 (55.) 1499.3 (58.) 4066.2 (54.)			
Trefferlage	34.61 mm links, 19.73 mm tief			
Streuwert	52.53, horizontal: 40.39, vertikal: 62.35			

Meyton Elektronik


Ergebnis:	491	(518.0) ^{QF}					
Serien:	82	81	87	78	82	81	
Zähler:	7	20	18	9	5	0	1 0 0 0
Innenzehner:	2						
weiteste:	15295 (11), 12541 (37), 11360 (7)						
beste Teiler	395.4 (44.) 942.7 (16.) 1969.1 (9.)						
Trefferlage	0.64 mm rechts, 18.39 mm tief						
Streuwert	46.72, horizontal: 45.19, vertikal: 48.20						



Serie 1:

9.5 ←	9.8 ↖	8.7 →	8.8 ↘	9.2 ↓
8.2 ↓	6.5 ↗	7.4 ↗	10.2 ↖	8.6 ←


beste Teiler 1969.1 (9.) 3278.1 (2.) 4001.6 (1.)
 Trefferlage 7.94 mm rechts, 1.08 mm tief
 Streuwert 47.78, horizontal: 50.29, vertikal: 45.13



Serie 2:

4.9 ↘	9.5 ↘	7.1 ↓	8.7 ↑	6.5 ↓
10.6 *	9.1 ↓	9.9 ↓	10.0 ↓	9.7 ↑


beste Teiler 942.7 (16.) 2591.1 (19.) 2865.7 (18.)
 Trefferlage 1.36 mm rechts, 38.10 mm tief
 Streuwert 48.19, horizontal: 30.06, vertikal: 61.16



Serie 3:

9.0 ↓	7.3 ↓	10.0 ↘	10.2 ↗	9.6 ↓
8.7 ↗	9.6 ↓	10.2 ↗	7.7 ↖	8.4 ←


beste Teiler 2065.9 (24.) 2070.6 (28.) 2510.3 (23.)
 Trefferlage 14.18 mm links, 26.00 mm tief
 Streuwert 35.20, horizontal: 35.54, vertikal: 34.86



Serie 4:

9.7 ↘	7.3 ←	8.9 ↘	9.3 ↑	7.0 ↘
8.2 ↘	6.0 ↘	9.8 ↖	8.8 ↖	7.0 ←


beste Teiler 3094.0 (38.) 3357.3 (31.) 4524.2 (34.)
 Trefferlage 1.78 mm links, 25.36 mm tief
 Streuwert 54.61, horizontal: 58.90, vertikal: 49.96



Serie 5:

9.5 →	9.1 ↗	9.7 ↘	10.8 *	9.1 ↗
9.1 →	7.1 ←	6.7 ↓	6.6 ↗	8.3 ↘


beste Teiler 395.4 (44.) 3315.6 (43.) 3965.1 (41.)
 Trefferlage 6.71 mm rechts, 22.74 mm tief
 Streuwert 48.96, horizontal: 50.20, vertikal: 47.70





Serie 6:

8.2 ↘	9.9 ↖	8.5 ←	7.9 ↗	8.6 ↖
8.4 ↓	8.9 →	8.1 ↖	8.1 →	9.8 ↑

beste Teiler 2952.1 (52.) 3252.8 (60.) 5515.2 (57.)
 Trefferlage 3.83 mm rechts, 2.94 mm hoch
 Streuwert 46.91, horizontal: 48.39, vertikal: 45.38




Ergebnis:	484	(513.5) ^{QF}				
Serien:	84	84	75	78	82	81
Zähler:	3	22	20	8	5	2 0 0 0 0
Innenzehner:	2					
weiteste:	12929 (22), 12783 (56), 11598 (21)					
beste Teiler	1074.6 (42.) 1483.5 (52.) 2435.0 (7.)					
Trefferlage	16.11 mm rechts, 34.80 mm tief					
Streuwert	40.78, horizontal: 39.75, vertikal: 41.79					




Serie 1:

7.0 ↓	9.9 ←	9.8 ↖	9.1 ↙	6.8 ↓
9.0 ↓	10.1 ↓	9.8 →	8.7 ↘	8.3 →
beste Teiler	2435.0 (7.) 2897.3 (2.) 3234.2 (8.)			
Trefferlage	2.91 mm rechts, 37.38 mm tief			
Streuwert	36.92, horizontal: 33.83, vertikal: 39.77			




Serie 2:

6.5 ↘	8.8 ↓	9.8 ↘	9.9 ↓	8.8 ↘
8.7 ↓	9.9 ↙	9.2 →	9.5 ↘	9.8 ↑
beste Teiler	2862.7 (14.) 2930.9 (17.) 3041.9 (13.)			
Trefferlage	14.46 mm rechts, 35.51 mm tief			
Streuwert	29.09, horizontal: 21.41, vertikal: 35.14			




Serie 3:

6.4 ↓	5.9 ↘	9.4 ↘	8.0 →	8.0 →
7.0 ←	8.3 ↘	7.6 ↓	9.3 →	8.5 ↗
beste Teiler	4227.2 (23.) 4323.4 (29.) 6282.9 (30.)			
Trefferlage	23.58 mm rechts, 40.37 mm tief			
Streuwert	53.04, horizontal: 52.74, vertikal: 53.33			




Serie 4:

8.8 ↗	7.6 ↘	8.5 ↘	9.6 ↖	9.1 ↗
7.5 →	7.7 ←	6.8 ↘	9.8 ↗	8.5 ↓
beste Teiler	3147.6 (39.) 3636.0 (34.) 5000.5 (35.)			
Trefferlage	22.71 mm rechts, 18.20 mm tief			
Streuwert	48.39, horizontal: 50.53, vertikal: 46.14			




Serie 5:

7.5 ↘	10.6 *	8.0 →	8.5 ↓	8.3 ↓
7.4 ↓	8.9 ↓	8.2 ↓	9.8 ↑	9.1 ↓
beste Teiler	1074.6 (42.) 3233.6 (49.) 4947.0 (50.)			
Trefferlage	8.90 mm rechts, 35.51 mm tief			
Streuwert	40.38, horizontal: 39.14, vertikal: 41.59			





Serie 6:

9.4 ↘	10.4 *	8.0 ↓	8.4 ↓	9.3 ↑
5.9 ↘	8.1 ↘	6.8 ↘	9.6 ↙	9.6 ↓
beste Teiler	1483.5 (52.) 3745.7 (60.) 3766.9 (59.)			
Trefferlage	24.10 mm rechts, 41.80 mm tief			
Streuwert	38.57, horizontal: 38.11, vertikal: 39.03			




Ergebnis:	499	(524.2) ^{QF}								
Serien:	78	90	73	90	86	82				
Zähler:	11	20	15	8	3	3	0	0	0	0
Innenzehner:	5									
weiteste:	14081 (22), 13822 (52), 13756 (23)									
beste Teiler	33.0 (19.) 578.5 (18.) 1150.3 (60.)									
Trefferlage	1.46 mm links, 0.83 mm hoch									
Streuwert	47.11, horizontal: 46.54, vertikal: 47.67									



Serie 1:

9.5 ↙	9.5 ↑	7.8 ↙	6.9 ↗	8.0 →
9.1 ↗	8.9 ↑	9.2 ↘	7.5 →	6.8 ↓


beste Teiler 3878.2 (2.) 3956.1 (1.) 4745.2 (8.)
 Trefferlage 13.70 mm rechts, 6.81 mm hoch
 Streuwert 53.37, horizontal: 56.81, vertikal: 49.69



Serie 2:

10.1 ↘	10.1 ↓	9.3 ↗	9.6 ↓	8.7 ↓
9.7 →	8.6 ↓	10.7 *	10.9 *	7.9 ↓


beste Teiler 33.0 (19.) 578.5 (18.) 2275.9 (12.)
 Trefferlage 10.24 mm rechts, 26.28 mm tief
 Streuwert 24.54, horizontal: 17.03, vertikal: 30.24



Serie 3:

8.2 ↗	5.4 ↗	5.6 ↑	9.0 ↗	8.6 ↘
8.2 ↗	7.4 ↘	9.5 ←	7.7 ↓	7.6 ↘


beste Teiler 3843.7 (28.) 5205.6 (24.) 6183.1 (25.)
 Trefferlage 21.23 mm rechts, 23.92 mm hoch
 Streuwert 62.09, horizontal: 49.23, vertikal: 72.71



Serie 4:

10.3 ↗	8.4 ↘	10.4 ↗	10.1 ↓	8.0 ↙
9.7 →	9.7 ↑	9.3 ↘	9.3 ←	8.0 ↗


beste Teiler 1542.9 (33.) 1714.4 (31.) 2314.7 (34.)
 Trefferlage 3.76 mm links, 8.62 mm tief
 Streuwert 35.12, horizontal: 31.73, vertikal: 38.21



Serie 5:

7.1 ↗	9.1 ↗	9.1 ↙	10.4 *	9.2 ←
8.7 ↑	7.1 ↙	8.1 ↙	10.2 →	9.3 ↗

beste Teiler 1513.4 (44.) 2035.6 (49.) 4521.4 (50.)
 Trefferlage 6.94 mm links, 8.47 mm hoch
 Streuwert 45.23, horizontal: 49.98, vertikal: 39.91





Serie 6:

9.1 ↑	5.5 ↙	8.7 ←	9.3 ←	6.8 ↘
9.2 ↓	10.5 *	8.5 ←	8.6 ←	10.5 *

beste Teiler 1150.3 (60.) 1217.6 (57.) 4463.7 (54.)
 Trefferlage 43.27 mm links, 0.68 mm hoch
 Streuwert 40.95, horizontal: 42.33, vertikal: 39.52

Meyton Elektronik


Ergebnis:	474	(502.6) ^{QF}					
Serien:	74	84	77	78	76	85	
Zähler:	7	18	15	9	5	5	1 0 0 0
Innenzehner:	4						
weiteste:	16850 (22), 14099 (29), 13927 (8)						
beste Teiler	761.6 (57.) 854.3 (51.) 943.5 (36.)						
Trefferlage	30.56 mm links, 2.00 mm tief						
Streuwert	50.14, horizontal: 40.57, vertikal: 58.17						



Serie 1:

7.6 ↓	8.2 ↙	9.4 ↑	8.8 ↘	7.3 ↙
8.0 ↘	5.6 ↘	5.5 ↓	8.3 ↙	9.2 ↘


beste Teiler 4064.3 (3.) 4594.6 (10.) 5777.6 (4.)
 Trefferlage 48.26 mm links, 14.94 mm tief
 Streuwert 53.74, horizontal: 32.66, vertikal: 68.63



Serie 2:

7.9 ←	9.3 ↘	8.5 →	8.8 ↑	8.2 ↘
9.8 ←	9.8 ↘	7.9 ↙	10.4 *	9.7 ↙


beste Teiler 1482.4 (19.) 3076.4 (16.) 3228.1 (17.)
 Trefferlage 18.55 mm links, 2.67 mm tief
 Streuwert 38.31, horizontal: 42.72, vertikal: 33.31



Serie 3:

9.1 ↑	4.3 ↙	9.2 ↑	6.9 ↓	7.6 ←
9.9 ↘	9.6 ↓	10.4 ↑	5.4 ↓	9.3 ↘


beste Teiler 1556.1 (28.) 2852.1 (26.) 3780.7 (27.)
 Trefferlage 32.00 mm links, 25.01 mm tief
 Streuwert 57.29, horizontal: 50.93, vertikal: 63.02



Serie 4:

9.7 ↙	8.3 ←	7.9 ↙	6.3 ↑	9.3 ↓
10.6 *	8.5 ↙	6.6 ←	8.1 ↓	7.2 ↘


beste Teiler 943.5 (36.) 3524.2 (31.) 4312.4 (35.)
 Trefferlage 31.19 mm links, 3.88 mm tief
 Streuwert 52.64, horizontal: 40.87, vertikal: 62.23



Serie 5:

6.8 ↑	8.9 ↓	7.3 ↘	8.2 ←	9.7 ↓
8.9 ←	7.1 ↑	9.3 ↙	9.5 ↘	5.8 ↑

beste Teiler 3320.5 (45.) 3887.7 (49.) 4489.2 (48.)
 Trefferlage 21.85 mm links, 24.84 mm hoch
 Streuwert 53.91, horizontal: 33.45, vertikal: 68.50





Serie 6:

10.6 *	5.8 ↘	10.1 ↙	10.2 ↓	6.1 ←
8.2 ↑	10.7 *	9.2 ↘	8.6 ↙	9.2 ←

beste Teiler 761.6 (57.) 854.3 (51.) 2126.7 (54.)
 Trefferlage 31.49 mm links, 9.67 mm hoch
 Streuwert 44.77, horizontal: 43.78, vertikal: 45.75

Meyton Elektronik


Ergebnis:	440	(466.1) _{QF}					
Serien:	71	75	66	79	73	76	
Zähler:	5	12	14	14	8	1	3 2 0 1
Innenzehner:	3						
weiteste:	25160 (30), 19783 (27), 19463 (1)						
beste Teiler	270.0 (36.) 1135.4 (35.) 1468.4 (2.)						
Trefferlage	1.87 mm links, 2.34 mm hoch						
Streuwert	67.93, horizontal: 60.48, vertikal: 74.64						



Serie 1:

3.3 ↙	10.4 *	6.3 ↓	8.2 ↖	9.3 ↑
7.2 ↘	7.4 ↗	6.4 →	8.6 ↑	7.7 ↓


beste Teiler 1468.4 (2.) 4523.0 (5.) 6203.2 (9.)
 Trefferlage 5.49 mm rechts, 4.50 mm tief
 Streuwert 74.82, horizontal: 69.05, vertikal: 80.17



Serie 2:

9.7 ↑	8.8 ↑	9.2 ↓	7.0 →	7.7 ↑
7.2 ←	8.5 ↑	4.6 ↙	7.4 ↑	9.7 ↓


beste Teiler 3291.6 (11.) 3328.3 (20.) 4575.0 (13.)
 Trefferlage 11.44 mm links, 12.84 mm hoch
 Streuwert 62.32, horizontal: 59.80, vertikal: 64.74



Serie 3:

6.4 ↓	5.8 ↗	9.5 ↘	10.1 ←	8.4 ↑
9.8 ↙	3.1 ↑	9.7 ↘	6.7 ↑	1.0 ↑


beste Teiler 2307.5 (24.) 3061.1 (26.) 3306.6 (28.)
 Trefferlage 25.96 mm rechts, 47.38 mm hoch
 Streuwert 83.12, horizontal: 55.70, vertikal: 103.51



Serie 4:

8.9 ←	6.0 ←	6.1 ↓	7.8 ↑	10.5 *
10.9 *	7.3 ↓	9.0 ↑	8.1 ↘	8.8 ↘


beste Teiler 270.0 (36.) 1135.4 (35.) 5219.1 (38.)
 Trefferlage 15.63 mm links, 15.22 mm tief
 Streuwert 56.33, horizontal: 45.39, vertikal: 65.46



Serie 5:

8.3 ↓	4.8 ↑	8.8 ↑	7.4 ↗	8.1 ↓
6.7 ←	7.0 ←	8.1 ↓	10.0 →	7.4 ↖

beste Teiler 2698.5 (49.) 5620.9 (43.) 6794.9 (41.)
 Trefferlage 15.15 mm links, 4.07 mm hoch
 Streuwert 66.64, horizontal: 61.06, vertikal: 71.78





Serie 6:

9.2 ↘	9.6 ↙	9.8 ↑	4.2 ↙	8.2 ↘
6.4 ←	7.5 ↓	7.5 ↘	8.7 →	9.9 ←

beste Teiler 2918.2 (60.) 3199.2 (53.) 3581.7 (52.)
 Trefferlage 0.48 mm links, 30.48 mm tief
 Streuwert 59.52, horizontal: 72.86, vertikal: 42.13

Meyton Elektronik


Ergebnis:	440	(465.3)								
Serien:	71	73	82	63	81	70				
Zähler:	8	8	14	14	6	5	2	3	0	0
Innenzehner:	2									
weiteste:	19628 (14), 18375 (31), 17833 (39)									
beste Teiler	249.2 (45.) 1419.2 (17.) 1788.8 (42.)									
Trefferlage	18.80 mm rechts, 24.46 mm hoch									
Streuwert	63.14, horizontal: 65.14, vertikal: 61.08									



Serie 1:

5.4 ↘	9.4 ↘	4.8 ↗	7.3 ←	7.2 ↖
7.6 ↗	8.7 ↑	9.1 ←	7.1 ↓	8.5 →


beste Teiler 4239.6 (2.) 4880.5 (8.) 5902.3 (7.)
 Trefferlage 19.19 mm rechts, 1.81 mm hoch
 Streuwert 70.08, horizontal: 80.18, vertikal: 58.26



Serie 2:

5.1 →	8.2 ←	7.5 ↑	3.2 ↖	10.2 ↑
8.5 ↗	10.4 *	6.0 ↘	7.4 ↗	9.1 ↖


beste Teiler 1419.2 (17.) 1955.4 (15.) 4818.9 (20.)
 Trefferlage 9.44 mm rechts, 49.97 mm hoch
 Streuwert 66.62, horizontal: 72.76, vertikal: 59.84



Serie 3:

9.8 ↖	6.6 ↑	10.1 ←	10.2 ↑	9.0 ↖
7.6 ←	8.3 ↓	9.0 ↓	8.7 ↖	6.9 ↓


beste Teiler 2205.3 (24.) 2345.1 (23.) 3180.7 (21.)
 Trefferlage 14.82 mm links, 3.52 mm tief
 Streuwert 49.52, horizontal: 35.48, vertikal: 60.37



Serie 4:

3.7 →	8.8 ↘	7.2 →	8.8 ↑	5.6 ↖
7.4 ↓	7.3 ↘	5.7 →	3.9 ↑	10.1 ↖


beste Teiler 2391.7 (40.) 5618.5 (32.) 5709.4 (34.)
 Trefferlage 49.95 mm rechts, 17.67 mm hoch
 Streuwert 77.52, horizontal: 73.49, vertikal: 81.36



Serie 5:

6.9 ↑	10.3 ↖	6.9 ↑	8.2 →	10.9 *
9.0 →	8.0 ↑	8.8 ↑	9.5 ↖	7.0 →


beste Teiler 249.2 (45.) 1788.8 (42.) 4007.6 (49.)
 Trefferlage 27.81 mm rechts, 36.97 mm hoch
 Streuwert 40.28, horizontal: 39.35, vertikal: 41.18





Serie 6:

7.6 ↘	8.3 ↑	10.1 ↗	7.2 ↑	6.4 ←
7.4 ↖	4.6 ↗	8.9 ↑	5.6 ↗	8.3 ↑

beste Teiler 2284.8 (53.) 5321.3 (58.) 6952.0 (60.)
 Trefferlage 21.24 mm rechts, 43.86 mm hoch
 Streuwert 63.53, horizontal: 73.17, vertikal: 52.14




Ergebnis:	514	(541.6) ^{QF}				
Serien:	87	84	86	83	86	88
Zähler:	14	18	18	8	2	0 0 0 0 0
Innenzehner:	4					
weiteste:	12441 (4), 10643 (36), 10276 (2)					
beste Teiler	275.1 (41.) 594.1 (52.) 1042.0 (5.)					
Trefferlage	24.36 mm rechts, 3.45 mm hoch					
Streuwert	36.71, horizontal: 37.18, vertikal: 36.22					




Serie 1:

10.1 ↘	7.0 →	7.8 →	6.1 →	10.6 *
10.3 →	9.8 ↗	9.8 ↗	10.5 *	9.0 ←
beste Teiler	1042.0 (5.) 1145.9 (9.) 1738.4 (6.)			
Trefferlage	29.82 mm rechts, 3.99 mm tief			
Streuwert	40.37, horizontal: 53.30, vertikal: 20.48			




Serie 2:

8.6 ↘	10.2 ←	7.5 ↗	8.3 ↓	9.3 ↘
8.9 ↑	9.0 →	8.4 ↖	9.9 ↓	8.0 →
beste Teiler	2007.8 (12.) 2953.6 (19.) 4358.1 (15.)			
Trefferlage	19.23 mm rechts, 5.64 mm tief			
Streuwert	41.79, horizontal: 41.93, vertikal: 41.65			




Serie 3:

8.2 ↑	9.4 ↓	9.9 ↓	9.3 →	8.6 ↑
8.8 ↗	9.0 →	10.1 ↘	8.5 ↓	8.7 ↖
beste Teiler	2316.8 (28.) 2982.5 (23.) 4075.7 (22.)			
Trefferlage	15.47 mm rechts, 3.58 mm hoch			
Streuwert	37.18, horizontal: 30.58, vertikal: 42.77			




Serie 4:

8.7 ↗	10.2 ↖	8.3 ↗	9.6 →	9.1 →
6.8 ↘	8.5 ↓	9.3 ↗	9.4 →	7.8 →
beste Teiler	2159.4 (32.) 3635.3 (34.) 4145.8 (39.)			
Trefferlage	26.83 mm rechts, 7.58 mm hoch			
Streuwert	41.16, horizontal: 37.33, vertikal: 44.66			



Serie 5:

10.9 *	8.3 ↑	8.4 ↗	9.8 ↖	8.5 ↗
10.3 ←	9.9 ↓	9.6 ↑	8.7 →	7.9 →
beste Teiler	275.1 (41.) 1734.0 (46.) 2846.6 (47.)			
Trefferlage	21.10 mm rechts, 13.16 mm hoch			
Streuwert	33.49, horizontal: 31.47, vertikal: 35.40			





Serie 6:

7.8 ↑	10.7 *	10.3 ↗	10.1 ↘	10.0 →
10.0 →	9.1 ↘	7.7 →	8.6 →	7.7 →
beste Teiler	594.1 (52.) 1826.7 (53.) 2317.4 (54.)			
Trefferlage	33.71 mm rechts, 6.04 mm hoch			
Streuwert	31.36, horizontal: 29.68, vertikal: 32.94			

Meyton Elektronik


Ergebnis:	467	(491.9) ^{QF}								
Serien:	71	82	81	81	74	78				
Zähler:	7	13	19	10	4	6	1	0	0	0
Innenzehner:	2									
weiteste:	16232 (51), 15031 (4), 14615 (48)									
beste Teiler	997.2 (23.) 1276.2 (12.) 1941.9 (58.)									
Trefferlage	9.73 mm links, 3.70 mm tief									
Streuwert	56.97, horizontal: 56.30, vertikal: 57.63									



Serie 1:

5.3 ↘	7.7 ↙	8.2 ↗	5.0 ↑	9.1 ↘
9.2 ↗	5.3 ←	8.9 ↘	6.3 ↓	9.1 ↗


beste Teiler 4620.3 (6.) 4787.5 (5.) 4792.1 (10.)
 Trefferlage 19.27 mm rechts, 6.65 mm tief
 Streuwert 73.24, horizontal: 73.32, vertikal: 73.16



Serie 2:

8.9 ↘	10.5 *	8.5 ↑	8.0 ↑	9.0 ↙
7.8 ↘	7.7 →	8.4 ↘	9.8 ←	8.1 ↓


beste Teiler 1276.2 (12.) 3167.4 (19.) 5154.4 (15.)
 Trefferlage 10.54 mm rechts, 2.81 mm tief
 Streuwert 46.87, horizontal: 41.47, vertikal: 51.70



Serie 3:

7.6 ↘	5.7 ↘	10.6 *	10.1 ↑	7.4 ↑
8.9 ←	8.8 ↙	10.2 ←	8.1 ←	8.5 ↑


beste Teiler 997.2 (23.) 2185.3 (28.) 2432.2 (24.)
 Trefferlage 29.25 mm links, 24.80 mm hoch
 Streuwert 44.83, horizontal: 42.56, vertikal: 46.99



Serie 4:

9.3 ↘	8.4 →	8.5 ↙	10.1 ↘	7.6 ←
8.7 ←	6.6 ↓	8.3 ↙	8.4 ↙	9.3 ↘


beste Teiler 2418.8 (34.) 4439.2 (40.) 4515.2 (31.)
 Trefferlage 13.88 mm links, 30.72 mm tief
 Streuwert 43.84, horizontal: 49.08, vertikal: 37.89



Serie 5:

6.6 ↓	8.5 ←	9.1 ↙	5.6 ↑	8.1 ↘
8.5 ↑	7.8 ↙	5.2 ↘	9.3 ↑	9.8 ↑

beste Teiler 3120.1 (50.) 4469.2 (49.) 4787.0 (43.)
 Trefferlage 27.09 mm links, 11.88 mm hoch
 Streuwert 62.14, horizontal: 46.32, vertikal: 74.68





Serie 6:

4.6 ↓	7.7 →	9.7 ↙	6.0 ←	10.0 ↙
9.3 ↘	9.1 ↘	10.3 ↓	7.5 ←	7.3 ←

beste Teiler 1941.9 (58.) 2657.8 (55.) 3458.0 (53.)
 Trefferlage 17.97 mm links, 18.72 mm tief
 Streuwert 60.65, horizontal: 71.21, vertikal: 47.79


Ergebnis:	375	(400.7)				
Serien:	63	56	58	65	61	72
Zähler:	2	11	6	15	5	7
Innenzehner:	0					
weiteste:	26057 (20), 23186 (9), 22180 (14)					
beste Teiler	2382.7 (2.) 2446.6 (1.) 2933.8 (59.)					
Trefferlage	3.97 mm links, 28.08 mm hoch					
Streuwert	86.42, horizontal: 86.65, vertikal: 86.20					



Serie 1:

10.1 ←	10.1 ↘	5.0 ↓	6.1 ↑	7.8 ↖
8.6 ↘	9.4 ↓	3.8 ↖	1.8 ↑	4.1 ↑


beste Teiler 2382.7 (2.) 2446.6 (1.) 4135.2 (7.)
 Trefferlage 7.84 mm links, 48.45 mm hoch
 Streuwert 89.71, horizontal: 53.04, vertikal: 115.25



Serie 2:

7.6 ↓	5.4 ↖	7.0 ↘	2.2 →	9.3 ↗
6.4 ←	3.3 ↑	8.8 ↗	9.8 ↑	0.0 →


beste Teiler 3247.3 (19.) 4312.7 (15.) 5598.1 (18.)
 Trefferlage 34.25 mm rechts, 32.54 mm hoch
 Streuwert 102.62, horizontal: 122.42, vertikal: 77.95



Serie 3:

4.4 ↗	7.6 →	7.0 →	7.3 ↖	7.3 ←
4.7 ↖	2.3 ←	9.0 ↘	5.7 ↖	6.8 ↓


beste Teiler 5117.6 (28.) 8729.7 (22.) 9423.0 (25.)
 Trefferlage 22.43 mm links, 21.29 mm hoch
 Streuwert 93.66, horizontal: 109.82, vertikal: 74.05



Serie 4:

8.0 ↘	8.3 ↗	9.3 ↗	7.6 →	7.8 ↖
7.3 ↓	2.3 ↖	2.5 ↖	8.3 ↗	7.4 ↑


beste Teiler 4484.4 (33.) 6849.7 (32.) 6876.7 (39.)
 Trefferlage 3.84 mm links, 46.32 mm hoch
 Streuwert 82.00, horizontal: 72.29, vertikal: 90.67



Serie 5:

3.0 ↖	7.3 ↓	5.1 ↑	7.0 ↘	9.7 ←
5.4 ↗	9.7 ↗	7.5 ←	4.9 ↓	5.7 ←

beste Teiler 3442.4 (47.) 3476.6 (45.) 8950.0 (48.)
 Trefferlage 21.85 mm links, 7.76 mm hoch
 Streuwert 90.68, horizontal: 84.00, vertikal: 96.91





Serie 6:

9.1 ↓	9.4 ↓	6.5 ↑	6.6 ↖	8.7 ↘
4.8 ↘	9.6 ↘	5.9 ←	9.9 ←	7.4 ↖

beste Teiler 2933.8 (59.) 3611.9 (57.) 4095.4 (52.)
 Trefferlage 2.13 mm links, 12.10 mm hoch
 Streuwert 68.22, horizontal: 68.55, vertikal: 67.88


Ergebnis:	439	(466.7)				
Serien:	72	72	70	78	83	64
Zähler:	7	9	13	14	7	5 4 1 0 0
Innenzehner:	1					
weiteste:	18594 (22), 17280 (59), 17121 (38)					
beste Teiler	1013.4 (45.) 1616.6 (34.) 1841.3 (53.)					
Trefferlage	3.51 mm links, 1.22 mm tief					
Streuwert	66.18, horizontal: 60.55, vertikal: 71.37					



Serie 1:

8.2 ↘	7.2 ↘	8.6 ↙	6.3 ↓	8.3 ↓
5.8 ↗	7.5 ↓	10.0 ↘	6.4 ↖	7.4 ↘


beste Teiler 2588.1 (8.) 6162.1 (3.) 6905.3 (5.)
 Trefferlage 19.45 mm rechts, 38.04 mm tief
 Streuwert 60.72, horizontal: 58.93, vertikal: 62.45



Serie 2:

7.6 ↖	7.4 ↓	8.4 ↓	8.9 ↖	9.6 ←
7.5 ↙	6.8 ←	7.7 ↘	5.2 ↖	8.3 ↗


beste Teiler 3718.4 (15.) 5357.0 (14.) 6616.7 (13.)
 Trefferlage 38.14 mm links, 16.66 mm tief
 Streuwert 57.65, horizontal: 56.56, vertikal: 58.73



Serie 3:

10.1 ↗	3.6 ↗	9.6 ↙	9.5 ↗	6.8 ←
6.2 ↖	9.5 ↑	4.6 ↑	9.0 →	5.6 ↑


beste Teiler 2249.4 (21.) 3684.7 (23.) 3892.0 (27.)
 Trefferlage 1.48 mm rechts, 53.85 mm hoch
 Streuwert 68.47, horizontal: 63.18, vertikal: 73.37



Serie 4:

8.3 ↓	8.6 ↙	9.8 ↑	10.4 ↑	7.8 ↑
10.1 ↖	6.4 ↗	4.2 ↑	8.4 ↘	8.9 ↑


beste Teiler 1616.6 (34.) 2332.2 (36.) 3149.5 (33.)
 Trefferlage 8.80 mm rechts, 28.71 mm hoch
 Streuwert 56.84, horizontal: 36.40, vertikal: 71.67



Serie 5:

7.4 ↖	9.6 ↗	9.4 ↓	7.7 ↓	10.6 *
10.2 ↖	8.7 ↖	9.6 ↙	7.2 ↓	7.6 ↑

beste Teiler 1013.4 (45.) 2081.0 (46.) 3631.1 (48.)
 Trefferlage 13.13 mm links, 2.16 mm tief
 Streuwert 46.63, horizontal: 35.13, vertikal: 55.81





Serie 6:

6.2 ↙	8.2 ↖	10.3 ↘	5.8 ↘	7.9 →
8.1 ↖	5.5 ↙	4.4 ↗	4.2 ↙	7.6 ↓

beste Teiler 1841.3 (53.) 7208.6 (52.) 7419.8 (56.)
 Trefferlage 0.41 mm rechts, 33.02 mm tief
 Streuwert 82.83, horizontal: 92.60, vertikal: 71.75

Meyton Elektronik


Ergebnis:	453	(484.2) ^{QF}				
Serien:	70	74	77	77	76	79
Zähler:	2	11	26	10	4	4 3 0 0 0
Innenzehner:	2					
weiteste:	17402 (39), 16010 (16), 15838 (7)					
beste Teiler	924.8 (55.) 1371.7 (40.) 3032.4 (60.)					
Trefferlage	17.28 mm links, 4.97 mm tief					
Streuwert	57.74, horizontal: 57.79, vertikal: 57.69					



Serie 1:

8.8 ↘	9.3 →	6.2 ↙	5.9 ↗	9.7 ↘
8.9 ↑	4.7 ↑	5.2 ↘	7.6 ↘	9.2 ↑


beste Teiler 3380.1 (5.) 4528.2 (2.) 4610.6 (10.)
 Trefferlage 3.22 mm rechts, 38.92 mm hoch
 Streuwert 67.47, horizontal: 66.27, vertikal: 68.65



Serie 2:

8.5 ↓	7.0 ↑	9.8 ↓	8.3 ↘	7.1 ←
4.7 ↓	8.6 ↘	8.7 ↑	8.5 ↓	7.8 ↙


beste Teiler 3221.7 (13.) 5787.5 (18.) 6088.6 (17.)
 Trefferlage 1.44 mm links, 28.37 mm tief
 Streuwert 60.39, horizontal: 48.57, vertikal: 70.24



Serie 3:

6.8 ←	9.1 →	8.1 ←	8.9 ←	8.4 ←
8.3 ←	7.7 ↘	8.3 ↓	8.7 ↓	7.1 ↘


beste Teiler 4825.0 (22.) 5368.7 (24.) 5787.7 (29.)
 Trefferlage 22.94 mm links, 33.68 mm tief
 Streuwert 47.06, horizontal: 60.71, vertikal: 27.27



Serie 4:

8.1 ↓	5.7 ↑	8.8 ↘	8.7 ↑	8.6 ←
9.8 ↑	8.0 →	9.7 ↘	4.1 ←	10.5 *


beste Teiler 1371.7 (40.) 3040.1 (36.) 3433.7 (38.)
 Trefferlage 10.54 mm links, 11.00 mm hoch
 Streuwert 62.40, horizontal: 69.06, vertikal: 54.93



Serie 5:

8.1 ↙	9.8 ←	7.7 ↓	7.6 ↓	6.6 ↙
8.9 ←	8.6 →	8.2 ↑	7.5 ↘	8.7 ↓


beste Teiler 3247.6 (42.) 5460.5 (46.) 6008.4 (50.)
 Trefferlage 33.14 mm links, 18.76 mm tief
 Streuwert 48.32, horizontal: 41.04, vertikal: 54.63





Serie 6:

9.3 ↓	8.7 ↙	8.6 ↑	7.9 ↗	10.6 *
9.5 ←	8.4 ↘	5.0 ←	6.8 ←	9.8 ↙


beste Teiler 924.8 (55.) 3032.4 (60.) 3822.1 (56.)
 Trefferlage 38.86 mm links, 1.05 mm hoch
 Streuwert 47.94, horizontal: 58.06, vertikal: 35.00




Ergebnis: **445** (468.7)_{QF}
 Serien: 72 66 81 66 82 78
 Zähler: 6 12 10 15 10 6 0 0 1 0
 Innenzehner: 2
 weiteste: 21912 (36), 15087 (18), 14328 (17)
 beste Teiler 1290.8 (29.) 1506.0 (47.) 1647.4 (45.)
 Trefferlage 9.48 mm rechts, 0.97 mm hoch
 Streuwert 64.21, horizontal: 59.06, vertikal: 68.98




Serie 1:
 5.8 ↘ 10.1 ↘ 7.2 ↓ 8.7 ↘ 8.7 ↓
 7.4 ↗ 9.1 ↗ 7.6 ↑ 6.9 ↑ 5.6 ↗
 beste Teiler 2458.8 (2.) 4948.7 (7.) 5939.6 (5.)
 Trefferlage 1.30 mm rechts, 36.73 mm hoch
 Streuwert 61.68, horizontal: 55.53, vertikal: 67.27




Serie 2:
 6.3 ↑ 5.4 → 8.4 ↘ 6.7 ↑ 9.8 ↘
 6.5 → 5.3 → 5.0 → 7.3 ↓ 9.6 ↑
 beste Teiler 3140.9 (15.) 3617.3 (20.) 6647.4 (13.)
 Trefferlage 51.00 mm rechts, 7.69 mm hoch
 Streuwert 71.18, horizontal: 75.58, vertikal: 66.48




Serie 3:
 6.9 ↘ 7.0 ↑ 6.7 ↑ 9.6 ↙ 8.0 ↘
 10.0 → 9.5 ↓ 9.5 ↘ 10.5 * 7.1 ↙
 beste Teiler 1290.8 (29.) 2656.5 (26.) 3605.0 (24.)
 Trefferlage 5.41 mm rechts, 4.35 mm tief
 Streuwert 54.38, horizontal: 46.96, vertikal: 60.91




Serie 4:
 6.6 ↙ 7.3 ↘ 9.5 ↓ 7.4 ↓ 7.1 ↙
 2.3 ↘ 8.6 ↘ 8.1 ↘ 7.4 ↗ 5.4 ↓
 beste Teiler 3809.8 (33.) 6077.4 (37.) 7411.4 (38.)
 Trefferlage 8.64 mm rechts, 53.09 mm tief
 Streuwert 73.46, horizontal: 69.43, vertikal: 77.28





Serie 5:
 8.1 ↓ 9.4 ↗ 9.6 ↙ 7.5 → 10.4 ↑
 6.5 ↑ 10.4 * 9.1 ↗ 7.1 → 7.3 ↘
 beste Teiler 1506.0 (47.) 1647.4 (45.) 3541.7 (43.)
 Trefferlage 20.06 mm rechts, 15.63 mm hoch
 Streuwert 49.85, horizontal: 50.13, vertikal: 49.56



Serie 6:
 8.6 ↘ 10.1 ↘ 6.0 ↘ 9.2 ↙ 8.0 ↑
 8.4 ↑ 9.1 ↘ 6.5 ↙ 7.6 ↓ 7.9 ↙
 beste Teiler 2439.8 (52.) 4622.4 (54.) 4844.8 (57.)
 Trefferlage 29.55 mm links, 3.22 mm hoch
 Streuwert 53.94, horizontal: 26.54, vertikal: 71.52




Ergebnis:	482	(509.3) ^{QF}					
Serien:	72	88	81	84	79	78	
Zähler:	10	11	18	14	6	1	0 0 0 0
Innenzehner:	3						
weiteste:	13783 (32), 12196 (30), 11528 (31)						
beste Teiler	916.0 (39.) 1046.3 (17.) 1357.4 (37.)						
Trefferlage	12.37 mm links, 1.70 mm hoch						
Streuwert	49.96, horizontal: 57.08, vertikal: 41.65						



Serie 1:

7.9 →	8.8 ←	6.9 ↖	8.0 ↗	7.4 ←
7.9 →	8.8 ←	8.3 →	6.8 ↘	7.9 ↖


beste Teiler 5549.8 (7.) 5681.9 (2.) 7017.2 (8.)
 Trefferlage 8.85 mm links, 13.38 mm hoch
 Streuwert 59.63, horizontal: 67.15, vertikal: 51.01



Serie 2:

9.6 ↙	8.5 ↓	7.5 ↘	8.1 →	8.6 ↖
8.5 ↑	10.6 *	10.1 ↘	10.4 ↑	10.4 ↖


beste Teiler 1046.3 (17.) 1562.2 (19.) 1644.9 (20.)
 Trefferlage 2.82 mm links, 5.52 mm tief
 Streuwert 38.90, horizontal: 34.13, vertikal: 43.14



Serie 3:

7.3 ↘	8.7 ↘	7.1 ←	10.0 ↖	9.0 ↗
10.1 ←	8.0 ↑	7.7 ↓	9.5 ←	6.2 →


beste Teiler 2451.9 (26.) 2583.8 (24.) 3795.0 (29.)
 Trefferlage 10.10 mm rechts, 2.96 mm hoch
 Streuwert 54.71, horizontal: 62.34, vertikal: 45.82



Serie 4:

6.5 ←	5.5 ←	9.6 ↖	9.6 →	9.5 ↓
8.1 ←	10.5 *	8.7 ↑	10.6 *	10.3 ↖


beste Teiler 916.0 (39.) 1357.4 (37.) 1711.7 (40.)
 Trefferlage 27.96 mm links, 3.52 mm hoch
 Streuwert 46.14, horizontal: 58.33, vertikal: 29.23



Serie 5:

7.9 ←	9.2 ←	8.7 ↙	8.4 ↓	10.3 ←
7.0 ←	7.7 ←	9.1 ↙	6.9 ←	8.4 ←


beste Teiler 1899.1 (45.) 4761.6 (42.) 5005.1 (48.)
 Trefferlage 54.44 mm links, 19.27 mm tief
 Streuwert 32.02, horizontal: 36.84, vertikal: 26.33





Serie 6:

8.1 ↘	8.6 →	8.8 ↖	7.6 →	9.4 ↑
9.2 →	9.3 ↗	6.5 ↖	7.7 ↘	7.0 ←

beste Teiler 4247.4 (55.) 4291.4 (57.) 4725.2 (56.)
 Trefferlage 9.74 mm rechts, 15.16 mm hoch
 Streuwert 54.48, horizontal: 59.84, vertikal: 48.52




Ergebnis:	389	(416.0)									
Serien:	56	66	63	60	75	69					
Zähler:	2	9	7	15	10	6	7	2	1	1	
Innenzehner:	0										
weiteste:	23612 (10), 22474 (37), 18976 (18)										
beste Teiler	1633.7 (16.) 2237.2 (5.) 2988.2 (46.)										
Trefferlage	19.01 mm links, 2.51 mm tief										
Streuwert	80.51, horizontal: 80.29, vertikal: 80.74										



Serie 1:

4.2 ↗	7.8 ↘	6.0 ↘	4.2 ↗	10.1 ↘
4.2 ↘	6.7 ↑	9.4 ↘	5.5 ↘	1.6 ↘


beste Teiler 2237.2 (5.) 4197.8 (8.) 8271.7 (2.)
 Trefferlage 35.58 mm links, 11.77 mm tief
 Streuwert 101.60, horizontal: 96.31, vertikal: 106.64



Serie 2:

7.6 ↗	7.4 ↖	7.2 ↘	9.1 ↑	4.7 ↑
10.4 ↘	4.6 ↘	3.5 ↗	8.7 ↖	7.5 →


beste Teiler 1633.7 (16.) 4861.0 (14.) 5909.7 (19.)
 Trefferlage 11.03 mm links, 52.66 mm hoch
 Streuwert 73.64, horizontal: 77.92, vertikal: 69.09



Serie 3:

8.1 ↑	5.8 ↘	3.7 ↘	7.9 ↖	6.3 →
8.1 ↘	6.9 ↑	7.6 ↖	7.2 ↘	6.7 ↓


beste Teiler 7470.0 (26.) 7498.1 (21.) 7940.2 (24.)
 Trefferlage 32.94 mm links, 2.28 mm hoch
 Streuwert 78.56, horizontal: 79.28, vertikal: 77.82



Serie 4:

5.9 ↖	6.2 ↗	5.4 ↘	4.2 ↖	8.7 ↖
9.5 →	2.1 ↘	6.1 ↑	9.1 ↑	6.0 ↘


beste Teiler 3856.2 (36.) 4891.7 (39.) 5908.8 (35.)
 Trefferlage 33.78 mm links, 12.87 mm tief
 Streuwert 93.59, horizontal: 90.13, vertikal: 96.93



Serie 5:

9.2 ↘	8.9 ↘	8.5 ↖	7.7 ↓	7.9 ↑
9.9 ↘	6.4 ↖	7.0 ↘	8.2 ↗	6.0 ↖

beste Teiler 2988.2 (46.) 4695.8 (41.) 5404.3 (42.)
 Trefferlage 38.82 mm links, 8.65 mm tief
 Streuwert 54.04, horizontal: 56.79, vertikal: 51.13



Serie 6:

4.9 →	7.7 ↓	7.9 ↘	9.2 ↓	5.2 →
5.4 ↓	9.7 ↘	9.2 ↗	7.8 ↘	7.4 ↓

beste Teiler 3509.4 (57.) 4549.5 (58.) 4551.6 (54.)
 Trefferlage 38.04 mm rechts, 36.73 mm tief
 Streuwert 63.03, horizontal: 66.27, vertikal: 59.61