





Ergebnis: **234** (247.8)
 Serien: 75 81 78
 Zähler: 3 6 9 7 4 1 0 0 0 0
 Innenzehner: 0
 weiteste: 2289 (3), 2184 (19), 2099 (17)
 beste Teiler 349.0 (11.) 367.3 (10.) 398.0 (15.)
 Trefferlage 1.08 mm links, 4.41 mm hoch
 Streuwert 9.08, horizontal: 9.22, vertikal: 8.94



Serie 1:
 6.5 ↑ 7.2 ↑ 5.9 ↘ 9.7 ↓ 7.9 ↙
 8.9 ← 8.6 ← 8.8 ← 7.6 ↑ 10.1 ↘
 beste Teiler 367.3 (10.) 577.8 (4.) 923.0 (6.)
 Trefferlage 0.48 mm links, 1.95 mm hoch
 Streuwert 10.38, horizontal: 9.50, vertikal: 11.18



Serie 2:
 10.2 ↑ 7.4 ↘ 8.1 ↘ 7.2 ↑ 10.1 ↑
 9.8 ↗ 6.3 ↘ 9.6 ← 6.1 ↘ 9.3 ↗
 beste Teiler 349.0 (11.) 398.0 (15.) 544.4 (16.)
 Trefferlage 1.98 mm links, 7.07 mm hoch
 Streuwert 8.33, horizontal: 8.48, vertikal: 8.17





Serie 3:
 8.5 ↗ 7.9 ↘ 9.4 ↗ 8.3 ↓ 7.6 ↗
 9.7 ↘ 8.1 ↘ 8.4 ↘ 6.4 ↘ 8.2 ↑
 beste Teiler 550.5 (26.) 688.7 (23.) 1106.1 (21.)
 Trefferlage 0.78 mm links, 4.20 mm hoch
 Streuwert 8.99, horizontal: 10.51, vertikal: 7.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **221** (233.2)
 Serien: 74 77 70
 Zähler: 1 6 7 8 5 3 0 0 0 0
 Innenzehner: 0
 weiteste: 2682 (22), 2435 (16), 2375 (2)
 beste Teiler 456.0 (23.) 573.8 (1.) 574.1 (9.)
 Trefferlage 1.87 mm links, 2.16 mm tief
 Streuwert 10.96, horizontal: 11.79, vertikal: 10.06



Serie 1:
 9.7 ↖ 5.7 ↙ 8.7 → 7.5 ↙ 8.2 ↘
 7.7 → 6.5 ↘ 7.4 ↖ 9.7 ↗ 8.0 ↘
 beste Teiler 573.8 (1.) 574.1 (9.) 1007.5 (3.)
 Trefferlage 1.15 mm rechts, 5.14 mm tief
 Streuwert 10.30, horizontal: 12.93, vertikal: 6.72





Serie 2:
 9.0 ↘ 8.1 ↓ 9.6 ↗ 7.5 ↖ 8.3 ↗
 5.6 ↖ 6.9 ↘ 7.7 ↓ 9.0 ↖ 9.3 ←
 beste Teiler 601.5 (13.) 756.8 (20.) 877.6 (11.)
 Trefferlage 3.93 mm links, 2.45 mm tief
 Streuwert 9.80, horizontal: 9.38, vertikal: 10.21




Serie 3:
 7.6 ↖ 5.0 ← 10.0 ↓ 6.6 ↗ 8.6 ↘
 6.5 ↖ 7.1 ↓ 6.2 ↗ 7.3 ↖ 8.2 ↘
 beste Teiler 456.0 (23.) 1071.6 (25.) 1243.4 (30.)
 Trefferlage 2.85 mm links, 1.11 mm hoch
 Streuwert 12.88, horizontal: 13.30, vertikal: 12.43

Unterschrift des Schützen


Ergebnis: **258** (273.0)
 Serien: 82 88 88
 Zähler: 5 13 8 3 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2043 (17), 1605 (2), 1383 (23)
 beste Teiler 189.1 (16.) 256.2 (21.) 287.4 (14.)
 Trefferlage 1.46 mm links, 2.81 mm hoch
 Streuwert 6.38, horizontal: 7.33, vertikal: 5.25



Serie 1:
 9.9 ↗ 7.4 ↖ 8.7 ← 8.6 → 10.1 ↘
 8.7 ↑ 8.7 ↑ 9.2 ↑ 8.4 ↖ 7.9 ←
 beste Teiler 394.5 (5.) 488.9 (1.) 780.8 (8.)
 Trefferlage 3.12 mm links, 4.27 mm hoch
 Streuwert 6.76, horizontal: 8.12, vertikal: 5.06





Serie 2:
 9.7 ↗ 8.3 ↖ 9.2 ↙ 10.3 ↘ 9.6 ↖
 10.5 * 6.4 ↗ 9.2 ↖ 9.5 → 9.2 →
 beste Teiler 189.1 (16.) 287.4 (14.) 583.6 (11.)
 Trefferlage 0.72 mm rechts, 1.75 mm hoch
 Streuwert 6.82, horizontal: 7.63, vertikal: 5.89




Serie 3:
 10.4 ↗ 9.8 ↗ 7.9 ↖ 9.5 ↓ 10.1 ↘
 9.9 ↑ 9.7 ↖ 9.8 → 8.1 ↖ 8.3 ↑
 beste Teiler 256.2 (21.) 404.4 (25.) 494.0 (26.)
 Trefferlage 1.98 mm links, 2.40 mm hoch
 Streuwert 5.71, horizontal: 6.35, vertikal: 4.99

Unterschrift des Schützen


Ergebnis: **255** (269.5)
 Serien: 88 79 88
 Zähler: 6 10 9 3 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1955 (20), 1907 (12), 1570 (1)
 beste Teiler 150.2 (24.) 174.0 (3.) 196.2 (13.)
 Trefferlage 0.03 mm links, 2.67 mm hoch
 Streuwert 7.02, horizontal: 7.17, vertikal: 6.87



Serie 1:
 7.5 ↘ 9.4 ↗ 10.6 * 8.5 ↙ 8.6 ↗
 8.9 ↑ 10.0 → 9.8 ↗ 10.3 ↖ 9.8 ↙
 beste Teiler 174.0 (3.) 299.4 (9.) 414.9 (7.)
 Trefferlage 2.23 mm rechts, 0.29 mm hoch
 Streuwert 6.04, horizontal: 6.57, vertikal: 5.46



Serie 2:
 8.8 ↑ 6.7 ↓ 10.5 * 8.0 ↗ 9.7 →
 8.5 ← 8.1 ← 7.5 ↑ 9.6 → 6.6 ↗
 beste Teiler 196.2 (13.) 589.9 (15.) 613.4 (19.)
 Trefferlage 0.20 mm rechts, 2.92 mm hoch
 Streuwert 9.25, horizontal: 9.27, vertikal: 9.23





Serie 3:
 8.8 ↖ 9.1 ↖ 9.0 ↙ 10.6 * 9.4 ↑
 7.6 ↖ 9.6 ↗ 10.1 ↑ 8.9 ↗ 9.0 ↑
 beste Teiler 150.2 (24.) 411.1 (28.) 597.9 (27.)
 Trefferlage 2.55 mm links, 4.79 mm hoch
 Streuwert 4.97, horizontal: 4.88, vertikal: 5.05


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **262** (273.1)
 Serien: 87 88 87
 Zähler: 6 14 7 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2057 (26), 1693 (19), 1470 (4)
 beste Teiler 135.0 (17.) 174.9 (24.) 210.6 (30.)
 Trefferlage 3.81 mm rechts, 2.49 mm hoch
 Streuwert 5.93, horizontal: 6.75, vertikal: 4.99



Serie 1:
 9.3 ← 8.4 → 9.4 ↗ 7.7 ↗ 9.3 →
 10.0 ↑ 9.6 ↑ 8.0 → 9.4 ↘ 9.2 ↓
 beste Teiler 433.3 (6.) 611.2 (7.) 715.9 (9.)
 Trefferlage 3.99 mm rechts, 1.86 mm hoch
 Streuwert 6.08, horizontal: 5.82, vertikal: 6.33





Serie 2:
 8.5 ↗ 10.4 → 10.0 ← 9.1 ↑ 8.4 →
 8.4 → 10.7 * 9.0 → 7.2 ↘ 9.7 ↗
 beste Teiler 135.0 (17.) 249.4 (12.) 413.0 (13.)
 Trefferlage 2.64 mm rechts, 3.81 mm hoch
 Streuwert 6.05, horizontal: 7.86, vertikal: 3.38




Serie 3:
 9.4 → 9.4 ↘ 8.2 ↖ 10.6 * 9.6 ↑
 6.4 → 9.3 ↘ 8.8 → 9.2 → 10.5 *
 beste Teiler 174.9 (24.) 210.6 (30.) 613.8 (25.)
 Trefferlage 4.80 mm rechts, 1.79 mm hoch
 Streuwert 6.09, horizontal: 6.95, vertikal: 5.09

Unterschrift des Schützen


Ergebnis: **242** (257.6)
 Serien: 80 79 83
 Zähler: 1 11 13 1 3 0 1 0 0 0
 Innenzehner: 0
 weiteste: 2860 (19), 2191 (9), 2043 (22)
 beste Teiler 261.0 (24.) 516.5 (14.) 535.6 (26.)
 Trefferlage 0.33 mm rechts, 0.80 mm tief
 Streuwert 8.62, horizontal: 9.74, vertikal: 7.34



Serie 1:
 8.5 ← 9.6 ↘ 6.9 ↘ 8.5 ↘ 8.8 →
 9.5 ↘ 9.3 ↘ 9.4 ↗ 6.1 ← 8.3 →
 beste Teiler 616.2 (2.) 644.6 (6.) 718.4 (8.)
 Trefferlage 2.51 mm rechts, 4.28 mm tief
 Streuwert 8.31, horizontal: 10.18, vertikal: 5.87



Serie 2:
 8.0 ↘ 8.3 ↖ 9.7 ↖ 9.8 ↗ 8.5 ←
 7.8 ↑ 9.3 ↘ 9.0 ↖ 4.6 ← 8.4 ↗
 beste Teiler 516.5 (14.) 589.0 (13.) 763.0 (17.)
 Trefferlage 3.88 mm links, 1.78 mm hoch
 Streuwert 9.49, horizontal: 10.27, vertikal: 8.64





Serie 3:
 8.9 ↑ 6.4 ↘ 8.6 ↘ 10.4 → 9.5 ←
 9.8 ↗ 8.9 → 8.9 ← 9.2 ↓ 8.7 ↖
 beste Teiler 261.0 (24.) 535.6 (26.) 638.3 (25.)
 Trefferlage 2.38 mm rechts, 0.09 mm hoch
 Streuwert 7.40, horizontal: 8.19, vertikal: 6.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **252** (265.4)
 Serien: 79 80 93
 Zähler: 7 8 7 6 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2010 (9), 1889 (3), 1757 (20)
 beste Teiler 103.9 (27.) 198.3 (24.) 243.1 (13.)
 Trefferlage 2.74 mm rechts, 1.23 mm hoch
 Streuwert 7.59, horizontal: 7.93, vertikal: 7.23



Serie 1:
 10.1 ↘ 7.6 ↘ 6.8 → 10.3 ↖ 8.9 ↖
 8.1 ↘ 9.9 ↖ 7.6 → 6.5 ↑ 8.2 ↖
 beste Teiler 282.9 (4.) 370.7 (1.) 462.6 (7.)
 Trefferlage 3.45 mm rechts, 1.71 mm hoch
 Streuwert 9.14, horizontal: 8.32, vertikal: 9.90





Serie 2:
 8.2 → 7.4 ↗ 10.4 ← 8.3 → 7.8 ↖
 9.7 ↘ 8.9 ↙ 7.1 → 9.6 ↖ 7.1 ↖
 beste Teiler 243.1 (13.) 566.4 (16.) 599.1 (19.)
 Trefferlage 1.78 mm rechts, 1.07 mm hoch
 Streuwert 9.13, horizontal: 10.91, vertikal: 6.92




Serie 3:
 9.8 ↗ 10.0 ← 10.0 ↗ 10.5 * 9.5 →
 9.5 → 10.7 * 9.6 ↗ 8.3 ↓ 9.0 ↗
 beste Teiler 103.9 (27.) 198.3 (24.) 425.4 (23.)
 Trefferlage 2.98 mm rechts, 0.91 mm hoch
 Streuwert 4.18, horizontal: 3.59, vertikal: 4.69

Unterschrift des Schützen


Ergebnis: **233** (247.5)
 Serien: 82 77 74
 Zähler: 0 9 13 5 1 0 1 1 0 0
 Innenzehner: 0
 weiteste: 3214 (24), 3090 (20), 2227 (30)
 beste Teiler 467.1 (1.) 489.2 (27.) 619.2 (5.)
 Trefferlage 0.45 mm rechts, 1.80 mm hoch
 Streuwert 9.79, horizontal: 11.00, vertikal: 8.42



Serie 1:
 9.9 ↓ 8.4 ↑ 7.7 ↓ 9.3 ↑ 9.6 →
 8.9 ↗ 8.8 ← 7.9 ↘ 9.3 ↓ 8.4 →
 beste Teiler 467.1 (1.) 619.2 (5.) 748.0 (4.)
 Trefferlage 1.61 mm rechts, 1.42 mm hoch
 Streuwert 7.40, horizontal: 6.24, vertikal: 8.40





Serie 2:
 8.3 ↙ 7.1 → 9.4 ↘ 9.4 ↘ 8.4 ↘
 8.6 ↓ 8.5 ↑ 8.4 → 8.0 ↓ 4.1 →
 beste Teiler 701.0 (14.) 717.3 (13.) 1046.9 (16.)
 Trefferlage 3.83 mm rechts, 0.52 mm hoch
 Streuwert 10.60, horizontal: 12.55, vertikal: 8.20




Serie 3:
 9.2 ↓ 8.8 ↙ 8.3 ↘ 3.8 ← 7.8 ↗
 9.3 ↓ 9.9 ↑ 8.3 ← 7.7 ↗ 6.0 ↑
 beste Teiler 489.2 (27.) 739.1 (26.) 780.2 (21.)
 Trefferlage 4.09 mm links, 3.46 mm hoch
 Streuwert 10.99, horizontal: 12.49, vertikal: 9.25

Unterschrift des Schützen


Ergebnis: **267** (278.0)
 Serien: 90 85 92
 Zähler: 6 17 6 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2026 (14), 1331 (20), 1270 (15)
 beste Teiler 173.0 (21.) 243.1 (19.) 281.3 (28.)
 Trefferlage 0.42 mm rechts, 2.69 mm hoch
 Streuwert 5.79, horizontal: 4.99, vertikal: 6.48



Serie 1:
 10.2 → 9.5 ↖ 9.6 ↗ 9.3 ↖ 9.2 ↗
 8.7 ↖ 9.5 ↗ 9.7 ↘ 9.2 ↖ 9.5 ↗
 beste Teiler 335.0 (1.) 550.8 (8.) 637.9 (3.)
 Trefferlage 1.47 mm links, 1.26 mm hoch
 Streuwert 5.02, horizontal: 5.15, vertikal: 4.88



Serie 2:
 9.4 ↓ 9.2 ↗ 9.2 ↖ 6.5 ↖ 8.1 ↖
 9.1 ↗ 9.5 ↖ 8.9 → 10.4 ↖ 8.0 ↑
 beste Teiler 243.1 (19.) 644.4 (17.) 708.8 (11.)
 Trefferlage 0.13 mm links, 6.35 mm hoch
 Streuwert 6.38, horizontal: 5.34, vertikal: 7.27





Serie 3:
 10.6 * 9.8 ↑ 10.3 → 8.4 ↑ 9.0 ↓
 8.2 → 9.4 ↓ 10.3 → 9.3 ↗ 10.0 →
 beste Teiler 173.0 (21.) 281.3 (28.) 290.1 (23.)
 Trefferlage 2.88 mm rechts, 0.47 mm hoch
 Streuwert 5.01, horizontal: 3.77, vertikal: 6.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **263** (278.5)
 Serien: 87 89 87
 Zähler: 7 10 12 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1544 (3), 1353 (6), 1275 (26)
 beste Teiler 99.0 (17.) 212.0 (28.) 364.9 (13.)
 Trefferlage 0.82 mm links, 2.94 mm hoch
 Streuwert 5.56, horizontal: 5.42, vertikal: 5.70



Serie 1:
 8.6 ↖ 9.9 → 7.5 ← 10.0 ↑ 9.8 ↗
 8.0 ↑ 9.8 ↘ 10.1 ↖ 8.6 → 9.7 ↑
 beste Teiler 375.5 (8.) 414.0 (4.) 484.0 (2.)
 Trefferlage 0.21 mm links, 4.77 mm hoch
 Streuwert 5.57, horizontal: 6.92, vertikal: 3.76





Serie 2:
 8.4 ↖ 9.6 ↓ 10.2 ← 8.7 ← 9.4 ↖
 9.1 → 10.7 * 10.0 ↓ 8.9 ↗ 8.9 ←
 beste Teiler 99.0 (17.) 364.9 (13.) 415.9 (18.)
 Trefferlage 1.86 mm links, 1.64 mm hoch
 Streuwert 5.46, horizontal: 5.89, vertikal: 4.99




Serie 3:
 8.8 ↑ 8.8 ↖ 9.5 ↗ 8.5 ↓ 10.1 ↑
 8.1 ↑ 9.9 ↓ 10.5 * 9.6 ↑ 8.8 ↘
 beste Teiler 212.0 (28.) 402.1 (25.) 476.5 (27.)
 Trefferlage 0.41 mm links, 2.43 mm hoch
 Streuwert 5.92, horizontal: 3.19, vertikal: 7.73

Unterschrift des Schützen


Ergebnis: **266** (278.6)
 Serien: 90 92 84
 Zähler: 5 18 6 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1904 (30), 1277 (25), 1174 (1)
 beste Teiler 229.1 (3.) 286.1 (18.) 364.8 (12.)
 Trefferlage 1.32 mm links, 1.97 mm hoch
 Streuwert 5.71, horizontal: 4.37, vertikal: 6.79



Serie 1:
 8.4 ↘ 8.9 ↑ 10.5 * 9.4 ↗ 9.6 ↑
 9.3 ← 10.0 ↖ 9.3 ← 9.0 ↘ 9.7 ↙
 beste Teiler 229.1 (3.) 433.0 (7.) 584.7 (10.)
 Trefferlage 1.19 mm links, 2.09 mm hoch
 Streuwert 5.28, horizontal: 5.36, vertikal: 5.21





Serie 2:
 9.2 ↘ 10.2 → 9.3 ↑ 9.9 ↖ 9.2 ↑
 9.1 ↑ 9.9 ↗ 10.3 ↓ 9.0 ↑ 9.6 ↗
 beste Teiler 286.1 (18.) 364.8 (12.) 460.5 (14.)
 Trefferlage 0.32 mm rechts, 4.43 mm hoch
 Streuwert 3.66, horizontal: 3.49, vertikal: 3.81




Serie 3:
 8.7 ↘ 9.9 ↖ 10.1 ↖ 8.7 ↖ 8.1 ↓
 9.4 ↘ 9.1 ← 9.6 ↑ 8.5 ↖ 6.7 ↓
 beste Teiler 380.5 (23.) 482.7 (22.) 606.2 (28.)
 Trefferlage 3.08 mm links, 0.60 mm tief
 Streuwert 7.31, horizontal: 3.74, vertikal: 9.63

Unterschrift des Schützen


Ergebnis: **234** (247.7)
 Serien: 79 75 80
 Zähler: 4 7 7 6 3 3 0 0 0 0
 Innenzehner: 1
 weiteste: 2697 (18), 2401 (8), 2275 (30)
 beste Teiler 163.8 (13.) 296.3 (27.) 393.8 (1.)
 Trefferlage 0.75 mm links, 3.53 mm tief
 Streuwert 9.61, horizontal: 10.48, vertikal: 8.66



Serie 1:
 10.1 ↖ 9.0 ↙ 8.2 ↘ 7.1 → 8.7 →
 7.7 ↘ 7.7 ↓ 5.6 ↙ 9.6 ← 9.2 →
 beste Teiler 393.8 (1.) 617.3 (9.) 774.2 (10.)
 Trefferlage 1.74 mm links, 6.31 mm tief
 Streuwert 8.60, horizontal: 9.75, vertikal: 7.27





Serie 2:
 9.2 → 7.7 → 10.6 * 9.8 → 8.8 →
 7.7 ↓ 6.8 ↙ 5.0 ↘ 6.3 ↘ 8.0 ↑
 beste Teiler 163.8 (13.) 540.8 (14.) 795.1 (11.)
 Trefferlage 0.74 mm rechts, 5.04 mm tief
 Streuwert 10.71, horizontal: 10.43, vertikal: 10.99




Serie 3:
 9.9 → 7.8 ← 8.4 ↖ 10.0 ↘ 8.3 ↖
 8.1 → 10.3 → 9.7 ↓ 6.5 ← 5.9 ↘
 beste Teiler 296.3 (27.) 448.4 (24.) 489.1 (21.)
 Trefferlage 1.27 mm links, 0.76 mm hoch
 Streuwert 9.56, horizontal: 12.09, vertikal: 6.04

Unterschrift des Schützen


Ergebnis: **270** (285.5)
 Serien: 93 87 90
 Zähler: 10 10 10 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1265 (23), 1252 (8), 1234 (19)
 beste Teiler 66.3 (13.) 119.2 (7.) 146.4 (6.)
 Trefferlage 1.32 mm links, 0.05 mm hoch
 Streuwert 5.30, horizontal: 4.61, vertikal: 5.91



Serie 1:
 10.5 * 10.3 → 8.8 ↑ 9.1 ↑ 10.3 ↙
 10.6 * 10.7 * 8.2 ← 9.8 ↘ 9.5 ↑
 beste Teiler 119.2 (7.) 146.4 (6.) 218.0 (1.)
 Trefferlage 1.35 mm links, 1.90 mm hoch
 Streuwert 4.49, horizontal: 4.47, vertikal: 4.51





Serie 2:
 8.3 ↓ 8.7 ← 10.8 * 9.9 ↘ 8.7 ↖
 8.6 ↓ 9.7 ← 9.3 ↘ 8.2 ↑ 10.5 *
 beste Teiler 66.3 (13.) 209.4 (20.) 487.0 (14.)
 Trefferlage 2.48 mm links, 1.82 mm tief
 Streuwert 5.98, horizontal: 3.92, vertikal: 7.50




Serie 3:
 9.9 ↓ 10.2 ↘ 8.2 ↖ 10.3 → 10.1 ↘
 9.2 ↑ 8.8 ↓ 9.5 ↑ 9.9 ← 8.9 →
 beste Teiler 291.0 (24.) 354.2 (22.) 403.8 (25.)
 Trefferlage 0.13 mm links, 0.08 mm hoch
 Streuwert 5.39, horizontal: 5.47, vertikal: 5.31

Unterschrift des Schützen


Ergebnis: **254** (265.6)
 Serien: 88 83 83
 Zähler: 6 8 11 4 1 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2155 (11), 1713 (23), 1623 (14)
 beste Teiler 267.7 (13.) 303.2 (9.) 339.4 (8.)
 Trefferlage 1.54 mm links, 0.91 mm hoch
 Streuwert 7.45, horizontal: 8.08, vertikal: 6.77



Serie 1:
 8.9 → 10.0 → 8.0 ↖ 9.0 ↑ 8.4 ↑
 8.2 ↘ 7.8 ↘ 10.2 ↖ 10.3 ↙ 10.1 ↑
 beste Teiler 303.2 (9.) 339.4 (8.) 373.0 (10.)
 Trefferlage 1.55 mm links, 4.74 mm hoch
 Streuwert 5.92, horizontal: 6.54, vertikal: 5.22



Serie 2:
 6.2 ← 8.8 ↖ 10.4 ↓ 7.4 ↖ 8.1 ↖
 9.2 → 10.0 ← 9.5 ↓ 8.4 → 8.9 ↙
 beste Teiler 267.7 (13.) 423.2 (17.) 653.8 (18.)
 Trefferlage 4.30 mm links, 0.68 mm hoch
 Streuwert 7.96, horizontal: 9.55, vertikal: 5.94





Serie 3:
 8.6 ↖ 9.9 ↓ 7.2 ↖ 9.5 ↘ 8.4 ↗
 9.6 ↙ 8.7 ↖ 7.6 ↓ 9.3 ↓ 9.0 →
 beste Teiler 464.3 (22.) 615.8 (26.) 655.4 (24.)
 Trefferlage 1.21 mm rechts, 2.69 mm tief
 Streuwert 7.53, horizontal: 7.70, vertikal: 7.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **251** (265.0)
 Serien: 87 82 82
 Zähler: 3 14 7 3 3 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2104 (7), 2023 (26), 1825 (20)
 beste Teiler 46.6 (30.) 171.0 (8.) 254.0 (14.)
 Trefferlage 0.43 mm links, 1.49 mm hoch
 Streuwert 7.72, horizontal: 8.82, vertikal: 6.43



Serie 1:
 9.6 ↗ 9.8 ↑ 9.0 ← 9.7 ↘ 8.0 ↖
 9.5 ↘ 6.3 ↖ 10.6 * 9.2 → 9.1 ↑
 beste Teiler 171.0 (8.) 517.6 (2.) 561.2 (4.)
 Trefferlage 0.28 mm links, 2.83 mm hoch
 Streuwert 7.08, horizontal: 8.48, vertikal: 5.31





Serie 2:
 9.5 → 9.1 → 8.5 ↙ 10.4 ↘ 8.5 ↖
 7.3 ← 8.7 ↙ 9.5 ↘ 8.5 ↙ 6.9 ↖
 beste Teiler 254.0 (14.) 650.2 (11.) 671.5 (18.)
 Trefferlage 2.54 mm links, 1.34 mm tief
 Streuwert 8.01, horizontal: 9.80, vertikal: 5.69




Serie 3:
 7.7 ↖ 9.7 ↑ 8.3 ↖ 9.0 ↘ 9.3 ↖
 6.5 → 7.8 ↑ 9.5 → 8.6 ↙ 10.9 *
 beste Teiler 46.6 (30.) 589.0 (22.) 650.1 (28.)
 Trefferlage 1.53 mm rechts, 2.99 mm hoch
 Streuwert 8.15, horizontal: 8.58, vertikal: 7.69

Unterschrift des Schützen


Ergebnis: **267** (282.5)
 Serien: 89 91 87
 Zähler: 6 18 4 1 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1854 (6), 1442 (30), 1201 (7)
 beste Teiler 154.3 (27.) 257.5 (18.) 388.6 (1.)
 Trefferlage 1.21 mm links, 0.19 mm hoch
 Streuwert 5.56, horizontal: 5.08, vertikal: 6.00



Serie 1:
 10.1 ↘ 9.6 → 9.1 → 10.0 ↘ 9.6 ←
 6.8 ↓ 8.3 ↖ 9.5 ↓ 9.8 ↗ 10.0 ↙
 beste Teiler 388.6 (1.) 432.7 (4.) 433.9 (10.)
 Trefferlage 0.93 mm rechts, 2.51 mm tief
 Streuwert 6.15, horizontal: 5.79, vertikal: 6.49



Serie 2:
 9.3 ← 8.4 ↖ 9.9 ↙ 9.0 ↙ 10.1 ↖
 9.3 ↖ 9.9 ↑ 10.4 ← 9.9 ↙ 9.2 ↑
 beste Teiler 257.5 (18.) 389.5 (15.) 464.7 (13.)
 Trefferlage 3.69 mm links, 2.07 mm hoch
 Streuwert 4.10, horizontal: 3.23, vertikal: 4.81





Serie 3:
 9.8 ← 8.7 ↗ 9.7 ↑ 9.7 ↗ 9.6 ↑
 8.7 ↙ 10.6 * 9.8 ↗ 9.9 ↖ 7.8 ↙
 beste Teiler 154.3 (27.) 499.2 (29.) 537.4 (28.)
 Trefferlage 0.89 mm links, 1.01 mm hoch
 Streuwert 5.71, horizontal: 5.21, vertikal: 6.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **270** (285.3)
 Serien: 90 90 90
 Zähler: 11 10 7 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1641 (29), 1591 (10), 1247 (15)
 beste Teiler 126.7 (6.) 137.0 (18.) 137.1 (22.)
 Trefferlage 1.18 mm rechts, 1.74 mm hoch
 Streuwert 5.36, horizontal: 5.67, vertikal: 5.03



Serie 1:
 8.9 ↗ 10.3 ← 9.1 ↓ 10.2 → 10.1 →
 10.7 * 8.5 → 10.2 ↘ 8.5 ↖ 7.4 ←
 beste Teiler 126.7 (6.) 293.7 (2.) 323.6 (8.)
 Trefferlage 0.09 mm links, 0.58 mm hoch
 Streuwert 6.25, horizontal: 7.08, vertikal: 5.30





Serie 2:
 10.6 * 9.9 ↗ 9.8 → 10.0 → 8.2 ↑
 9.4 ↑ 8.6 ↑ 10.7 * 8.9 ↙ 9.4 →
 beste Teiler 137.0 (18.) 150.9 (11.) 419.2 (14.)
 Trefferlage 1.23 mm rechts, 2.74 mm hoch
 Streuwert 4.92, horizontal: 4.10, vertikal: 5.62




Serie 3:
 9.6 ↗ 10.7 * 9.8 ↖ 10.5 * 9.8 ←
 8.5 ↘ 9.8 ↑ 10.2 ↓ 7.3 ↗ 9.7 →
 beste Teiler 137.1 (22.) 214.3 (24.) 365.3 (28.)
 Trefferlage 2.41 mm rechts, 1.91 mm hoch
 Streuwert 5.12, horizontal: 5.77, vertikal: 4.38

Unterschrift des Schützen


Ergebnis: **252** (267.4)
 Serien: 82 84 86
 Zähler: 3 10 13 4 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 1721 (26), 1574 (12), 1531 (5)
 beste Teiler 288.4 (27.) 307.6 (14.) 384.5 (29.)
 Trefferlage 4.07 mm links, 1.39 mm hoch
 Streuwert 6.42, horizontal: 5.49, vertikal: 7.22



Serie 1:
 9.3 ↑ 8.4 ↑ 8.9 ↘ 9.6 ↖ 7.6 ↓
 8.9 ← 9.8 ↑ 8.7 ↑ 8.7 ← 8.5 ↓
 beste Teiler 507.1 (7.) 598.3 (4.) 763.6 (1.)
 Trefferlage 2.61 mm links, 1.60 mm hoch
 Streuwert 7.05, horizontal: 5.03, vertikal: 8.61



Serie 2:
 8.1 ↓ 7.5 ↘ 9.4 ↓ 10.3 ↗ 9.1 ↖
 8.9 ↘ 9.5 ↑ 8.8 ← 8.3 ↙ 8.4 ↖
 beste Teiler 307.6 (14.) 641.5 (17.) 723.0 (13.)
 Trefferlage 4.37 mm links, 0.74 mm hoch
 Streuwert 6.87, horizontal: 4.73, vertikal: 8.48





Serie 3:
 9.3 ↖ 9.7 ↓ 7.9 ↖ 8.8 ← 8.5 ↖
 7.1 ← 10.3 → 9.3 ↑ 10.1 ↗ 9.7 ↖
 beste Teiler 288.4 (27.) 384.5 (29.) 551.1 (22.)
 Trefferlage 5.24 mm links, 1.82 mm hoch
 Streuwert 5.78, horizontal: 6.75, vertikal: 4.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **257** (270.8)
 Serien: 88 82 87
 Zähler: 5 11 10 4 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 1647 (3), 1490 (1), 1467 (17)
 beste Teiler 236.6 (5.) 295.1 (22.) 331.8 (29.)
 Trefferlage 1.01 mm links, 1.26 mm tief
 Streuwert 6.77, horizontal: 6.45, vertikal: 7.08



Serie 1:
 7.7 ↓ 9.7 ↖ 7.3 ↗ 9.4 ↓ 10.4 ↗
 10.0 ← 9.2 ↗ 9.5 ↘ 9.7 → 9.7 ↘
 beste Teiler 236.6 (5.) 425.1 (6.) 548.7 (10.)
 Trefferlage 1.36 mm links, 2.91 mm tief
 Streuwert 6.09, horizontal: 4.40, vertikal: 7.40



Serie 2:
 9.3 ↓ 8.4 ↓ 8.6 ↖ 8.0 ↖ 9.5 ↓
 8.4 ↓ 7.7 → 8.7 ← 9.4 ↖ 8.6 ←
 beste Teiler 678.4 (15.) 721.6 (19.) 744.2 (11.)
 Trefferlage 0.72 mm links, 1.35 mm tief
 Streuwert 7.89, horizontal: 7.94, vertikal: 7.84





Serie 3:
 9.8 ← 10.3 ↖ 10.0 ↗ 8.3 ↘ 9.8 ↘
 8.6 ↗ 8.1 ↖ 8.8 ↓ 10.2 ↓ 7.7 ←
 beste Teiler 295.1 (22.) 331.8 (29.) 438.2 (23.)
 Trefferlage 0.96 mm links, 0.47 mm hoch
 Streuwert 6.72, horizontal: 7.18, vertikal: 6.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **267** (279.5)
 Serien: 93 85 89
 Zähler: 9 11 8 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1682 (19), 1611 (23), 1344 (14)
 beste Teiler 136.8 (27.) 275.0 (24.) 299.1 (26.)
 Trefferlage 0.34 mm rechts, 2.06 mm hoch
 Streuwert 5.86, horizontal: 5.97, vertikal: 5.74



Serie 1:
 9.4 ↗ 9.6 ↘ 9.3 ↗ 8.8 ↘ 10.2 ↑
 10.0 → 10.2 ↑ 10.1 ↗ 10.0 ← 8.4 ↘
 beste Teiler 341.9 (5.) 351.4 (7.) 411.8 (8.)
 Trefferlage 1.13 mm rechts, 1.43 mm hoch
 Streuwert 4.78, horizontal: 4.88, vertikal: 4.68





Serie 2:
 9.6 ↗ 9.8 ↘ 10.2 ↗ 8.0 ↘ 8.5 ↘
 8.5 ↘ 8.7 ↘ 9.4 ↑ 7.2 ↘ 9.8 →
 beste Teiler 339.4 (13.) 506.2 (12.) 519.5 (20.)
 Trefferlage 3.24 mm links, 4.57 mm hoch
 Streuwert 6.01, horizontal: 5.53, vertikal: 6.45




Serie 3:
 9.6 → 8.2 ↗ 7.4 ↘ 10.4 ↗ 9.8 ↓
 10.3 ↑ 10.7 * 9.3 ↗ 8.7 ↘ 9.4 ↗
 beste Teiler 136.8 (27.) 275.0 (24.) 299.1 (26.)
 Trefferlage 3.12 mm rechts, 0.18 mm hoch
 Streuwert 5.85, horizontal: 6.08, vertikal: 5.60

Unterschrift des Schützen


Ergebnis: **262** (274.0)
 Serien: 85 90 87
 Zähler: 6 13 8 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1586 (24), 1379 (9), 1370 (6)
 beste Teiler 223.8 (8.) 239.8 (27.) 240.9 (19.)
 Trefferlage 0.30 mm rechts, 2.90 mm hoch
 Streuwert 6.18, horizontal: 6.66, vertikal: 5.65



Serie 1:
 9.8 ↖ 8.1 ↖ 9.3 ↑ 8.8 ↘ 9.3 →
 7.9 ↓ 8.9 ↗ 10.5 * 7.9 ↗ 10.2 ↑
 beste Teiler 223.8 (8.) 338.6 (10.) 544.9 (1.)
 Trefferlage 0.47 mm links, 3.27 mm hoch
 Streuwert 6.54, horizontal: 6.07, vertikal: 6.97





Serie 2:
 8.0 ↘ 8.3 ↗ 10.1 ↘ 8.3 → 9.4 ↘
 10.2 ↘ 9.0 ↗ 9.7 ↘ 10.4 ← 9.2 ↘
 beste Teiler 240.9 (19.) 331.8 (16.) 384.2 (13.)
 Trefferlage 0.22 mm links, 5.02 mm hoch
 Streuwert 5.13, horizontal: 6.44, vertikal: 3.35




Serie 3:
 9.9 ↓ 9.3 ↘ 9.1 ← 7.4 → 9.4 ↘
 9.1 ↑ 10.4 ↗ 9.2 ← 8.7 → 8.2 ↗
 beste Teiler 239.8 (27.) 491.2 (21.) 724.9 (25.)
 Trefferlage 1.60 mm rechts, 0.42 mm hoch
 Streuwert 6.81, horizontal: 7.85, vertikal: 5.58

Unterschrift des Schützen


Ergebnis: **257** (270.3)
 Serien: 79 83 95
 Zähler: 7 13 4 3 2 1 0 0 0 0
 Innenzehner: 1
 weiteste: 2649 (8), 1974 (13), 1812 (7)
 beste Teiler 219.7 (2.) 244.6 (25.) 293.1 (23.)
 Trefferlage 1.48 mm links, 0.01 mm tief
 Streuwert 7.47, horizontal: 8.33, vertikal: 6.50



Serie 1:
 9.9 ← 10.5 * 9.9 ↘ 7.8 ↙ 8.4 ↗
 9.5 ↖ 6.9 ↓ 5.1 ← 9.3 ↖ 7.1 →
 beste Teiler 219.7 (2.) 461.7 (3.) 473.0 (1.)
 Trefferlage 3.74 mm links, 0.78 mm tief
 Streuwert 9.61, horizontal: 11.36, vertikal: 7.47





Serie 2:
 7.8 → 8.3 ↓ 6.6 ↙ 8.3 ↘ 9.6 ↑
 9.3 ↗ 9.6 ↗ 9.1 ↘ 9.5 ↑ 9.8 →
 beste Teiler 524.8 (20.) 603.0 (17.) 618.9 (15.)
 Trefferlage 1.09 mm rechts, 0.45 mm tief
 Streuwert 7.95, horizontal: 8.01, vertikal: 7.89




Serie 3:
 10.2 ↑ 9.3 ↖ 10.3 ↑ 10.3 ↗ 10.4 ↑
 9.8 ↑ 9.3 ↙ 10.0 ↘ 8.4 ↖ 10.0 ↙
 beste Teiler 244.6 (25.) 293.1 (23.) 295.9 (24.)
 Trefferlage 1.82 mm links, 1.19 mm hoch
 Streuwert 4.06, horizontal: 4.16, vertikal: 3.96

Unterschrift des Schützen


Ergebnis: **256** (268.5)
 Serien: 87 85 84
 Zähler: 5 11 9 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1778 (9), 1609 (23), 1607 (14)
 beste Teiler 100.4 (22.) 116.9 (3.) 298.2 (17.)
 Trefferlage 2.26 mm rechts, 1.06 mm tief
 Streuwert 7.04, horizontal: 7.47, vertikal: 6.57



Serie 1:
 8.9 → 9.6 ↑ 10.7 * 9.5 → 9.0 ↓
 8.3 ↓ 10.2 ↗ 9.1 ↑ 7.0 → 8.6 ↗
 beste Teiler 116.9 (3.) 355.6 (7.) 629.6 (2.)
 Trefferlage 4.56 mm rechts, 1.45 mm hoch
 Streuwert 6.16, horizontal: 5.14, vertikal: 7.04





Serie 2:
 8.7 ↓ 9.9 ↙ 9.9 → 7.4 ↓ 9.1 ↘
 8.3 ← 10.3 ↘ 10.0 ↓ 7.4 → 8.7 →
 beste Teiler 298.2 (17.) 438.0 (18.) 458.1 (13.)
 Trefferlage 3.21 mm rechts, 4.21 mm tief
 Streuwert 6.36, horizontal: 7.47, vertikal: 5.00




Serie 3:
 9.1 ↓ 10.7 * 7.4 ↖ 7.6 ↘ 8.5 ↖
 8.6 ↙ 9.3 ↗ 8.2 ↑ 9.5 ↘ 9.0 ↙
 beste Teiler 100.4 (22.) 674.1 (29.) 748.9 (27.)
 Trefferlage 1.00 mm links, 0.44 mm tief
 Streuwert 7.91, horizontal: 8.89, vertikal: 6.78

Unterschrift des Schützen


Ergebnis: **261** (274.9)
 Serien: 87 86 88
 Zähler: 3 18 6 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1766 (2), 1558 (13), 1528 (28)
 beste Teiler 183.6 (10.) 291.2 (21.) 354.9 (22.)
 Trefferlage 1.03 mm links, 0.18 mm hoch
 Streuwert 6.30, horizontal: 5.04, vertikal: 7.35



Serie 1:
 8.9 ↘ 7.0 ↗ 8.5 ↑ 9.4 ↑ 9.4 ↓
 9.3 ↓ 9.2 ↑ 9.1 ↙ 9.2 → 10.6 *
 beste Teiler 183.6 (10.) 685.3 (5.) 725.7 (4.)
 Trefferlage 0.95 mm rechts, 1.82 mm hoch
 Streuwert 6.81, horizontal: 6.21, vertikal: 7.37



Serie 2:
 8.3 ← 9.8 ↘ 7.5 ↑ 9.8 ↙ 9.5 ↓
 8.8 ↘ 9.5 ↑ 9.5 ↓ 9.7 ↘ 9.4 ↓
 beste Teiler 539.5 (12.) 541.4 (14.) 576.4 (19.)
 Trefferlage 2.67 mm links, 0.92 mm hoch
 Streuwert 6.11, horizontal: 4.17, vertikal: 7.57





Serie 3:
 10.3 ↙ 10.2 ↙ 9.4 ↑ 9.5 ↓ 9.0 ↙
 8.8 ↓ 9.5 → 7.6 ↘ 8.9 ↙ 9.3 ↓
 beste Teiler 291.2 (21.) 354.9 (22.) 658.7 (24.)
 Trefferlage 1.37 mm links, 2.19 mm tief
 Streuwert 5.96, horizontal: 4.30, vertikal: 7.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **251** (264.9)
 Serien: 85 84 82
 Zähler: 3 12 10 4 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 2372 (25), 1752 (5), 1679 (7)
 beste Teiler 143.8 (27.) 407.7 (4.) 435.9 (11.)
 Trefferlage 2.10 mm links, 2.55 mm hoch
 Streuwert 7.31, horizontal: 8.30, vertikal: 6.17



Serie 1:
 8.3 ↘ 9.6 ↘ 9.8 ↓ 10.1 ↑ 7.1 →
 8.9 → 7.2 ↖ 9.1 ↖ 9.0 ↑ 9.7 →
 beste Teiler 407.7 (4.) 538.5 (3.) 583.5 (10.)
 Trefferlage 1.42 mm rechts, 3.12 mm hoch
 Streuwert 7.36, horizontal: 8.08, vertikal: 6.57





Serie 2:
 10.0 ↑ 8.9 ↑ 8.3 ← 9.4 ← 8.1 →
 9.4 → 8.9 ← 8.1 ← 9.9 ↖ 7.8 ↙
 beste Teiler 435.9 (11.) 479.1 (19.) 698.0 (14.)
 Trefferlage 3.33 mm links, 1.35 mm hoch
 Streuwert 6.92, horizontal: 7.90, vertikal: 5.79




Serie 3:
 8.8 ← 7.5 ↑ 9.7 ↖ 9.7 ← 5.7 ↖
 9.1 ← 10.6 * 9.0 ↑ 8.7 ↘ 8.5 ←
 beste Teiler 143.8 (27.) 556.1 (24.) 578.7 (23.)
 Trefferlage 4.40 mm links, 3.17 mm hoch
 Streuwert 7.62, horizontal: 8.54, vertikal: 6.59

Unterschrift des Schützen


Ergebnis: **261** (273.5)
 Serien: 90 89 82
 Zähler: 7 12 7 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1836 (18), 1537 (27), 1420 (10)
 beste Teiler 86.5 (4.) 228.9 (16.) 240.2 (19.)
 Trefferlage 1.33 mm links, 4.28 mm hoch
 Streuwert 6.00, horizontal: 6.55, vertikal: 5.38



Serie 1:
 9.7 ↙ 9.7 → 9.5 ↖ 10.8 * 9.1 ↗
 10.0 ↘ 10.0 ↕ 8.4 ↖ 9.9 ↗ 7.8 ←
 beste Teiler 86.5 (4.) 430.3 (6.) 445.8 (7.)
 Trefferlage 4.24 mm links, 1.34 mm hoch
 Streuwert 4.52, horizontal: 5.37, vertikal: 3.46





Serie 2:
 9.1 ↖ 10.3 → 7.8 ↗ 9.9 ← 9.0 ↑
 10.5 * 10.1 ↕ 6.9 → 10.4 ← 9.4 ↑
 beste Teiler 228.9 (16.) 240.2 (19.) 290.6 (12.)
 Trefferlage 0.01 mm rechts, 4.20 mm hoch
 Streuwert 5.83, horizontal: 6.98, vertikal: 4.38




Serie 3:
 8.0 ↗ 8.0 ↘ 9.9 → 8.3 ↑ 8.5 ↗
 8.2 ← 7.6 ↑ 9.6 ↘ 9.0 ↑ 8.1 ↑
 beste Teiler 491.1 (23.) 635.0 (28.) 892.3 (29.)
 Trefferlage 0.22 mm rechts, 7.28 mm hoch
 Streuwert 6.68, horizontal: 6.83, vertikal: 6.52

Unterschrift des Schützen


Ergebnis: **263** (276.6)
 Serien: 91 91 81
 Zähler: 8 13 7 1 0 0 0 1 0 0
 Innenzehner: 3
 weiteste: 3560 (26), 1573 (24), 1230 (21)
 beste Teiler 62.0 (11.) 101.7 (10.) 167.6 (4.)
 Trefferlage 3.19 mm rechts, 1.56 mm tief
 Streuwert 6.75, horizontal: 5.50, vertikal: 7.80



Serie 1:
 9.2 ↑ 9.3 ↘ 10.4 ↓ 10.6 * 8.5 →
 9.1 ← 9.5 → 9.3 ↙ 8.4 → 10.7 *
 beste Teiler 101.7 (10.) 167.6 (4.) 245.4 (3.)
 Trefferlage 2.19 mm rechts, 0.11 mm tief
 Streuwert 5.35, horizontal: 6.06, vertikal: 4.54





Serie 2:
 10.8 * 10.3 ↗ 9.3 → 9.5 → 9.7 →
 9.2 ↘ 8.9 ↘ 10.1 ↙ 8.4 ↓ 9.6 ↘
 beste Teiler 62.0 (11.) 292.6 (12.) 394.8 (18.)
 Trefferlage 1.61 mm rechts, 0.18 mm tief
 Streuwert 5.01, horizontal: 5.00, vertikal: 5.03




Serie 3:
 8.2 ↘ 9.5 → 9.7 ↘ 7.5 ↘ 8.9 ↗
 3.1 ↓ 9.6 ↘ 10.1 ← 10.3 ↑ 8.9 →
 beste Teiler 318.1 (29.) 408.2 (28.) 569.2 (23.)
 Trefferlage 5.77 mm rechts, 4.39 mm tief
 Streuwert 8.97, horizontal: 4.95, vertikal: 11.69

Unterschrift des Schützen


Ergebnis: **280** (293.4)
 Serien: 92 97 91
 Zähler: 13 14 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1350 (26), 1057 (23), 1031 (9)
 beste Teiler 77.6 (12.) 124.6 (22.) 170.4 (19.)
 Trefferlage 1.57 mm links, 1.51 mm tief
 Streuwert 4.10, horizontal: 4.52, vertikal: 3.63



Serie 1:
 10.1 ↘ 9.7 ↓ 10.1 ← 9.1 ↘ 9.4 ↗
 9.5 ↓ 10.4 ↘ 9.8 ↖ 8.7 ← 9.9 ←
 beste Teiler 235.7 (7.) 390.4 (1.) 402.8 (3.)
 Trefferlage 3.42 mm links, 1.49 mm tief
 Streuwert 3.69, horizontal: 3.81, vertikal: 3.57



Serie 2:
 10.1 ↓ 10.8 * 9.3 ↗ 10.1 ← 10.1 ↘
 9.2 ↘ 9.8 ↗ 10.0 ↘ 10.6 * 10.6 *
 beste Teiler 77.6 (12.) 170.4 (19.) 180.6 (20.)
 Trefferlage 1.16 mm rechts, 1.70 mm tief
 Streuwert 3.17, horizontal: 3.63, vertikal: 2.63



Serie 3:
 9.9 ← 10.7 * 8.6 ↓ 9.8 ↘ 10.5 *
 8.0 ↗ 9.5 ← 9.6 ← 9.0 → 10.5 *
 beste Teiler 124.6 (22.) 192.8 (30.) 205.5 (25.)
 Trefferlage 2.45 mm links, 1.32 mm tief
 Streuwert 4.89, horizontal: 5.01, vertikal: 4.76

Unterschrift des Schützen