





Ergebnis: **275** (289.2)
 Serien: 94 90 91
 Zähler: 10 15 5 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1350 (9), 1208 (17), 973 (24)
 beste Teiler 123.1 (7.) 184.1 (25.) 236.4 (4.)
 Trefferlage 0.36 mm links, 0.84 mm hoch
 Streuwert 4.72, horizontal: 4.73, vertikal: 4.71



Serie 1:
 9.5 ↘ 10.1 → 9.9 → 10.4 ↖ 9.5 ↑
 10.0 ← 10.7 * 9.9 ↙ 8.0 ↗ 10.2 ↗
 beste Teiler 123.1 (7.) 236.4 (4.) 331.6 (10.)
 Trefferlage 0.34 mm rechts, 1.37 mm hoch
 Streuwert 4.42, horizontal: 4.28, vertikal: 4.56





Serie 2:
 9.6 ↑ 9.4 ↗ 8.9 → 10.4 ↓ 9.1 ↖
 10.3 ↙ 8.3 ↖ 9.9 ↑ 9.5 ↑ 9.8 ↑
 beste Teiler 271.1 (14.) 295.7 (16.) 458.9 (18.)
 Trefferlage 0.98 mm links, 3.08 mm hoch
 Streuwert 4.64, horizontal: 5.71, vertikal: 3.24



Serie 3:
 8.9 ↖ 9.7 ↘ 9.0 ↙ 8.8 ↓ 10.6 *
 9.5 ↘ 9.5 ↑ 10.0 ← 10.2 → 9.6 ↓
 beste Teiler 184.1 (25.) 325.3 (29.) 428.9 (28.)
 Trefferlage 0.44 mm links, 1.92 mm tief
 Streuwert 4.80, horizontal: 4.49, vertikal: 5.08


Unterschrift des Schützen

Ergebnis: **274** (290.2)
 Serien: 94 92 88
 Zähler: 9 16 5 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1125 (12), 1074 (1), 1062 (26)
 beste Teiler 100.2 (13.) 114.4 (8.) 118.3 (9.)
 Trefferlage 0.77 mm links, 2.23 mm hoch
 Streuwert 4.41, horizontal: 3.49, vertikal: 5.17




Serie 1:
 8.6 ↘ 10.3 ↗ 9.9 ↑ 9.7 ↘ 10.7 *
 9.1 ↑ 9.3 ↗ 10.7 * 10.7 * 10.1 ↗

beste Teiler 114.4 (8.) 118.3 (9.) 136.0 (5.)
 Trefferlage 1.06 mm links, 2.59 mm hoch
 Streuwert 3.76, horizontal: 3.29, vertikal: 4.17



Serie 2:
 9.7 ← 8.5 ↗ 10.7 * 10.6 * 9.8 ←
 9.5 ↗ 9.7 → 9.5 ↑ 9.3 ↗ 10.1 ←

beste Teiler 100.2 (13.) 170.3 (14.) 412.7 (20.)
 Trefferlage 0.88 mm links, 3.51 mm hoch
 Streuwert 3.77, horizontal: 3.72, vertikal: 3.83





Serie 3:
 9.9 ↗ 9.5 ↓ 9.2 ↘ 8.8 ↑ 9.3 ↘
 8.6 ↑ 9.9 ↘ 8.6 ↓ 9.8 ↘ 10.1 ←


beste Teiler 388.8 (30.) 462.1 (27.) 495.9 (21.)
 Trefferlage 0.36 mm links, 0.59 mm hoch
 Streuwert 5.62, horizontal: 3.78, vertikal: 7.00

Unterschrift des Schützen


Ergebnis: **277** (290.7)
 Serien: 96 92 89
 Zähler: 13 12 4 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1360 (27), 1357 (23), 1356 (11)
 beste Teiler 89.5 (4.) 102.8 (8.) 109.6 (15.)
 Trefferlage 0.00 mm , 1.06 mm tief
 Streuwert 4.88, horizontal: 5.87, vertikal: 3.63



Serie 1:
 10.4 ↙ 9.5 ↘ 10.5 * 10.8 * 9.7 ↘
 9.4 ← 9.2 ↓ 10.7 * 10.2 ↓ 10.3 →
 beste Teiler 89.5 (4.) 102.8 (8.) 185.1 (3.)
 Trefferlage 0.07 mm rechts, 1.15 mm tief
 Streuwert 3.39, horizontal: 3.58, vertikal: 3.19





Serie 2:
 8.0 ← 10.1 ↘ 9.7 → 10.5 * 10.7 *
 9.3 ← 8.1 → 10.6 * 9.6 → 9.7 ←
 beste Teiler 109.6 (15.) 181.8 (18.) 218.0 (14.)
 Trefferlage 0.57 mm links, 0.54 mm tief
 Streuwert 5.44, horizontal: 7.40, vertikal: 2.07




Serie 3:
 9.5 ↓ 9.9 ↘ 8.0 ← 10.0 ↑ 10.4 ↗
 9.5 ↘ 7.9 ↘ 9.8 ↘ 8.7 ↓ 10.0 →
 beste Teiler 253.0 (25.) 438.7 (24.) 457.6 (30.)
 Trefferlage 0.52 mm rechts, 1.48 mm tief
 Streuwert 5.92, horizontal: 6.53, vertikal: 5.23

Unterschrift des Schützen


Ergebnis: **261** (271.9)
 Serien: 89 83 89
 Zähler: 6 14 7 2 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 2658 (13), 1610 (19), 1491 (26)
 beste Teiler 31.0 (6.) 44.9 (27.) 172.2 (29.)
 Trefferlage 2.00 mm links, 2.41 mm hoch
 Streuwert 6.86, horizontal: 7.04, vertikal: 6.69



Serie 1:
 8.0 ↘ 9.3 ↙ 9.1 → 9.8 ↖ 8.0 ↗
 10.9 * 10.2 ↗ 9.6 ↘ 9.8 ↘ 8.8 ↓
 beste Teiler 31.0 (6.) 349.6 (7.) 536.8 (9.)
 Trefferlage 1.26 mm links, 2.56 mm hoch
 Streuwert 5.78, horizontal: 5.16, vertikal: 6.35



Serie 2:
 9.0 ← 9.6 ↑ 5.1 ↙ 10.2 ↙ 10.1 ↗
 8.0 ↑ 8.8 ↑ 8.1 ↙ 7.4 ↖ 9.2 →
 beste Teiler 336.0 (14.) 380.5 (15.) 615.6 (12.)
 Trefferlage 5.01 mm links, 1.01 mm hoch
 Streuwert 8.66, horizontal: 9.16, vertikal: 8.14





Serie 3:
 9.7 ↘ 9.1 ↙ 9.2 ↑ 9.1 ↘ 9.0 ↘
 7.7 ↗ 10.9 * 9.3 ↑ 10.6 * 8.3 ↑
 beste Teiler 44.9 (27.) 172.2 (29.) 592.6 (21.)
 Trefferlage 0.26 mm rechts, 3.65 mm hoch
 Streuwert 5.76, horizontal: 5.73, vertikal: 5.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **269** (281.8)
 Serien: 88 91 90
 Zähler: 9 16 2 2 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 2280 (29), 1738 (6), 1368 (4)
 beste Teiler 107.3 (5.) 165.8 (30.) 206.0 (28.)
 Trefferlage 2.72 mm links, 1.56 mm hoch
 Streuwert 5.63, horizontal: 5.71, vertikal: 5.55



Serie 1:
 10.1 ↗ 9.2 ↘ 8.8 ↖ 7.9 ↙ 10.7 *
 7.1 ↖ 9.4 ↙ 9.0 ↙ 10.0 → 9.3 ↖
 beste Teiler 107.3 (5.) 384.6 (1.) 443.8 (9.)
 Trefferlage 4.61 mm links, 0.38 mm hoch
 Streuwert 6.03, horizontal: 5.41, vertikal: 6.60





Serie 2:
 9.0 ↑ 9.8 → 10.4 ↗ 9.7 ← 9.4 ↙
 9.8 ↑ 10.0 ↓ 9.5 ← 9.0 ↗ 8.2 ↖
 beste Teiler 262.5 (13.) 420.0 (17.) 526.5 (16.)
 Trefferlage 1.34 mm links, 2.23 mm hoch
 Streuwert 5.02, horizontal: 5.16, vertikal: 4.87




Serie 3:
 9.8 ↖ 9.7 ↓ 9.1 ↖ 10.2 ↗ 9.7 ↓
 9.6 ↑ 10.4 ↖ 10.5 * 5.9 ↖ 10.6 *
 beste Teiler 165.8 (30.) 206.0 (28.) 247.9 (27.)
 Trefferlage 2.21 mm links, 2.06 mm hoch
 Streuwert 6.02, horizontal: 6.55, vertikal: 5.44

Unterschrift des Schützen


Ergebnis: **237** (252.6)
 Serien: 74 81 82
 Zähler: 4 9 9 2 2 3 0 1 0 0
 Innenzehner: 2
 weiteste: 3178 (29), 2389 (18), 2344 (2)
 beste Teiler 160.8 (15.) 172.8 (25.) 318.5 (20.)
 Trefferlage 3.03 mm links, 1.66 mm hoch
 Streuwert 9.40, horizontal: 10.40, vertikal: 8.28



Serie 1:
 9.0 ↑ 5.8 ← 9.5 ↗ 5.8 ↖ 8.5 ↙
 6.3 ↘ 7.6 ↗ 9.2 ↖ 8.6 ↙ 8.7 →
 beste Teiler 673.4 (3.) 778.6 (8.) 882.1 (1.)
 Trefferlage 5.50 mm links, 3.38 mm hoch
 Streuwert 10.18, horizontal: 12.22, vertikal: 7.62



Serie 2:
 7.8 → 8.4 ↘ 8.5 ↑ 9.3 ↙ 10.6 *
 9.3 ↘ 6.7 ↙ 5.7 ↑ 9.5 ↖ 10.3 ↗
 beste Teiler 160.8 (15.) 318.5 (20.) 648.0 (19.)
 Trefferlage 1.71 mm rechts, 0.38 mm tief
 Streuwert 9.23, horizontal: 6.98, vertikal: 11.03





Serie 3:
 9.4 ↘ 8.8 ↖ 8.2 ↖ 8.6 ↙ 10.6 *
 9.9 → 10.1 ↑ 8.3 ↑ 3.9 ← 9.7 ↙
 beste Teiler 172.8 (25.) 387.3 (27.) 462.7 (26.)
 Trefferlage 5.32 mm links, 2.00 mm hoch
 Streuwert 8.54, horizontal: 10.61, vertikal: 5.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **272** (287.0)
 Serien: 94 90 88
 Zähler: 10 15 2 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1786 (16), 1439 (28), 1431 (13)
 beste Teiler 83.1 (5.) 277.9 (20.) 305.1 (14.)
 Trefferlage 2.02 mm rechts, 2.72 mm tief
 Streuwert 4.65, horizontal: 4.60, vertikal: 4.70



Serie 1:
 10.1 ↗ 9.9 → 10.1 ↘ 9.3 ← 10.8 *
 9.4 → 9.7 → 10.1 ↘ 9.8 → 9.9 ↗
 beste Teiler 83.1 (5.) 371.2 (1.) 391.5 (3.)
 Trefferlage 2.35 mm rechts, 0.18 mm tief
 Streuwert 3.36, horizontal: 3.89, vertikal: 2.74





Serie 2:
 8.9 ↓ 9.7 → 7.8 ↓ 10.3 ↗ 10.3 ↗
 7.0 → 10.0 ↗ 10.2 ← 9.9 → 10.3 ↘
 beste Teiler 277.9 (20.) 305.1 (14.) 318.3 (15.)
 Trefferlage 3.18 mm rechts, 3.50 mm tief
 Streuwert 5.29, horizontal: 5.67, vertikal: 4.88




Serie 3:
 10.0 ↓ 8.7 ↓ 9.4 → 9.9 ← 9.6 ↗
 9.4 ↓ 9.6 ↓ 7.8 ↓ 9.3 ← 9.8 ↓
 beste Teiler 416.0 (21.) 488.5 (24.) 543.8 (30.)
 Trefferlage 0.52 mm rechts, 4.47 mm tief
 Streuwert 4.75, horizontal: 4.08, vertikal: 5.34

Unterschrift des Schützen


Ergebnis: **261** (275.4)
 Serien: 87 86 88
 Zähler: 6 13 7 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1736 (8), 1615 (17), 1475 (25)
 beste Teiler 83.1 (21.) 186.6 (6.) 216.9 (4.)
 Trefferlage 0.86 mm rechts, 1.52 mm hoch
 Streuwert 6.36, horizontal: 7.09, vertikal: 5.55



Serie 1:
 9.2 → 8.9 ↘ 8.9 ↗ 10.5 * 8.5 ←
 10.5 * 9.3 ↗ 7.1 → 10.1 ↙ 8.5 →
 beste Teiler 186.6 (6.) 216.9 (4.) 401.6 (9.)
 Trefferlage 3.87 mm rechts, 0.02 mm hoch
 Streuwert 6.27, horizontal: 7.91, vertikal: 4.02



Serie 2:
 9.7 → 7.9 ↖ 9.2 ↖ 9.4 ← 9.3 ↗
 8.9 ↑ 7.4 ↑ 9.3 ← 9.9 → 10.4 ↖
 beste Teiler 267.2 (20.) 459.8 (19.) 590.0 (11.)
 Trefferlage 1.20 mm links, 5.30 mm hoch
 Streuwert 5.41, horizontal: 5.06, vertikal: 5.75





Serie 3:
 10.8 * 9.6 ← 9.2 ↙ 8.6 ↖ 7.7 →
 9.4 → 9.9 ↖ 9.1 ↘ 10.1 → 8.1 ↙
 beste Teiler 83.1 (21.) 405.8 (29.) 497.9 (27.)
 Trefferlage 0.07 mm links, 0.73 mm tief
 Streuwert 6.48, horizontal: 7.61, vertikal: 5.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **264** (280.4)
 Serien: 90 88 86
 Zähler: 4 16 10 0 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 1356 (17), 1161 (3), 1090 (28)
 beste Teiler 235.5 (2.) 241.2 (7.) 296.0 (25.)
 Trefferlage 1.60 mm links, 1.67 mm tief
 Streuwert 5.37, horizontal: 5.75, vertikal: 4.96



Serie 1:
 9.8 ↑ 10.4 ↘ 8.4 → 9.0 ↓ 8.8 ←
 9.3 ↗ 10.4 ↑ 9.6 ↗ 9.9 ↘ 9.7 ↑
 beste Teiler 235.5 (2.) 241.2 (7.) 488.2 (9.)
 Trefferlage 1.28 mm rechts, 0.90 mm hoch
 Streuwert 5.12, horizontal: 5.49, vertikal: 4.71



Serie 2:
 10.0 ↓ 9.8 ↘ 8.6 ← 9.8 ← 9.7 ↗
 9.3 ← 8.0 ↘ 8.8 ← 9.0 ← 9.2 ↑
 beste Teiler 441.6 (11.) 522.1 (14.) 544.8 (12.)
 Trefferlage 3.53 mm links, 2.16 mm tief
 Streuwert 5.43, horizontal: 6.14, vertikal: 4.62





Serie 3:
 8.7 ↘ 8.8 ← 9.8 ↑ 9.7 ↓ 10.3 ↖
 9.5 ↘ 8.9 ↘ 8.5 ↓ 8.8 ↘ 9.9 ←
 beste Teiler 296.0 (25.) 466.8 (30.) 538.6 (23.)
 Trefferlage 2.56 mm links, 3.76 mm tief
 Streuwert 4.88, horizontal: 4.93, vertikal: 4.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **275** (287.3)
 Serien: 92 93 90
 Zähler: 13 12 2 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1719 (4), 1385 (14), 1371 (23)
 beste Teiler 116.5 (3.) 158.4 (5.) 167.4 (29.)
 Trefferlage 1.52 mm links, 0.87 mm hoch
 Streuwert 5.20, horizontal: 5.83, vertikal: 4.50



Serie 1:
 8.1 ↙ 9.6 ↗ 10.7 * 7.1 ← 10.6 *
 10.3 ↑ 9.0 ↑ 10.4 ↘ 10.1 ↓ 9.3 →
 beste Teiler 116.5 (3.) 158.4 (5.) 239.2 (8.)
 Trefferlage 0.90 mm links, 0.00 mm
 Streuwert 6.08, horizontal: 6.80, vertikal: 5.26





Serie 2:
 9.1 ↗ 10.3 ↘ 10.5 * 7.9 ← 10.5 *
 9.6 ↑ 10.2 → 9.2 ↘ 9.5 ← 10.2 →
 beste Teiler 204.3 (13.) 208.5 (15.) 291.3 (12.)
 Trefferlage 1.25 mm links, 1.68 mm hoch
 Streuwert 4.72, horizontal: 5.97, vertikal: 2.97




Serie 3:
 9.3 ↙ 9.8 ↘ 7.9 ↘ 8.8 ↘ 10.4 ↙
 9.0 ↗ 10.0 ↑ 9.9 ↓ 10.6 * 9.4 ↓
 beste Teiler 167.4 (29.) 270.8 (25.) 433.4 (27.)
 Trefferlage 2.42 mm links, 0.93 mm hoch
 Streuwert 5.15, horizontal: 5.10, vertikal: 5.21

Unterschrift des Schützen


Ergebnis: **255** (268.7)
 Serien: 85 83 87
 Zähler: 7 9 6 8 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1728 (4), 1654 (27), 1588 (22)
 beste Teiler 110.1 (16.) 242.6 (21.) 315.5 (8.)
 Trefferlage 3.11 mm links, 2.27 mm hoch
 Streuwert 6.85, horizontal: 6.01, vertikal: 7.60



Serie 1:
 8.6 ← 9.3 ↙ 7.8 ↘ 7.1 ↘ 8.5 ↖
 8.5 ↑ 9.8 ↗ 10.3 ← 9.3 ↘ 10.2 ↑
 beste Teiler 315.5 (8.) 343.6 (10.) 512.0 (7.)
 Trefferlage 6.23 mm links, 3.65 mm hoch
 Streuwert 5.27, horizontal: 4.69, vertikal: 5.79



Serie 2:
 10.0 ↑ 7.6 ↓ 9.5 ↗ 7.5 ↓ 9.4 ↖
 10.7 * 8.7 ↑ 7.9 ↘ 9.9 → 7.7 ↖
 beste Teiler 110.1 (16.) 455.1 (11.) 499.9 (19.)
 Trefferlage 2.27 mm links, 1.80 mm hoch
 Streuwert 7.64, horizontal: 4.66, vertikal: 9.74





Serie 3:
 10.4 ↖ 7.4 ↖ 9.8 ↖ 9.2 → 10.2 ↗
 8.0 ↖ 7.3 ↙ 8.2 → 9.9 ↓ 10.0 ↘
 beste Teiler 242.6 (21.) 340.1 (25.) 457.3 (30.)
 Trefferlage 0.83 mm links, 1.38 mm hoch
 Streuwert 7.41, horizontal: 7.44, vertikal: 7.38

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **263** (274.6)
 Serien: 90 86 87
 Zähler: 8 12 6 3 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2116 (26), 1552 (10), 1472 (16)
 beste Teiler 123.4 (15.) 147.8 (28.) 326.2 (11.)
 Trefferlage 0.20 mm links, 3.08 mm hoch
 Streuwert 6.36, horizontal: 5.33, vertikal: 7.25



Serie 1:

9.9 → 10.2 → 9.3 ↘ 9.4 ↑ 9.1 ←
 8.3 ↖ 10.1 → 10.1 ↖ 9.9 ↑ 7.5 ↘


beste Teiler 364.1 (2.) 393.1 (8.) 405.5 (7.)
 Trefferlage 1.56 mm links, 4.55 mm hoch
 Streuwert 4.82, horizontal: 5.03, vertikal: 4.61



Serie 2:

10.2 ↑ 8.1 ↑ 8.5 ↑ 9.3 ↙ 10.7 *
 7.7 → 9.2 ↘ 8.3 ↙ 9.2 ↑ 8.1 ↓

beste Teiler 123.4 (15.) 326.2 (11.) 735.5 (14.)
 Trefferlage 0.23 mm rechts, 2.21 mm hoch
 Streuwert 7.31, horizontal: 6.22, vertikal: 8.26





Serie 3:

9.9 ← 9.5 ↗ 9.5 ↘ 9.2 ↑ 7.7 ↙
 6.3 ↑ 10.1 ← 10.6 * 10.1 → 8.6 ↑


beste Teiler 147.8 (28.) 367.2 (29.) 380.7 (27.)
 Trefferlage 0.72 mm rechts, 2.49 mm hoch
 Streuwert 7.10, horizontal: 4.93, vertikal: 8.74

Unterschrift des Schützen


Ergebnis: **267** (283.1)
 Serien: 86 91 90
 Zähler: 8 14 7 0 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 2328 (6), 1208 (20), 1170 (22)
 beste Teiler 121.7 (19.) 213.4 (26.) 258.0 (1.)
 Trefferlage 2.43 mm links, 1.09 mm hoch
 Streuwert 5.49, horizontal: 5.56, vertikal: 5.42



Serie 1:
 10.4 ↑ 9.8 → 9.8 ↖ 8.6 ← 9.7 ↖
 5.8 ↘ 9.9 → 10.0 ↑ 9.7 → 8.4 ↖
 beste Teiler 258.0 (1.) 422.2 (8.) 473.2 (7.)
 Trefferlage 2.63 mm links, 3.40 mm hoch
 Streuwert 6.54, horizontal: 6.68, vertikal: 6.41



Serie 2:
 9.5 ↘ 9.9 ↖ 10.4 ↓ 9.9 ↗ 9.9 ↘
 9.6 ↙ 10.2 ↙ 8.9 ← 10.7 * 8.3 ←
 beste Teiler 121.7 (19.) 262.2 (13.) 358.6 (17.)
 Trefferlage 3.23 mm links, 0.25 mm hoch
 Streuwert 4.08, horizontal: 4.42, vertikal: 3.70





Serie 3:
 9.0 ↓ 8.4 ↖ 8.8 ↓ 10.1 ↘ 9.0 ↖
 10.5 * 10.3 ↘ 9.3 ↗ 8.9 ↗ 9.4 ↑
 beste Teiler 213.4 (26.) 292.1 (27.) 371.4 (24.)
 Trefferlage 1.43 mm links, 0.39 mm tief
 Streuwert 5.68, horizontal: 5.80, vertikal: 5.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **272** (283.4)
 Serien: 90 92 90
 Zähler: 12 11 4 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1776 (25), 1617 (17), 1585 (28)
 beste Teiler 180.5 (26.) 195.6 (14.) 297.6 (16.)
 Trefferlage 1.65 mm rechts, 0.95 mm tief
 Streuwert 5.57, horizontal: 5.72, vertikal: 5.42



Serie 1:
 9.4 → 9.9 → 9.5 ↘ 8.7 ← 10.0 ↘
 8.3 ↘ 9.5 ↙ 8.8 → 10.0 → 10.3 ↑
 beste Teiler 310.9 (10.) 428.7 (5.) 432.6 (9.)
 Trefferlage 1.83 mm rechts, 0.37 mm tief
 Streuwert 5.31, horizontal: 6.65, vertikal: 3.50



Serie 2:
 9.5 ← 10.1 ↖ 9.4 ↓ 10.5 * 9.8 ↓
 10.3 ↗ 7.4 ↑ 9.2 ↘ 9.2 ← 10.1 ←
 beste Teiler 195.6 (14.) 297.6 (16.) 401.4 (12.)
 Trefferlage 1.04 mm links, 0.38 mm tief
 Streuwert 5.51, horizontal: 4.12, vertikal: 6.61





Serie 3:
 9.8 ↘ 10.0 ↓ 10.1 ↓ 10.3 ↑ 7.0 ↘
 10.6 * 10.0 ↘ 7.4 → 9.6 → 8.7 ↗
 beste Teiler 180.5 (26.) 316.8 (24.) 400.7 (23.)
 Trefferlage 4.17 mm rechts, 2.08 mm tief
 Streuwert 5.73, horizontal: 5.38, vertikal: 6.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	269	(286.4)
Serien:	90	92 87
Zähler:	8	15 5 2 0 0 0 0 0 0
Innenzehner:	3	
weiteste:	1796 (21), 1367 (29), 1072 (26)	
beste Teiler	31.4 (22.) 132.7 (20.) 203.8 (15.)	
Trefferlage	1.20 mm links, 0.12 mm hoch	
Streuwert	5.24, horizontal: 5.91, vertikal: 4.47	



Serie 1:	8.7 ↘	9.6 ↑	9.7 →	10.1 →	9.0 →
	9.6 ←	10.1 ←	9.4 ↘	8.9 ←	9.9 ↓
beste Teiler	379.9 (7.) 391.3 (4.) 491.5 (10.)				
Trefferlage	0.24 mm rechts, 0.30 mm hoch				
Streuwert	5.14, horizontal: 6.15, vertikal: 3.88				





Serie 2:	9.9 ↑	9.9 ↘	8.6 ↘	9.8 ↑	10.5 *
	9.9 ↘	9.4 ↘	9.2 ←	10.3 ↑	10.7 *
beste Teiler	132.7 (20.) 203.8 (15.) 301.8 (19.)				
Trefferlage	0.57 mm links, 0.09 mm hoch				
Streuwert	4.33, horizontal: 3.93, vertikal: 4.69				




Serie 3:	7.0 ↘	10.9 *	10.4 ←	10.1 ↘	8.9 ↗
	8.6 ↓	9.8 ↓	9.7 ↘	7.9 ←	9.9 ↘
beste Teiler	31.4 (22.) 253.0 (23.) 387.7 (24.)				
Trefferlage	3.28 mm links, 0.02 mm tief				
Streuwert	6.27, horizontal: 7.18, vertikal: 5.21				

Unterschrift des Schützen


Ergebnis: **280** (296.8)
 Serien: 93 94 93
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 941 (30), 914 (2), 842 (25)
 beste Teiler 60.0 (5.) 119.0 (29.) 124.2 (23.)
 Trefferlage 1.19 mm links, 1.35 mm tief
 Streuwert 3.71, horizontal: 3.83, vertikal: 3.59



Serie 1:
 10.2 ↖ 8.9 ↓ 9.3 ← 10.6 * 10.8 *
 9.3 ↖ 9.3 ← 9.4 ← 9.6 ↓ 10.0 ↘
 beste Teiler 60.0 (5.) 179.3 (4.) 339.3 (1.)
 Trefferlage 2.93 mm links, 1.52 mm tief
 Streuwert 3.86, horizontal: 4.02, vertikal: 3.69





Serie 2:
 10.1 ↗ 9.8 ← 9.6 ↗ 9.7 ↓ 9.7 ↓
 9.9 ← 10.6 * 9.9 ↓ 10.4 ↓ 10.4 ↓
 beste Teiler 152.0 (17.) 239.3 (19.) 256.7 (20.)
 Trefferlage 0.21 mm links, 1.39 mm tief
 Streuwert 3.22, horizontal: 3.02, vertikal: 3.41




Serie 3:
 9.6 ↗ 9.4 ← 10.7 * 9.6 ↗ 9.1 ↓
 10.7 * 9.9 ↗ 10.7 * 10.7 * 8.9 →
 beste Teiler 119.0 (29.) 124.2 (23.) 129.0 (26.)
 Trefferlage 0.42 mm links, 1.13 mm tief
 Streuwert 4.07, horizontal: 4.12, vertikal: 4.02

Unterschrift des Schützen


Ergebnis: **279** (289.6)
 Serien: 94 93 92
 Zähler: 13 14 2 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1625 (16), 1041 (30), 925 (19)
 beste Teiler 196.4 (26.) 229.0 (22.) 264.0 (27.)
 Trefferlage 1.39 mm links, 0.37 mm tief
 Streuwert 4.65, horizontal: 4.93, vertikal: 4.36



Serie 1:
 9.6 ↑ 10.4 ↗ 9.0 ↓ 10.1 ↘ 10.2 ←
 9.2 ↘ 9.7 ↘ 9.4 ← 10.2 → 9.8 ↑
 beste Teiler 270.4 (2.) 338.5 (5.) 361.8 (9.)
 Trefferlage 0.17 mm links, 0.30 mm tief
 Streuwert 4.34, horizontal: 3.70, vertikal: 4.90



Serie 2:
 9.2 ↘ 10.2 ↘ 10.0 ↙ 10.0 ↙ 10.3 ↘
 7.4 ← 10.0 ↓ 9.2 ↑ 8.9 ↗ 10.1 ↗
 beste Teiler 276.8 (15.) 355.8 (12.) 368.5 (20.)
 Trefferlage 1.04 mm links, 0.20 mm tief
 Streuwert 5.55, horizontal: 6.18, vertikal: 4.83





Serie 3:
 9.3 ← 10.5 * 9.4 ↗ 9.6 ← 9.8 →
 10.5 * 10.4 ← 9.0 ↓ 9.5 ← 8.7 ←
 beste Teiler 196.4 (26.) 229.0 (22.) 264.0 (27.)
 Trefferlage 2.97 mm links, 0.61 mm tief
 Streuwert 4.21, horizontal: 4.66, vertikal: 3.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286** (300.4)
 Serien: 93 98 95
 Zähler: 19 8 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1147 (22), 977 (21), 954 (7)
 beste Teiler 142.4 (1.) 145.6 (11.) 168.2 (26.)
 Trefferlage 0.50 mm links, 0.09 mm tief
 Streuwert 3.62, horizontal: 4.12, vertikal: 3.04



Serie 1:
 10.6 * 9.4 ↓ 9.5 ← 10.5 * 10.2 ↘
 10.5 * 8.8 ← 9.8 ↖ 9.4 ↑ 9.7 ←
 beste Teiler 142.4 (1.) 227.7 (6.) 229.5 (4.)
 Trefferlage 2.01 mm links, 0.11 mm tief
 Streuwert 3.98, horizontal: 4.39, vertikal: 3.52





Serie 2:
 10.6 * 10.5 * 10.4 ↓ 10.4 ↙ 10.4 →
 10.3 ↓ 9.9 ↓ 10.4 * 9.6 ← 10.5 *
 beste Teiler 145.6 (11.) 199.9 (12.) 229.4 (20.)
 Trefferlage 0.03 mm links, 0.72 mm tief
 Streuwert 2.37, horizontal: 2.66, vertikal: 2.03




Serie 3:
 8.8 → 8.4 ↗ 10.0 ← 10.0 ↘ 10.6 *
 10.6 * 9.5 ← 10.5 * 10.2 ↗ 10.4 ↘
 beste Teiler 168.2 (26.) 179.5 (25.) 191.0 (28.)
 Trefferlage 0.53 mm rechts, 0.56 mm hoch
 Streuwert 4.28, horizontal: 4.93, vertikal: 3.51

Unterschrift des Schützen


Ergebnis: **256** (268.5)
 Serien: 89 87 80
 Zähler: 5 11 10 3 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 1950 (27), 1743 (1), 1608 (22)
 beste Teiler 169.7 (8.) 292.7 (11.) 351.9 (9.)
 Trefferlage 0.27 mm rechts, 0.15 mm tief
 Streuwert 7.17, horizontal: 7.89, vertikal: 6.36



Serie 1:
 7.1 ↘ 10.0 → 9.3 → 8.8 ↘ 8.4 →
 9.3 ↓ 8.4 ← 10.6 * 10.2 ↓ 10.0 ↖
 beste Teiler 169.7 (8.) 351.9 (9.) 420.9 (10.)
 Trefferlage 1.09 mm links, 1.21 mm hoch
 Streuwert 6.70, horizontal: 7.86, vertikal: 5.29





Serie 2:
 10.3 ↗ 9.0 ← 8.5 ↙ 8.5 ↖ 8.5 →
 9.5 ↗ 9.2 ↙ 8.8 ← 9.9 ↘ 9.3 ↓
 beste Teiler 292.7 (11.) 492.2 (19.) 678.1 (16.)
 Trefferlage 2.85 mm links, 0.81 mm tief
 Streuwert 5.99, horizontal: 6.26, vertikal: 5.70




Serie 3:
 8.4 ↗ 7.4 ↘ 7.8 ↘ 9.1 ↙ 9.2 ↘
 8.6 → 6.6 ↘ 9.1 ↗ 8.8 ↘ 9.9 ←
 beste Teiler 498.9 (30.) 811.5 (25.) 829.6 (24.)
 Trefferlage 4.76 mm rechts, 0.86 mm tief
 Streuwert 8.09, horizontal: 8.00, vertikal: 8.18

Unterschrift des Schützen


Ergebnis: **276** (288.8)
 Serien: 90 94 92
 Zähler: 12 15 1 1 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1926 (1), 1570 (23), 1157 (8)
 beste Teiler 84.4 (12.) 129.8 (5.) 155.5 (20.)
 Trefferlage 0.38 mm rechts, 1.41 mm hoch
 Streuwert 5.14, horizontal: 5.07, vertikal: 5.22



Serie 1:
 6.7 ↗ 10.6 * 9.0 ↑ 9.6 ↑ 10.7 *
 10.5 * 9.3 ↑ 8.4 ↘ 10.5 * 9.1 ↑
 beste Teiler 129.8 (5.) 160.6 (2.) 199.9 (6.)
 Trefferlage 1.35 mm rechts, 3.89 mm hoch
 Streuwert 5.72, horizontal: 4.98, vertikal: 6.38





Serie 2:
 9.4 ↙ 10.8 * 10.2 ↘ 9.0 ↗ 9.0 ↙
 9.2 ↘ 10.3 ↑ 9.9 ↙ 9.7 ↓ 10.6 *
 beste Teiler 84.4 (12.) 155.5 (20.) 291.3 (17.)
 Trefferlage 0.38 mm links, 1.34 mm tief
 Streuwert 4.23, horizontal: 4.19, vertikal: 4.27




Serie 3:
 10.3 ↘ 10.5 * 7.5 ↖ 9.6 → 9.3 ↑
 9.7 → 9.5 ↗ 9.8 ↗ 10.1 ↓ 10.0 ↖
 beste Teiler 223.4 (22.) 277.2 (21.) 374.4 (29.)
 Trefferlage 0.18 mm rechts, 1.68 mm hoch
 Streuwert 5.10, horizontal: 6.22, vertikal: 3.66

Unterschrift des Schützen


Ergebnis: **263** (278.6)
 Serien: 83 88 92
 Zähler: 7 13 7 2 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2160 (4), 1642 (1), 1542 (6)
 beste Teiler 94.3 (10.) 111.6 (21.) 123.0 (25.)
 Trefferlage 0.43 mm rechts, 2.27 mm tief
 Streuwert 6.28, horizontal: 5.91, vertikal: 6.64



Serie 1:
 7.3 ↓ 9.0 → 9.7 ↓ 6.2 ↘ 9.7 ↘
 7.5 ← 8.0 ← 9.0 ↓ 9.9 ↓ 10.7 *
 beste Teiler 94.3 (10.) 469.4 (9.) 575.0 (5.)
 Trefferlage 0.73 mm links, 6.03 mm tief
 Streuwert 7.54, horizontal: 8.25, vertikal: 6.76



Serie 2:
 8.7 ↘ 9.2 ↘ 8.1 ↙ 10.5 * 9.8 →
 8.9 → 9.7 ↘ 8.6 → 9.8 → 10.3 ↑
 beste Teiler 197.6 (14.) 282.0 (20.) 523.7 (19.)
 Trefferlage 3.38 mm rechts, 2.85 mm tief
 Streuwert 4.91, horizontal: 4.65, vertikal: 5.15



Serie 3:
 10.7 * 10.6 * 9.8 ↘ 9.5 ↖ 10.7 *
 10.6 * 9.5 ↖ 8.4 ↖ 9.8 ↘ 8.4 ↖
 beste Teiler 111.6 (21.) 123.0 (25.) 154.3 (26.)
 Trefferlage 1.34 mm links, 2.05 mm hoch
 Streuwert 4.53, horizontal: 2.84, vertikal: 5.74

Unterschrift des Schützen

Meyton Elektronik