





Ergebnis: **270** (281.8)  
 Serien: 89 90 91  
 Zähler: 12 9 6 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 8406 (1), 8283 (27), 8220 (20)  
 beste Teiler 1168.2 (28.) 1392.6 (5.) 1555.7 (4.)  
 Trefferlage 4.39 mm links, 9.29 mm hoch  
 Streuwert 32.98, horizontal: 27.21, vertikal: 37.88



Serie 1:  
 7.7 ↗ 8.6 ↙ 10.3 ↗ 10.4 ↘ 10.4 \*  
 8.7 ↘ 10.2 ← 8.3 ↘ 10.0 ↘ 8.1 ↗  
 beste Teiler 1392.6 (5.) 1555.7 (4.) 1876.7 (3.)  
 Trefferlage 4.67 mm rechts, 13.37 mm hoch  
 Streuwert 37.13, horizontal: 33.69, vertikal: 40.28



Serie 2:  
 9.1 ↙ 10.1 ↑ 9.7 ↑ 10.0 → 9.7 ↖  
 9.4 ↖ 9.7 ↓ 8.3 ↑ 10.2 ↗ 7.8 ↖  
 beste Teiler 1975.2 (19.) 2226.4 (12.) 2625.2 (14.)  
 Trefferlage 6.98 mm links, 18.09 mm hoch  
 Streuwert 30.59, horizontal: 23.94, vertikal: 36.03





Serie 3:  
 9.3 ↘ 10.4 ↑ 9.7 ↗ 9.5 ← 10.1 ↖  
 8.8 ↙ 7.7 ↑ 10.5 \* 10.1 ← 9.0 ↙  
 beste Teiler 1168.2 (28.) 1580.7 (22.) 2326.1 (25.)  
 Trefferlage 10.85 mm links, 3.57 mm tief  
 Streuwert 31.20, horizontal: 23.06, vertikal: 37.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **269** (282.8)  
 Serien: 88 88 93  
 Zähler: 10 11 7 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 8734 (10), 7865 (19), 7464 (2)  
 beste Teiler 523.5 (22.) 636.3 (16.) 1705.8 (15.)  
 Trefferlage 6.93 mm rechts, 20.34 mm tief  
 Streuwert 29.34, horizontal: 26.63, vertikal: 31.83



Serie 1:  
 10.0 ↙                      8.1 ↓                      9.3 ↗                      8.3 ↘                      9.2 ↘  
 10.3 ↓                      8.9 →                      10.2 ↑                      9.8 ↘                      7.6 ↘  
 beste Teiler 1866.8 (6.) 2038.2 (8.) 2621.6 (1.)  
 Trefferlage 12.65 mm rechts, 26.60 mm tief  
 Streuwert 32.48, horizontal: 29.14, vertikal: 35.50



Serie 2:  
 10.2 ←                      8.3 →                      9.3 ↓                      9.8 →                      10.3 ↓  
 10.7 \*                      8.8 ↘                      9.7 ←                      7.9 ↓                      8.3 ↘  
 beste Teiler 636.3 (16.) 1705.8 (15.) 2147.0 (11.)  
 Trefferlage 9.66 mm rechts, 24.59 mm tief  
 Streuwert 30.61, horizontal: 31.71, vertikal: 29.47



Serie 3:  
 10.2 ↗                      10.8 \*                      9.1 ↓                      10.2 ↓                      8.7 ↓  
 9.8 ↑                      9.1 ↙                      9.9 ↘                      10.1 ↗                      9.9 ↓  
 beste Teiler 523.5 (22.) 1996.3 (24.) 2070.1 (21.)  
 Trefferlage 1.50 mm links, 9.83 mm tief  
 Streuwert 25.05, horizontal: 17.51, vertikal: 30.80

Unterschrift des Schützen

**50m Pistole Auflage – Wertung –**

**Senioren III männl.**

**StartNr: 506**



StandNr: 4

24. Februar 2019 9:28


**Homa, Dieter #125**

5600 SG Overberge e. V.


Ergebnis: **268** (279.0)  
 Serien: 92 87 89  
 Zähler: 11 12 3 2 2 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 11887 (26), 10497 (16), 8667 (11)  
 beste Teiler 1214.5 (20.) 1563.1 (1.) 1576.6 (10.)  
 Trefferlage 0.81 mm rechts, 6.52 mm hoch  
 Streuwert 36.42, horizontal: 18.24, vertikal: 48.17



Serie 1:  
 10.4 ↘                      8.2 ↓                      9.3 ↘                      10.0 ↘                      9.0 ↓  
 9.4 ↓                      8.4 ↓                      10.3 ↙                      9.5 ↗                      10.4 ←  
 beste Teiler 1563.1 (1.) 1576.6 (10.) 1766.5 (8.)  
 Trefferlage 1.17 mm rechts, 18.13 mm tief  
 Streuwert 29.71, horizontal: 18.01, vertikal: 37.96



Serie 2:  
 7.6 ↓                      9.2 ↑                      9.3 ↑                      9.5 ↘                      9.1 ↙  
 6.9 ↑                      9.2 ↓                      9.9 ↘                      10.0 ↙                      10.5 \*  
 beste Teiler 1214.5 (20.) 2690.0 (19.) 3030.2 (18.)  
 Trefferlage 3.94 mm rechts, 0.92 mm tief  
 Streuwert 41.01, horizontal: 21.57, vertikal: 53.83



Serie 3:  
 7.9 ↗                      10.2 ↘                      10.3 ↙                      10.1 ↘                      10.1 ↑  
 6.3 ↑                      9.2 ↑                      9.6 ↑                      10.3 ↑                      8.9 ↘  
 beste Teiler 1711.4 (29.) 1727.6 (23.) 1956.4 (22.)  
 Trefferlage 2.67 mm links, 38.63 mm hoch  
 Streuwert 27.51, horizontal: 16.06, vertikal: 35.44

Unterschrift des Schützen

Meyton Elektronik

**50m Pistole Auflage – Wertung –**

**Senioren I männl.**

**StartNr: 507**



StandNr: 5

24. Februar 2019 9:32


**Dahlhoff, Monika #134**

5600 SG Overberge e. V.


Ergebnis: **258** (273.2)  
 Serien: 87 83 88  
 Zähler: 5 15 7 1 1 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 16608 (17), 11425 (13), 10244 (28)  
 beste Teiler 1072.6 (11.) 1435.5 (26.) 1460.3 (23.)  
 Trefferlage 7.78 mm links, 3.11 mm tief  
 Streuwert 40.99, horizontal: 24.93, vertikal: 52.33



Serie 1:  
 9.3 ↑                      9.4 ↓                      9.7 ←                      9.4 ↓                      9.6 ↗  
 9.4 ↘                      9.4 ←                      8.5 ↘                      8.8 ↘                      8.9 ↑  
 beste Teiler 3457.2 (3.) 3679.5 (5.) 4043.2 (6.)  
 Trefferlage 10.41 mm links, 5.87 mm hoch  
 Streuwert 33.58, horizontal: 29.96, vertikal: 36.85



Serie 2:  
 10.6 \*                      9.8 ↑                      6.5 ↑                      9.9 ↓                      9.1 →  
 10.0 ↙                      4.4 ↓                      9.7 ↙                      8.9 ↓                      9.1 ↑  
 beste Teiler 1072.6 (11.) 2669.5 (16.) 2981.7 (14.)  
 Trefferlage 1.42 mm rechts, 9.46 mm tief  
 Streuwert 53.33, horizontal: 20.64, vertikal: 72.54





Serie 3:  
 8.9 ↗                      9.5 ↘                      10.4 \*                      10.2 ↘                      8.9 ↓  
 10.4 \*                      8.7 ↙                      7.0 ↓                      9.5 ↙                      9.3 ↘  
 beste Teiler 1435.5 (26.) 1460.3 (23.) 2110.4 (24.)  
 Trefferlage 14.36 mm links, 5.76 mm tief  
 Streuwert 35.98, horizontal: 22.99, vertikal: 45.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **271** (279.9)  
 Serien: 87 89 95  
 Zähler: 14 7 5 4 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 9911 (20), 8875 (6), 8711 (1)  
 beste Teiler 1337.5 (13.) 1509.2 (29.) 1769.4 (19.)  
 Trefferlage 2.02 mm rechts, 4.42 mm tief  
 Streuwert 35.55, horizontal: 16.83, vertikal: 47.38



Serie 1:  
 7.6 ↓                      10.1 ↗                      9.7 ↓                      8.6 ↖                      10.0 ↘  
 7.5 ↑                      9.2 ↓                      9.9 →                      9.6 ↖                      9.4 ↑  
 beste Teiler 2256.0 (2.) 2690.6 (5.) 2800.2 (8.)  
 Trefferlage 4.03 mm rechts, 3.25 mm hoch  
 Streuwert 38.93, horizontal: 18.01, vertikal: 52.03



Serie 2:  
 8.2 ↓                      10.0 ↓                      10.5 \*                      10.0 ←                      8.2 ↓  
 8.2 ↓                      10.0 ↓                      8.5 ↑                      10.3 ↗                      7.1 ↑  
 beste Teiler 1337.5 (13.) 1769.4 (19.) 2570.1 (14.)  
 Trefferlage 1.90 mm rechts, 8.21 mm tief  
 Streuwert 41.60, horizontal: 18.93, vertikal: 55.70



Serie 3:  
 10.3 ↓                      10.2 ↗                      9.3 ↖                      10.2 ←                      10.0 ↓  
 10.0 →                      10.0 ↖                      9.0 ↓                      10.4 \*                      7.9 ↓  
 beste Teiler 1509.2 (29.) 1771.9 (21.) 2063.5 (24.)  
 Trefferlage 0.14 mm rechts, 8.30 mm tief  
 Streuwert 27.82, horizontal: 14.90, vertikal: 36.41

Unterschrift des Schützen

Meyton Elektronik

**50m Pistole Auflage – Wertung –**

**Senioren I männl.**

**StartNr: 590**



StandNr: 7

24. Februar 2019 9:29


**Wunderlich, Leo #234**

5700 KKS SV Geseke e.V.


Ergebnis: **256** (271.3)  
 Serien: 87 85 84  
 Zähler: 7 13 5 2 2 0 0 1 0 0  
 Innenzehner: 3  
 weiteste: 18475 (30), 12700 (5), 10879 (22)  
 beste Teiler 235.1 (7.) 865.9 (19.) 1036.9 (25.)  
 Trefferlage 12.39 mm links, 24.21 mm hoch  
 Streuwert 40.61, horizontal: 21.27, vertikal: 53.35



Serie 1:  
 9.8 ↘                      9.4 ↗                      9.7 ↑                      9.5 ↙                      6.0 ↖  
 9.3 ↙                      10.9 \*                      9.8 ↘                      8.6 ↙                      9.7 ↑  
 beste Teiler 235.1 (7.) 3042.9 (1.) 3089.4 (8.)  
 Trefferlage 14.06 mm links, 10.13 mm hoch  
 Streuwert 38.32, horizontal: 23.31, vertikal: 48.93



Serie 2:  
 8.7 ↓                      9.9 ↘                      7.6 ↘                      10.3 →                      7.9 ↖  
 10.0 ↑                      8.3 ↙                      8.1 ↑                      10.6 \*                      8.3 ↑  
 beste Teiler 865.9 (19.) 1814.4 (14.) 2712.5 (16.)  
 Trefferlage 15.45 mm links, 21.87 mm hoch  
 Streuwert 38.67, horizontal: 19.77, vertikal: 50.98





Serie 3:  
 9.4 ↘                      6.7 ↑                      9.6 ↗                      9.7 ←                      10.6 \*  
 10.0 ↘                      9.2 ↑                      9.7 ↙                      10.3 ↖                      3.7 ↑  
 beste Teiler 1036.9 (25.) 1689.7 (29.) 2595.1 (26.)  
 Trefferlage 7.68 mm links, 40.64 mm hoch  
 Streuwert 45.48, horizontal: 22.05, vertikal: 60.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **237** (251.9)  
 Serien: 79 80 78  
 Zähler: 4 6 10 6 2 1 1 0 0 0  
 Innenzehner: 1  
 weiteste: 15974 (25), 13040 (20), 10645 (13)  
 beste Teiler 1036.3 (14.) 1791.7 (15.) 1809.3 (22.)  
 Trefferlage 27.05 mm links, 13.68 mm tief  
 Streuwert 49.23, horizontal: 40.93, vertikal: 56.31



Serie 1:  
 8.7 ↘                      8.5 ↑                      8.4 ←                      8.8 ↙                      10.2 ←  
 7.3 ↙                      7.7 ↓                      7.9 ↗                      8.6 ↗                      8.5 ↓  
 beste Teiler 2211.6 (5.) 5676.3 (4.) 5894.2 (1.)  
 Trefferlage 30.39 mm links, 30.59 mm tief  
 Streuwert 39.04, horizontal: 35.66, vertikal: 42.14



Serie 2:  
 7.1 ↓                      8.0 ↓                      6.8 ↙                      10.6 \*                      10.3 ↘  
 8.7 ↘                      9.7 →                      8.2 ↙                      9.5 ↗                      5.8 ↙  
 beste Teiler 1036.3 (14.) 1791.7 (15.) 3311.1 (17.)  
 Trefferlage 26.58 mm links, 37.33 mm tief  
 Streuwert 43.73, horizontal: 34.43, vertikal: 51.37





Serie 3:  
 7.1 ↑                      10.3 ↘                      9.9 ↗                      9.7 ←                      4.7 ↖  
 9.2 →                      6.8 ↖                      8.4 ↖                      9.2 ↖                      7.3 ↓  
 beste Teiler 1809.3 (22.) 2989.2 (23.) 3298.8 (24.)  
 Trefferlage 24.17 mm links, 26.88 mm hoch  
 Streuwert 54.57, horizontal: 54.03, vertikal: 55.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **245** (258.5)  
 Serien: 81 82 83  
 Zähler: 4 11 6 5 3 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 14011 (7), 11972 (25), 11336 (11)  
 beste Teiler 285.0 (14.) 1581.6 (23.) 2035.8 (6.)  
 Trefferlage 8.95 mm links, 7.50 mm tief  
 Streuwert 48.75, horizontal: 38.34, vertikal: 57.30



Serie 1:  
 9.1 ↙                      9.1 ←                      9.2 →                      7.6 ↓                      7.5 ↖  
 10.2 →                      5.5 ↓                      8.4 ↑                      9.4 ↓                      8.7 ↖  
 beste Teiler 2035.8 (6.) 4064.3 (9.) 4705.1 (3.)  
 Trefferlage 8.14 mm links, 24.65 mm tief  
 Streuwert 50.01, horizontal: 42.14, vertikal: 56.80



Serie 2:  
 6.5 ↗                      8.5 ↓                      8.6 ↗                      10.8 \*                      10.1 ↖  
 9.3 →                      8.8 ↑                      9.1 ↖                      7.9 ↙                      7.5 ↓  
 beste Teiler 285.0 (14.) 2235.5 (15.) 4513.4 (16.)  
 Trefferlage 1.40 mm rechts, 3.29 mm hoch  
 Streuwert 48.77, horizontal: 29.39, vertikal: 62.40





Serie 3:  
 9.4 ↙                      9.4 ↖                      10.4 →                      9.7 ↓                      6.3 ↓  
 8.8 ↖                      6.6 ↖                      9.6 ↗                      7.3 ↖                      9.2 →  
 beste Teiler 1581.6 (23.) 3359.5 (24.) 3721.6 (28.)  
 Trefferlage 20.11 mm links, 1.14 mm tief  
 Streuwert 48.98, horizontal: 42.88, vertikal: 54.39

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **256** (268.2)  
 Serien: 84 87 85  
 Zähler: 6 12 7 3 1 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 13213 (30), 10794 (15), 8679 (8)  
 beste Teiler 198.7 (12.) 1422.2 (22.) 2197.9 (29.)  
 Trefferlage 16.56 mm rechts, 7.74 mm tief  
 Streuwert 41.00, horizontal: 36.94, vertikal: 44.70



Serie 1:  
 9.2 →                      9.0 ←                      9.1 ↑                      8.5 ↘                      8.7 →  
 9.8 ↙                      7.6 ↘                      7.6 ↘                      9.3 →                      9.2 ↓  
 beste Teiler 3149.4 (6.) 4487.7 (9.) 4543.3 (10.)  
 Trefferlage 19.25 mm rechts, 20.04 mm tief  
 Streuwert 39.05, horizontal: 39.56, vertikal: 38.53



Serie 2:  
 9.3 ←                      10.9 \*                      10.1 ↑                      10.0 →                      6.7 ↓  
 8.3 ↑                      8.5 →                      9.4 ↓                      9.6 ↓                      8.0 ←  
 beste Teiler 198.7 (12.) 2272.2 (13.) 2723.5 (14.)  
 Trefferlage 1.06 mm links, 8.68 mm tief  
 Streuwert 42.31, horizontal: 37.99, vertikal: 46.23



Serie 3:  
 8.3 ↘                      10.4 \*                      8.9 ↘                      9.1 →                      7.8 →  
 9.1 ↓                      9.7 →                      10.1 ↑                      10.2 ↑                      5.8 ↑  
 beste Teiler 1422.2 (22.) 2197.9 (29.) 2285.1 (28.)  
 Trefferlage 31.50 mm rechts, 5.48 mm hoch  
 Streuwert 40.24, horizontal: 28.05, vertikal: 49.52

Unterschrift des Schützen