




**Ergebnis: 126 (136.0)**  
**Serien: 65 61**  
**Zähler: 0 5 2 3 5 1 1 1 1 0**  
**Innenzehner: 0**  
**weiteste: 2694 (11), 2204 (7), 1974 (13)**  
**beste Teiler 270.1 (17.) 341.0 (15.) 353.4 (6.)**  
**Trefferlage 4.19 mm links, 4.31 mm tief**  
**Streuwert 7.70, horizontal: 5.55, vertikal: 9.37**


**Serie 1:**

5.9 ↙      9.4 ←      7.5 ↓      4.7 ↗      9.2 ↗  
 9.5 →      2.1 ↓      6.0 ↓      6.7 ↑      8.7 ↖

**beste Teiler 353.4 (6.) 389.4 (2.) 433.1 (5.)**  
**Trefferlage 4.14 mm links, 5.11 mm tief**  
**Streuwert 6.99, horizontal: 4.33, vertikal: 8.89**


**Serie 2:**



0.0 ↗      6.7 ↓      3.1 ↖      6.7 ↓      9.6 ↓  
 7.3 ↖      9.9 ↘      7.7 ↓      8.9 ←      6.4 ↗

**beste Teiler 270.1 (17.) 341.0 (15.) 508.1 (19.)**  
**Trefferlage 4.24 mm links, 3.51 mm tief**  
**Streuwert 8.70, horizontal: 6.81, vertikal: 10.24**

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **127** (135.9)  
 Serien: 64 63  
 Zähler: 1 1 5 5 2 1 4 0 0 0  
 Innenzehner: 1  
 weiteste: 2958 (1), 1719 (9), 1695 (13)  
 beste Teiler 183.6 (19.) 258.6 (10.) 557.8 (3.)  
 Trefferlage 3.71 mm links, 3.26 mm hoch  
 Streuwert 8.12, horizontal: 8.99, vertikal: 7.14



Serie 1:

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| 0.0 ↖ | 7.6 ← | 8.7 ← | 7.2 ↖ | 8.6 ↘ |
| 7.6 ↖ | 6.0 ↖ | 8.6 ↙ | 4.1 → | 9.9 ← |

beste Teiler 258.6 (10.) 557.8 (3.) 580.0 (8.)  
 Trefferlage 3.81 mm links, 3.30 mm hoch  
 Streuwert 8.84, horizontal: 9.08, vertikal: 8.60





Serie 2:

|       |       |       |        |       |
|-------|-------|-------|--------|-------|
| 4.7 ← | 7.6 ↗ | 4.2 ← | 5.0 ↑  | 6.5 ↖ |
| 7.2 ↑ | 4.9 ↗ | 8.6 ← | 10.2 * | 8.7 ↖ |

beste Teiler 183.6 (19.) 565.2 (20.) 578.0 (18.)  
 Trefferlage 3.60 mm links, 3.22 mm hoch  
 Streuwert 7.81, horizontal: 9.39, vertikal: 5.80

Unterschrift des Schützen


Ergebnis: **170** (177.4)  
 Serien: 88 82  
 Zähler: 5 5 7 2 0 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1404 (15), 854 (20), 833 (19)  
 beste Teiler 81.8 (9.) 143.9 (13.) 151.9 (2.)  
 Trefferlage 1.55 mm links, 0.04 mm hoch  
 Streuwert 4.23, horizontal: 5.00, vertikal: 3.28



Serie 1:

9.3 ↙ 10.3 \* 9.4 → 8.1 ↑ 9.3 ↘  
 8.4 ← 9.7 ↙ 8.7 → 10.6 \* 8.4 ↗

beste Teiler 81.8 (9.) 151.9 (2.) 302.2 (7.)  
 Trefferlage 0.41 mm rechts, 0.03 mm hoch  
 Streuwert 3.48, horizontal: 3.36, vertikal: 3.61





Serie 2:

8.8 ← 9.1 ↙ 10.4 \* 8.0 ↘ 5.3 ←  
 10.1 ↘ 8.1 ← 10.3 \* 7.6 ↗ 7.5 ↙

beste Teiler 143.9 (13.) 161.0 (18.) 213.5 (16.)  
 Trefferlage 3.52 mm links, 0.05 mm hoch  
 Streuwert 4.61, horizontal: 5.73, vertikal: 3.11

Unterschrift des Schützen


Ergebnis: **187** (193.9)  
 Serien: 92 95  
 Zähler: 10 7 3 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 707 (9), 699 (3), 567 (14)  
 beste Teiler 53.3 (19.) 74.6 (5.) 158.0 (12.)  
 Trefferlage 1.48 mm links, 0.35 mm tief  
 Streuwert 2.38, horizontal: 2.74, vertikal: 1.96



Serie 1:

9.4 ↙ 9.5 ← 8.2 ← 10.2 \* 10.7 \*  
 10.0 ↗ 9.8 ↘ 9.9 ← 8.1 ↙ 10.0 ←

beste Teiler 74.6 (5.) 196.4 (4.) 236.5 (6.)  
 Trefferlage 1.87 mm links, 0.79 mm tief  
 Streuwert 2.55, horizontal: 2.85, vertikal: 2.20





Serie 2:

9.3 ↖ 10.3 \* 10.2 \* 8.7 ← 10.1 ↗  
 10.1 → 9.5 ← 10.0 ↘ 10.7 \* 9.2 ↘


beste Teiler 53.3 (19.) 158.0 (12.) 191.6 (13.)  
 Trefferlage 1.10 mm links, 0.09 mm hoch  
 Streuwert 2.26, horizontal: 2.72, vertikal: 1.69

Unterschrift des Schützen

Ergebnis: **181** (189.8)  
 Serien: 91 90  
 Zähler: 8 6 5 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 926 (17), 707 (18), 609 (10)  
 beste Teiler 39.1 (20.) 111.3 (19.) 149.4 (2.)  
 Trefferlage 1.90 mm rechts, 1.06 mm tief  
 Streuwert 2.69, horizontal: 3.33, vertikal: 1.84





Serie 1:  
 9.6 ↓ 10.4 \* 10.1 → 8.8 → 9.5 ←  
 9.3 ↘ 9.9 → 9.4 → 10.1 ← 8.5 ↘  
 beste Teiler 149.4 (2.) 208.0 (3.) 224.7 (9.)  
 Trefferlage 1.59 mm rechts, 1.22 mm tief  
 Streuwert 2.40, horizontal: 2.89, vertikal: 1.76



Serie 2:  
 8.7 ↘ 9.9 ↗ 10.1 ↙ 10.3 \* 8.5 →  
 10.1 ← 7.2 → 8.1 ↘ 10.5 \* 10.8 \*  
 beste Teiler 39.1 (20.) 111.3 (19.) 168.0 (14.)  
 Trefferlage 2.22 mm rechts, 0.89 mm tief  
 Streuwert 3.06, horizontal: 3.85, vertikal: 2.00

Unterschrift des Schützen


Ergebnis: **172** (180.6)  
 Serien: 85 87  
 Zähler: 2 10 6 2 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 940 (2), 776 (15), 616 (14)  
 beste Teiler 102.0 (12.) 242.4 (17.) 289.3 (1.)  
 Trefferlage 1.03 mm links, 0.36 mm hoch  
 Streuwert 3.63, horizontal: 4.02, vertikal: 3.19



Serie 1:

9.8 ↗ 7.2 ↘ 9.1 ← 9.4 ↗ 9.2 ↘  
 9.0 ← 8.5 ↙ 8.6 ↗ 8.7 ↘ 9.3 ↘

beste Teiler 289.3 (1.) 383.0 (4.) 405.6 (10.)  
 Trefferlage 1.41 mm links, 0.33 mm hoch  
 Streuwert 3.90, horizontal: 4.31, vertikal: 3.44



Serie 2:



9.2 → 10.5 \* 8.8 ↘ 8.5 → 7.8 ↘  
 8.7 ← 10.0 ↘ 9.6 ↘ 9.4 ↗ 9.3 ←

beste Teiler 102.0 (12.) 242.4 (17.) 345.8 (18.)  
 Trefferlage 0.65 mm links, 0.38 mm hoch  
 Streuwert 3.53, horizontal: 3.90, vertikal: 3.11


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **169** (178.6)  
 Serien: 84 85  
 Zähler: 5 7 3 4 0 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 1580 (7), 991 (11), 862 (12)  
 beste Teiler 8.0 (6.) 88.6 (17.) 127.1 (2.)  
 Trefferlage 0.09 mm rechts, 1.41 mm tief  
 Streuwert 4.41, horizontal: 5.72, vertikal: 2.49





Serie 1:  
 8.5 ↙ 10.4 \* 7.6 ← 9.3 ↗ 9.5 ↘  
 10.9 \* 4.6 ← 10.1 ↓ 9.5 ↓ 8.5 ←  
 beste Teiler 8.0 (6.) 127.1 (2.) 215.1 (8.)  
 Trefferlage 2.65 mm links, 1.57 mm tief  
 Streuwert 4.41, horizontal: 5.78, vertikal: 2.34



Serie 2:  
 7.0 → 7.5 ↘ 8.2 ↘ 7.6 ↘ 9.7 →  
 9.8 ↘ 10.6 \* 9.9 ↙ 10.1 ↙ 9.3 ↘  
 beste Teiler 88.6 (17.) 220.6 (19.) 254.6 (18.)  
 Trefferlage 2.83 mm rechts, 1.26 mm tief  
 Streuwert 3.65, horizontal: 4.37, vertikal: 2.75

Unterschrift des Schützen


Ergebnis: **148** (156.9)  
 Serien: 79 69  
 Zähler: 2 5 3 7 0 1 1 0 0 1  
 Innenzehner: 1  
 weiteste: 2260 (18), 1527 (5), 1307 (20)  
 beste Teiler 154.3 (6.) 206.4 (4.) 262.1 (8.)  
 Trefferlage 1.53 mm rechts, 2.07 mm hoch  
 Streuwert 6.38, horizontal: 5.84, vertikal: 6.88



Serie 1:

7.9 ↗ 7.0 ↗ 9.3 ← 10.1 ↑ 4.8 ↖  
 10.3 \* 7.9 → 9.9 ↗ 9.5 ← 7.1 →

beste Teiler 154.3 (6.) 206.4 (4.) 262.1 (8.)  
 Trefferlage 1.30 mm rechts, 2.74 mm hoch  
 Streuwert 5.23, horizontal: 5.93, vertikal: 4.41



Serie 2:

7.6 → 8.7 → 9.0 ↖ 8.3 → 8.3 ↖  
 7.2 ↖ 7.0 ↘ 1.9 ↑ 9.4 ↗ 5.7 ↘



beste Teiler 377.3 (19.) 485.8 (13.) 554.0 (12.)  
 Trefferlage 1.76 mm rechts, 1.40 mm hoch  
 Streuwert 7.62, horizontal: 6.05, vertikal: 8.91

Unterschrift des Schützen

Meyton Elektronik




Ergebnis: **86** (93.1)  
 Serien: 35 51  
 Zähler: 1 0 2 2 3 2 3 1 0 3  
 Innenzehner: 0  
 weiteste: 2892 (14), 2594 (5), 2511 (7)  
 beste Teiler 212.8 (10.) 582.6 (13.) 596.6 (18.)  
 Trefferlage 6.89 mm links, 9.36 mm tief  
 Streuwert 9.34, horizontal: 9.52, vertikal: 9.16



Serie 1:

|       |       |       |       |        |
|-------|-------|-------|-------|--------|
| 1.2 ↗ | 5.8 ↖ | 4.2 ↓ | 6.2 ↗ | 0.0 ↗  |
| 1.6 ↓ | 0.0 ↗ | 1.0 ↓ | 7.4 ↖ | 10.1 → |

beste Teiler 212.8 (10.) 895.3 (9.) 1184.4 (4.)  
 Trefferlage 7.34 mm links, 12.32 mm tief  
 Streuwert 9.65, horizontal: 8.19, vertikal: 10.92





Serie 2:

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| 4.3 ← | 3.7 ↓ | 8.6 ↗ | 0.0 ← | 5.8 ← |
| 7.1 ↗ | 6.0 ↗ | 8.6 ↖ | 6.9 ↓ | 4.6 ↓ |

beste Teiler 582.6 (13.) 596.6 (18.) 966.8 (16.)  
 Trefferlage 6.44 mm links, 6.40 mm tief  
 Streuwert 9.01, horizontal: 11.12, vertikal: 6.21

Unterschrift des Schützen


Ergebnis: **151** (161.0)  
 Serien: 70 81  
 Zähler: 2 4 4 5 3 2 0 0 0 0  
 Innenzehner: 2  
 weiteste: 1317 (9), 1261 (7), 1081 (17)  
 beste Teiler 140.8 (13.) 173.9 (18.) 388.2 (3.)  
 Trefferlage 0.68 mm rechts, 0.05 mm hoch  
 Streuwert 5.76, horizontal: 6.34, vertikal: 5.12



Serie 1:

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| 9.3 ↗ | 6.9 ↘ | 9.4 ↘ | 8.7 ↗ | 7.9 ↖ |
| 8.2 → | 5.9 ↖ | 7.4 ↘ | 5.7 ↖ | 6.8 ↘ |

beste Teiler 388.2 (3.) 422.3 (1.) 559.4 (4.)  
 Trefferlage 0.04 mm links, 0.79 mm hoch  
 Streuwert 6.62, horizontal: 7.42, vertikal: 5.71



Serie 2:



|       |       |        |       |       |
|-------|-------|--------|-------|-------|
| 7.3 ↘ | 9.0 ↘ | 10.4 * | 8.4 ↖ | 7.3 ↖ |
| 9.2 ↘ | 6.6 ↗ | 10.3 * | 8.8 ↗ | 7.5 ↘ |

beste Teiler 140.8 (13.) 173.9 (18.) 429.8 (16.)  
 Trefferlage 1.42 mm rechts, 0.68 mm tief  
 Streuwert 5.00, horizontal: 5.33, vertikal: 4.64

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **175** (183.5)  
 Serien: 89 86  
 Zähler: 3 11 4 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 975 (13), 963 (4), 689 (12)  
 beste Teiler 178.0 (14.) 179.7 (2.) 223.0 (8.)  
 Trefferlage 1.13 mm links, 0.88 mm hoch  
 Streuwert 3.45, horizontal: 4.05, vertikal: 2.71



Serie 1:

8.4 ↖ 10.2 \* 9.7 ↘ 7.1 ↘ 9.7 ↘  
 9.9 ↑ 9.4 ↗ 10.1 ↘ 9.2 ↘ 9.7 ←

beste Teiler 179.7 (2.) 223.0 (8.) 265.3 (6.)  
 Trefferlage 2.50 mm links, 2.23 mm hoch  
 Streuwert 2.36, horizontal: 2.90, vertikal: 1.65



Serie 2:



8.9 ↘ 8.2 ← 7.1 ↘ 10.2 \* 9.4 ↓  
 9.5 ↘ 9.7 ← 9.0 ↗ 9.4 ↘ 8.7 →

beste Teiler 178.0 (14.) 302.7 (17.) 354.0 (16.)  
 Trefferlage 0.23 mm rechts, 0.46 mm tief  
 Streuwert 3.93, horizontal: 4.71, vertikal: 2.95

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **158** (164.3)  
 Serien: 82 76  
 Zähler: 3 4 7 4 0 0 2 0 0 0  
 Innenzehner: 1  
 weiteste: 1750 (17), 1735 (15), 978 (10)  
 beste Teiler 78.1 (16.) 204.6 (5.) 236.1 (19.)  
 Trefferlage 1.79 mm rechts, 0.31 mm hoch  
 Streuwert 5.70, horizontal: 7.07, vertikal: 3.88



Serie 1:

8.9 → 8.5 ↖ 8.1 ↓ 8.1 ↗ 10.1 ↗  
 9.1 ← 8.5 ↗ 7.5 → 9.8 ↖ 7.0 ←

beste Teiler 204.6 (5.) 290.9 (9.) 475.6 (6.)  
 Trefferlage 0.64 mm links, 0.55 mm hoch  
 Streuwert 4.73, horizontal: 5.42, vertikal: 3.92





Serie 2:

8.4 ↗ 9.2 ← 8.3 ← 7.8 → 4.0 →  
 10.6 \* 4.0 → 7.1 ↘ 10.0 ↖ 9.3 ↗

beste Teiler 78.1 (16.) 236.1 (19.) 404.7 (20.)  
 Trefferlage 4.23 mm rechts, 0.08 mm hoch  
 Streuwert 6.29, horizontal: 7.92, vertikal: 4.03

Unterschrift des Schützen


Ergebnis: **150** (156.8)  
 Serien: 77 73  
 Zähler: 4 5 2 4 3 0 0 1 0 0  
 Innenzehner: 2  
 weiteste: 2558 (18), 1804 (4), 1190 (11)  
 beste Teiler 181.3 (2.) 194.9 (10.) 219.1 (20.)  
 Trefferlage 1.40 mm rechts, 2.54 mm tief  
 Streuwert 6.73, horizontal: 6.69, vertikal: 6.76



Serie 1:

9.2 ↘ 10.2 \* 6.2 → 3.7 ↘ 9.3 ↗  
 9.9 ↘ 6.3 ↙ 8.0 ↑ 7.2 ↘ 10.2 \*

beste Teiler 181.3 (2.) 194.9 (10.) 252.8 (6.)  
 Trefferlage 3.01 mm rechts, 1.70 mm tief  
 Streuwert 6.12, horizontal: 6.63, vertikal: 5.56





Serie 2:

6.2 ← 8.9 → 10.1 ↙ 9.1 ↙ 7.7 ↗  
 9.8 ↓ 7.4 ↘ 0.0 ↓ 7.3 ↙ 10.1 ↘


beste Teiler 219.1 (20.) 222.1 (13.) 298.3 (16.)  
 Trefferlage 0.20 mm links, 3.38 mm tief  
 Streuwert 7.38, horizontal: 6.69, vertikal: 8.00

Unterschrift des Schützen

Ergebnis: **160** (168.0)  
 Serien: 77 83  
 Zähler: 5 1 6 6 1 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1500 (9), 1139 (6), 983 (13)  
 beste Teiler 69.1 (12.) 76.6 (5.) 162.9 (14.)  
 Trefferlage 1.49 mm links, 2.44 mm hoch  
 Streuwert 4.89, horizontal: 5.56, vertikal: 4.12





Serie 1:  
 10.1 ↘ 7.4 ↗ 8.1 ↘ 9.2 ↘ 10.6 \*  
 6.4 ↘ 7.9 ↘ 8.9 ↘ 5.0 ↘ 7.4 ←  
 beste Teiler 76.6 (5.) 203.0 (1.) 441.3 (4.)  
 Trefferlage 3.33 mm links, 1.97 mm hoch  
 Streuwert 5.38, horizontal: 6.22, vertikal: 4.38



Serie 2:  
 10.0 ↑ 10.7 \* 7.0 ↘ 10.3 \* 7.4 ↑  
 7.6 ↑ 8.8 ↘ 8.4 ↘ 8.8 → 8.0 ←  
 beste Teiler 69.1 (12.) 162.9 (14.) 244.4 (11.)  
 Trefferlage 0.33 mm rechts, 2.92 mm hoch  
 Streuwert 4.20, horizontal: 4.37, vertikal: 4.02

Unterschrift des Schützen


Ergebnis: **107** (116.1)  
 Serien: 48 59  
 Zähler: 0 1 1 4 5 3 2 2 1 1  
 Innenzehner: 0  
 weiteste: 2385 (3), 2106 (6), 1957 (5)  
 beste Teiler 450.6 (2.) 510.2 (12.) 777.0 (10.)  
 Trefferlage 1.50 mm links, 0.04 mm tief  
 Streuwert 9.99, horizontal: 11.37, vertikal: 8.39



Serie 1:

3.6 ↙ 9.2 → 1.4 ↖ 4.7 ↗ 3.1 ↖  
 2.5 ↙ 6.9 ↓ 6.0 ↑ 7.8 ↑ 7.8 ↘

beste Teiler 450.6 (2.) 777.0 (10.) 780.4 (9.)  
 Trefferlage 5.43 mm links, 2.50 mm tief  
 Streuwert 10.60, horizontal: 11.66, vertikal: 9.42





Serie 2:

5.3 ↗ 8.9 → 4.2 ↗ 5.2 ↖ 6.1 ↘  
 5.4 ↖ 6.7 ← 7.5 → 6.1 ↗ 7.7 ↗

beste Teiler 510.2 (12.) 817.4 (20.) 854.9 (18.)  
 Trefferlage 2.42 mm rechts, 2.42 mm hoch  
 Streuwert 8.63, horizontal: 10.14, vertikal: 6.81

Unterschrift des Schützen


Ergebnis: **171** (180.2)  
 Serien: 85 86  
 Zähler: 6 4 6 3 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1124 (20), 905 (18), 856 (5)  
 beste Teiler 153.0 (3.) 193.0 (9.) 197.1 (10.)  
 Trefferlage 0.17 mm rechts, 1.97 mm hoch  
 Streuwert 3.77, horizontal: 3.73, vertikal: 3.81



Serie 1:

8.9 ↑      7.7 ↖      10.3 \*      8.6 ↗      7.5 ↗  
 8.1 ↘      8.9 ↙      9.2 ↖      10.2 \*      10.2 \*

beste Teiler 153.0 (3.) 193.0 (9.) 197.1 (10.)  
 Trefferlage 1.56 mm links, 2.64 mm hoch  
 Streuwert 3.43, horizontal: 3.91, vertikal: 2.87



Serie 2:



9.8 ↓      9.6 ↓      8.9 ↘      10.1 ↓      10.2 \*  
 9.5 ↘      10.0 ↑      7.3 ↑      8.7 ↗      6.5 ↗

beste Teiler 200.8 (15.) 215.4 (14.) 243.5 (17.)  
 Trefferlage 1.91 mm rechts, 1.31 mm hoch  
 Streuwert 3.80, horizontal: 2.72, vertikal: 4.64


Unterschrift des Schützen



Ergebnis: **147** (156.4)  
 Serien: 78 69  
 Zähler: 1 2 9 3 3 0 2 0 0 0  
 Innenzehner: 0  
 weiteste: 1582 (17), 1540 (19), 1105 (8)  
 beste Teiler 232.4 (6.) 454.4 (15.) 484.2 (12.)  
 Trefferlage 2.02 mm rechts, 0.81 mm hoch  
 Streuwert 5.96, horizontal: 6.22, vertikal: 5.68





Serie 1:  
 7.8 ↗ 7.4 ↖ 8.4 ↓ 8.1 → 8.9 ↖  
 10.0 → 8.2 ↘ 6.5 ↓ 8.5 ↖ 8.4 ↗  
 beste Teiler 232.4 (6.) 507.2 (5.) 610.0 (9.)  
 Trefferlage 0.78 mm rechts, 0.55 mm hoch  
 Streuwert 5.27, horizontal: 4.51, vertikal: 5.94



Serie 2:  
 6.8 ↗ 9.0 → 8.9 ↓ 8.2 ↗ 9.1 ↖  
 6.7 ↓ 4.6 ← 8.4 ↗ 4.8 ↗ 7.7 ↗  
 beste Teiler 454.4 (15.) 484.2 (12.) 504.3 (13.)  
 Trefferlage 3.25 mm rechts, 1.07 mm hoch  
 Streuwert 6.73, horizontal: 7.61, vertikal: 5.72


Unterschrift des Schützen

**Ergebnis: 132** (139.8)  
**Serien:** 70 62  
**Zähler:** 3 2 3 4 1 3 2 1 0 0  
**Innenzehner:** 2  
**weiteste:** 8979 (11), 1779 (16), 1672 (10)  
**beste Teiler** 120.5 (8.) 163.0 (7.) 240.1 (14.)  
**Trefferlage** 0.13 mm rechts, 4.47 mm hoch  
**Streuwert** 15.95, horizontal: 20.42, vertikal: 9.59


**Serie 1:**

8.2 ↘                      5.8 ↘                      8.3 →                      9.7 ↑                      7.6 ←  
 5.5 ↘                      10.3 \*                      10.5 \*                      4.4 →                      4.3 ↑

**beste Teiler** 120.5 (8.) 163.0 (7.) 317.8 (4.)  
**Trefferlage** 4.95 mm rechts, 0.53 mm hoch  
**Streuwert** 6.75, horizontal: 7.25, vertikal: 6.20




**Serie 2:**

0.0 ↖                      7.9 →                      9.0 ↙                      10.0 ↘                      7.0 ↗  
 3.8 ↗                      6.5 ↘                      7.6 ↗                      8.0 →                      5.4 ↑


**beste Teiler** 240.1 (14.) 486.9 (13.) 726.4 (19.)  
**Trefferlage** 4.68 mm links, 8.41 mm hoch  
**Streuwert** 21.18, horizontal: 27.86, vertikal: 11.02

Unterschrift des Schützen


**Ergebnis: 361 (376.5)**  
**Serien: 87 91 91 92**  
**Zähler: 11 20 8 1 0 0 0 0 0 0**  
**Innenzehner: 6**  
**weiteste: 814 (10), 720 (3), 679 (30)**  
**beste Teiler 85.1 (2.) 126.0 (33.) 146.6 (38.)**  
**Trefferlage 0.26 mm rechts, 0.13 mm hoch**  
**Streuwert 3.03, horizontal: 3.71, vertikal: 2.14**




**Serie 1:**  
 8.4 ↑ 10.6 \* 8.1 ↖ 9.8 → 9.0 →  
 10.0 → 9.6 ↗ 9.3 ← 8.4 ↖ 7.7 →  
**beste Teiler 85.1 (2.) 249.6 (6.) 284.4 (4.)**  
**Trefferlage 0.35 mm rechts, 1.37 mm hoch**  
**Streuwert 3.72, horizontal: 4.80, vertikal: 2.13**



**Serie 2:**  
 9.6 ↗ 9.2 ← 9.0 ↘ 10.0 ↓ 9.4 ↙  
 8.5 ↘ 9.8 ↙ 10.0 ↘ 9.9 ↘ 9.5 ←  
**beste Teiler 226.7 (14.) 239.0 (18.) 272.2 (19.)**  
**Trefferlage 0.08 mm links, 0.87 mm tief**  
**Streuwert 2.78, horizontal: 3.58, vertikal: 1.61**



**Serie 3:**  
 8.4 ↘ 10.3 \* 10.3 \* 9.3 ↘ 10.1 ↓  
 10.0 ↙ 9.8 ↓ 8.8 ↑ 9.8 ↖ 8.2 →  
**beste Teiler 170.0 (23.) 170.4 (22.) 216.5 (25.)**  
**Trefferlage 0.71 mm rechts, 0.07 mm tief**  
**Streuwert 3.01, horizontal: 3.33, vertikal: 2.65**





**Serie 4:**  
 10.2 \* 9.2 ↗ 10.4 \* 9.4 ↘ 9.2 →  
 9.3 ↖ 9.6 → 10.4 \* 9.1 ← 8.9 ←  
**beste Teiler 126.0 (33.) 146.6 (38.) 198.4 (31.)**  
**Trefferlage 0.08 mm rechts, 0.09 mm hoch**  
**Streuwert 2.75, horizontal: 3.51, vertikal: 1.67**

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (401.8)  
 Serien: 96 97 97 98  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 560 (9), 474 (39), 419 (14)  
 beste Teiler 41.7 (22.) 71.5 (15.) 92.0 (20.)  
 Trefferlage 0.50 mm links, 0.14 mm hoch  
 Streuwert 1.77, horizontal: 1.73, vertikal: 1.80



Serie 1:

10.1 ↑ 10.0 ↙ 9.8 → 10.1 ↓ 10.1 ↓  
 9.6 ↙ 10.1 ↘ 10.4 \* 8.7 ↘ 10.5 \*


beste Teiler 122.0 (10.) 147.1 (8.) 205.3 (5.)  
 Trefferlage 0.34 mm links, 0.11 mm hoch  
 Streuwert 2.06, horizontal: 1.79, vertikal: 2.29



Serie 2:

9.7 ↑ 9.6 ↗ 10.3 \* 9.3 ↖ 10.7 \*  
 10.3 \* 10.5 \* 10.0 ↘ 10.0 ↓ 10.6 \*


beste Teiler 71.5 (15.) 92.0 (20.) 121.6 (17.)  
 Trefferlage 0.29 mm links, 0.87 mm hoch  
 Streuwert 1.65, horizontal: 1.64, vertikal: 1.67



Serie 3:

10.5 \* 10.8 \* 10.0 ↘ 10.4 \* 9.7 ↙  
 10.2 \* 10.3 \* 10.2 \* 9.8 ↘ 9.6 ↙

beste Teiler 41.7 (22.) 121.2 (21.) 149.4 (24.)  
 Trefferlage 0.47 mm links, 0.32 mm tief  
 Streuwert 1.60, horizontal: 1.74, vertikal: 1.46



Serie 4:



10.1 ↓ 10.1 ↘ 9.5 ↙ 10.2 \* 10.0 ↘  
 10.0 → 10.2 \* 10.2 \* 9.1 ↘ 10.5 \*

beste Teiler 114.5 (40.) 191.9 (34.) 198.1 (38.)  
 Trefferlage 0.89 mm links, 0.07 mm tief  
 Streuwert 1.85, horizontal: 1.95, vertikal: 1.74

Unterschrift des Schützen


Meyton Elektronik

**Ergebnis: 361 (376.3)**  
**Serien: 86 93 92 90**  
**Zähler: 16 13 8 2 1 0 0 0 0 0**  
**Innenzehner: 6**  
**weiteste: 1232 (7), 986 (1), 817 (31)**  
**beste Teiler 104.0 (33.) 107.5 (34.) 113.2 (12.)**  
**Trefferlage 1.14 mm rechts, 0.15 mm tief**  
**Streuwert 3.14, horizontal: 3.73, vertikal: 2.40**


**Serie 1:**


7.0 ← 9.8 → 9.7 ← 9.9 → 9.6 ↖  
9.6 ↙ 6.0 → 10.0 ↗ 10.0 ↘ 8.8 ↗

**beste Teiler 230.3 (8.) 244.0 (9.) 273.7 (4.)**  
**Trefferlage 0.61 mm rechts, 0.30 mm hoch**  
**Streuwert 4.29, horizontal: 5.76, vertikal: 1.91**


**Serie 2:**


8.6 ↘ 10.5 \* 9.5 ↘ 10.3 \* 9.6 ↘  
10.3 \* 9.2 → 8.3 ↘ 10.0 ↑ 10.1 ↘

**beste Teiler 113.2 (12.) 153.3 (14.) 174.8 (16.)**  
**Trefferlage 1.24 mm rechts, 1.05 mm tief**  
**Streuwert 2.50, horizontal: 2.19, vertikal: 2.77**


**Serie 3:**

9.5 ↘ 10.0 ↙ 10.1 ↙ 10.1 ↘ 8.9 →  
10.1 ↑ 10.3 \* 9.0 ↗ 8.8 → 8.8 ↗

**beste Teiler 169.1 (27.) 204.8 (24.) 222.6 (26.)**  
**Trefferlage 1.92 mm rechts, 0.08 mm tief**  
**Streuwert 2.45, horizontal: 2.47, vertikal: 2.44**




**Serie 4:**

7.7 ↘ 10.1 ↘ 10.5 \* 10.5 \* 9.1 →  
10.0 ← 8.6 ← 8.6 → 9.5 ↑ 9.3 ↘

**beste Teiler 104.0 (33.) 107.5 (34.) 220.6 (32.)**  
**Trefferlage 0.80 mm rechts, 0.22 mm hoch**  
**Streuwert 3.27, horizontal: 3.87, vertikal: 2.54**

Unterschrift des Schützen


Ergebnis: **364** (380.9)  
 Serien: 89 93 92 90  
 Zähler: 14 19 5 1 1 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1026 (36), 972 (30), 714 (11)  
 beste Teiler 93.6 (20.) 98.0 (16.) 115.6 (19.)  
 Trefferlage 0.41 mm rechts, 1.05 mm tief  
 Streuwert 2.85, horizontal: 3.23, vertikal: 2.42



Serie 1:

|       |       |       |       |       |
|-------|-------|-------|-------|-------|
| 9.4 ↘ | 9.4 ↙ | 9.1 ↗ | 9.7 ↗ | 9.7 ↘ |
| 9.2 ↘ | 9.9 ↙ | 8.6 ↘ | 9.9 ↗ | 9.5 ↘ |


beste Teiler 265.3 (9.) 267.0 (7.) 309.4 (5.)  
 Trefferlage 0.88 mm links, 1.07 mm hoch  
 Streuwert 2.72, horizontal: 2.82, vertikal: 2.62



Serie 2:

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 8.1 ↗  | 10.0 ↘ | 10.5 * | 8.7 ↘  | 9.4 ↘  |
| 10.6 * | 9.0 ↘  | 9.3 ↙  | 10.5 * | 10.6 * |


beste Teiler 93.6 (20.) 98.0 (16.) 115.6 (19.)  
 Trefferlage 1.25 mm rechts, 2.03 mm tief  
 Streuwert 2.25, horizontal: 2.94, vertikal: 1.22



Serie 3:

|        |        |       |        |        |
|--------|--------|-------|--------|--------|
| 9.7 ↑  | 10.3 * | 9.8 ↙ | 9.4 ↘  | 10.3 * |
| 10.0 ↗ | 10.2 * | 8.9 ↙ | 10.3 * | 7.1 →  |

beste Teiler 151.0 (22.) 166.1 (29.) 170.3 (25.)  
 Trefferlage 1.09 mm rechts, 0.53 mm tief  
 Streuwert 2.95, horizontal: 3.49, vertikal: 2.30





Serie 4:

|       |        |        |        |        |
|-------|--------|--------|--------|--------|
| 9.3 ↘ | 9.4 ↙  | 8.6 ↙  | 9.7 ↙  | 10.1 ↙ |
| 6.8 ↘ | 10.1 ↙ | 10.2 * | 10.0 ↘ | 9.6 ↘  |


beste Teiler 195.9 (38.) 203.4 (35.) 210.0 (37.)  
 Trefferlage 0.21 mm rechts, 2.71 mm tief  
 Streuwert 2.78, horizontal: 3.63, vertikal: 1.50

Unterschrift des Schützen


Ergebnis: **372** (390.4)  
 Serien: 94 91 94 93  
 Zähler: 17 19 3 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 805 (17), 629 (9), 551 (16)  
 beste Teiler 46.0 (4.) 66.4 (32.) 82.2 (25.)  
 Trefferlage 0.20 mm rechts, 0.53 mm hoch  
 Streuwert 2.38, horizontal: 2.85, vertikal: 1.78




Serie 1:  
 10.1 ↘ 10.0 → 9.7 ↙ 10.8 \* 10.4 \*  
 9.4 → 9.5 ← 9.7 ↑ 8.4 ↑ 10.3 \*  
 beste Teiler 46.0 (4.) 147.6 (5.) 170.8 (10.)  
 Trefferlage 0.47 mm links, 0.80 mm hoch  
 Streuwert 2.28, horizontal: 2.16, vertikal: 2.39



Serie 2:  
 9.0 → 9.6 ← 9.5 ↖ 10.1 ↑ 9.8 ↘  
 8.7 → 7.7 → 10.4 \* 10.1 ↑ 10.2 \*  
 beste Teiler 148.2 (18.) 181.0 (20.) 219.4 (19.)  
 Trefferlage 1.31 mm rechts, 0.91 mm hoch  
 Streuwert 2.82, horizontal: 3.83, vertikal: 1.14




Serie 3:  
 9.9 ↗ 9.2 ↖ 10.6 \* 9.8 ↗ 10.6 \*  
 9.8 ↘ 9.6 → 9.8 ↘ 10.0 ↘ 10.0 →  
 beste Teiler 82.2 (25.) 92.0 (23.) 234.6 (30.)  
 Trefferlage 0.48 mm rechts, 0.42 mm hoch  
 Streuwert 1.97, horizontal: 2.26, vertikal: 1.64



Serie 4:  
 10.0 → 10.7 \* 8.9 ↗ 9.5 ↖ 9.6 ↘  
 9.2 ↖ 9.1 ← 9.9 ↖ 10.5 \* 10.3 \*  
 beste Teiler 66.4 (32.) 107.8 (39.) 165.0 (40.)  
 Trefferlage 0.49 mm links, 0.00 mm  
 Streuwert 2.41, horizontal: 2.87, vertikal: 1.85

Unterschrift des Schützen





|              |                                        |             |             |        |
|--------------|----------------------------------------|-------------|-------------|--------|
| Serie 4:     |                                        |             |             |        |
| 10.1 ↙       | 9.5 ↓                                  | 9.2 ↖       | 10.2 *      | 8.9 →  |
| 8.5 ↘        | 9.5 ↖                                  | 9.0 →       | 9.3 ↘       | 10.4 * |
| beste Teiler | 138.4 (40.)                            | 186.1 (34.) | 201.9 (31.) |        |
| Trefferlage  | 1.36 mm rechts, 0.80 mm tief           |             |             |        |
| Streuwert    | 2.75, horizontal: 3.53, vertikal: 1.64 |             |             |        |


Unterschrift des Schützen




Ergebnis: **374** (392.0)  
 Serien: 95 91 94 94  
 Zähler: 19 16 5 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 634 (18), 581 (23), 557 (8)  
 beste Teiler 66.0 (36.) 66.1 (14.) 69.3 (7.)  
 Trefferlage 0.74 mm links, 0.01 mm hoch  
 Streuwert 2.25, horizontal: 2.73, vertikal: 1.64




Serie 1:  
 9.1 ↘ 10.1 ↑ 10.2 \* 10.2 \* 10.3 \*  
 10.4 \* 10.7 \* 8.7 ← 9.9 → 9.9 ↓  
 beste Teiler 69.3 (7.) 134.6 (6.) 154.5 (5.)  
 Trefferlage 0.98 mm links, 0.06 mm hoch  
 Streuwert 2.01, horizontal: 2.03, vertikal: 2.00



Serie 2:  
 8.8 ↙ 10.1 ↓ 8.8 ← 10.7 \* 9.3 →  
 10.0 ↗ 9.8 ↗ 8.4 → 10.2 \* 9.9 ←  
 beste Teiler 66.1 (14.) 195.6 (19.) 215.1 (12.)  
 Trefferlage 0.02 mm rechts, 0.12 mm tief  
 Streuwert 2.84, horizontal: 3.61, vertikal: 1.78



Serie 3:  
 10.1 ↑ 10.4 \* 8.6 ← 9.4 → 10.1 →  
 9.5 → 10.2 \* 10.4 \* 9.0 ← 9.4 ↙  
 beste Teiler 126.7 (28.) 142.1 (22.) 182.4 (27.)  
 Trefferlage 0.31 mm links, 0.06 mm tief  
 Streuwert 2.54, horizontal: 3.34, vertikal: 1.33





Serie 4:  
 9.7 ↘ 9.9 ↘ 10.0 ↘ 10.6 \* 10.0 ↘  
 10.7 \* 9.6 ← 9.7 ↓ 9.6 ← 9.6 ←  
 beste Teiler 66.0 (36.) 97.5 (34.) 237.0 (33.)  
 Trefferlage 1.71 mm links, 0.18 mm hoch  
 Streuwert 1.55, horizontal: 1.44, vertikal: 1.65


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 365 (380.3)**  
**Serien:** 93 92 87 93  
**Zähler:** 15 17 6 2 0 0 0 0 0 0  
**Innenzehner:** 7  
**weiteste:** 835 (27), 783 (20), 738 (29)  
**beste Teiler** 64.1 (12.) 97.0 (15.) 123.8 (39.)  
**Trefferlage** 0.20 mm rechts, 0.57 mm tief  
**Streuwert** 2.86, horizontal: 3.41, vertikal: 2.18




**Serie 1:**  
 8.9 → 10.2 \* 9.5 ↓ 10.3 \* 9.4 →  
 10.2 \* 9.3 ↓ 9.8 ↘ 10.0 ← 9.3 ↘  
**beste Teiler** 175.8 (4.) 178.3 (2.) 192.7 (6.)  
**Trefferlage** 1.12 mm rechts, 0.83 mm tief  
**Streuwert** 2.27, horizontal: 2.43, vertikal: 2.10



**Serie 2:**  
 10.3 \* 10.7 \* 10.0 ↘ 8.8 → 10.6 \*  
 9.7 ↓ 10.1 ↓ 9.3 ← 9.4 ↓ 7.8 ←  
**beste Teiler** 64.1 (12.) 97.0 (15.) 170.0 (11.)  
**Trefferlage** 0.37 mm links, 0.92 mm tief  
**Streuwert** 2.77, horizontal: 3.55, vertikal: 1.64



**Serie 3:**  
 10.1 ↑ 8.8 ← 8.3 ↘ 10.0 ↓ 9.5 ↑  
 9.0 → 7.6 → 9.7 ↑ 8.0 ← 9.2 ←  
**beste Teiler** 201.4 (21.) 229.0 (24.) 301.3 (28.)  
**Trefferlage** 0.31 mm rechts, 0.24 mm hoch  
**Streuwert** 3.89, horizontal: 4.72, vertikal: 2.82





**Serie 4:**  
 10.1 → 9.7 ↘ 9.6 → 10.0 ✓ 9.4 →  
 9.1 ← 10.0 → 8.8 ↓ 10.5 \* 9.3 ✓  
**beste Teiler** 123.8 (39.) 223.0 (31.) 242.8 (34.)  
**Trefferlage** 0.23 mm links, 0.77 mm tief  
**Streuwert** 2.51, horizontal: 2.85, vertikal: 2.12

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (384.3)  
 Serien: 90 94 94 85  
 Zähler: 14 15 11 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 645 (33), 639 (12), 584 (11)  
 beste Teiler 21.4 (18.) 46.1 (17.) 76.6 (26.)  
 Trefferlage 1.58 mm rechts, 1.27 mm hoch  
 Streuwert 2.26, horizontal: 2.25, vertikal: 2.27



Serie 1:

9.0 ↑      8.7 ↘      8.9 ↗      9.9 →      9.6 ↑  
 10.1 ↘      10.4 \*      10.2 \*      8.7 →      9.8 →


beste Teiler 129.3 (7.) 188.2 (8.) 214.4 (6.)  
 Trefferlage 1.50 mm rechts, 1.07 mm hoch  
 Streuwert 2.52, horizontal: 2.27, vertikal: 2.75



Serie 2:

8.6 →      8.4 →      10.0 ↓      10.3 \*      9.9 ↘  
 10.3 \*      10.8 \*      10.9 \*      10.0 ↘      9.9 ↘


beste Teiler 21.4 (18.) 46.1 (17.) 157.6 (14.)  
 Trefferlage 2.01 mm rechts, 0.95 mm tief  
 Streuwert 1.77, horizontal: 2.34, vertikal: 0.88



Serie 3:

9.8 →      10.4 \*      8.8 ↗      10.2 \*      9.3 ↘  
 10.6 \*      10.1 ↗      10.2 \*      9.7 →      9.3 →

beste Teiler 76.6 (26.) 129.3 (22.) 180.6 (24.)  
 Trefferlage 0.83 mm rechts, 1.58 mm hoch  
 Streuwert 1.85, horizontal: 2.23, vertikal: 1.36



Serie 4:

8.8 →      8.8 ↗      8.4 ↗      9.8 ↑      9.6 ↑  
 9.7 ↗      9.7 ↑      8.7 ↗      8.9 ↗      9.1 ↑

beste Teiler 291.5 (34.) 306.4 (36.) 315.3 (37.)  
 Trefferlage 2.01 mm rechts, 3.37 mm hoch  
 Streuwert 1.87, horizontal: 2.31, vertikal: 1.27

Unterschrift des Schützen

Meyton Elektronik

**LG 40 – Wertung – Damen IV**

StandNr: 19



Meuter, Petra #198

**StartNr: 96**

2. Februar 2020 12:55

5300 SV Lünen-Süd

Ergebnis: **349** (364.8)  
Serien: 83 87 93 86  
Zähler: 11 12 13 3 1 0 0 0 0 0  
Innenzehner: 9  
weiteste: 1243 (38), 907 (30), 839 (17)  
beste Teiler 65.7 (25.) 71.5 (11.) 85.2 (16.)  
Trefferlage 0.12 mm links, 1.43 mm hoch  
Streuwert 3.61, horizontal: 3.52, vertikal: 3.70



Serie 1:

8.7 ↘

8.0 ↖

9.3 →

8.7 ↘

8.9 ↘

8.3 ↖

8.7 ←

8.6 ↖

9.5 →

9.2 ↑

beste Teiler


367.2 (9.) 409.7 (3.) 435.6 (10.)

Trefferlage

0.52 mm links, 0.14 mm hoch

Streuwert

4.10, horizontal: 3.74, vertikal: 4.42



Serie 2:

10.7 \*

8.9 ↙

8.1 ↖

9.2 ↑

8.8 ↖

10.6 \*

7.6 ↑

9.8 ↑

9.3 ↗

9.6 ↑

beste Teiler


71.5 (11.) 85.2 (16.) 297.5 (18.)

Trefferlage

1.09 mm links, 2.48 mm hoch

Streuwert

2.98, horizontal: 2.33, vertikal: 3.50



Serie 3:

9.0 ↗

10.6 \*

10.2 \*

8.6 ↗

10.7 \*

9.1 ↑

10.2 \*

10.4 \*

10.2 \*

7.3 ↖

beste Teiler


65.7 (25.) 87.0 (22.) 133.7 (28.)

Trefferlage

0.14 mm links, 1.68 mm hoch

Streuwert

2.85, horizontal: 3.02, vertikal: 2.66



Serie 4:

9.4 ↖

9.0 →

8.2 ↖

10.1 ↗

8.1 ↑

9.3 ↘

10.1 ↘

6.0 →

7.6 ↑

10.2 \*

beste Teiler

176.8 (40.) 201.8 (37.) 219.7 (34.)

Trefferlage



1.25 mm rechts, 1.42 mm hoch

Streuwert


4.42, horizontal: 4.68, vertikal: 4.15

Unterschrift des Schützen


Ergebnis: **371** (388.3)  
 Serien: 94 92 93 92  
 Zähler: 17 18 4 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 754 (1), 728 (13), 638 (31)  
 beste Teiler 13.6 (37.) 68.4 (25.) 77.4 (23.)  
 Trefferlage 0.27 mm links, 0.04 mm hoch  
 Streuwert 2.52, horizontal: 3.15, vertikal: 1.67




Serie 1:  
 7.9 ↖ 9.3 ← 10.1 ↗ 10.1 → 10.5 \*  
 9.1 → 10.4 \* 10.0 ↘ 9.3 ↖ 10.3 \*  
 beste Teiler 113.4 (5.) 144.2 (7.) 175.9 (10.)  
 Trefferlage 0.93 mm links, 0.05 mm hoch  
 Streuwert 2.64, horizontal: 3.42, vertikal: 1.50



Serie 2:  
 10.3 \* 8.9 ↖ 8.0 → 9.5 ← 10.3 \*  
 9.1 ↖ 10.2 \* 10.1 ↑ 9.9 → 9.9 →  
 beste Teiler 158.6 (15.) 175.7 (11.) 183.6 (17.)  
 Trefferlage 0.42 mm links, 0.46 mm hoch  
 Streuwert 2.75, horizontal: 3.65, vertikal: 1.36



Serie 3:  
 9.4 ↓ 10.0 ↘ 10.6 \* 8.8 ← 10.7 \*  
 9.7 ↑ 9.4 ↘ 10.2 \* 9.4 ↖ 9.6 ←  
 beste Teiler 68.4 (25.) 77.4 (23.) 190.5 (28.)  
 Trefferlage 0.70 mm links, 0.18 mm tief  
 Streuwert 2.37, horizontal: 2.43, vertikal: 2.31





Serie 4:  
 8.4 → 10.4 \* 9.8 ↗ 9.7 ↘ 9.8 ←  
 9.2 ↘ 10.9 \* 9.5 ↘ 9.5 ↖ 10.1 ↖  
 beste Teiler 13.6 (37.) 132.0 (32.) 208.3 (40.)  
 Trefferlage 0.96 mm rechts, 0.15 mm tief  
 Streuwert 2.45, horizontal: 3.11, vertikal: 1.54

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (369.1)  
 Serien: 87 89 87 86  
 Zähler: 10 14 12 3 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1041 (1), 857 (31), 841 (16)  
 beste Teiler 80.4 (40.) 113.8 (15.) 132.5 (20.)  
 Trefferlage 0.39 mm links, 0.83 mm hoch  
 Streuwert 3.41, horizontal: 4.04, vertikal: 2.64



Serie 1:

6.8 → 10.3 \* 9.4 ↗ 8.6 → 9.1 ↖  
 9.8 ↙ 10.0 ↙ 8.9 ← 9.7 ↑ 9.3 ↘


beste Teiler 158.1 (2.) 236.1 (7.) 283.6 (6.)  
 Trefferlage 0.22 mm rechts, 0.98 mm hoch  
 Streuwert 3.64, horizontal: 4.73, vertikal: 2.05



Serie 2:

10.1 ↘ 8.7 ↙ 9.9 ↗ 9.4 ↖ 10.5 \*  
 7.6 ↖ 8.7 ← 8.0 ↙ 10.3 \* 10.4 \*


beste Teiler 113.8 (15.) 132.5 (20.) 153.3 (19.)  
 Trefferlage 2.13 mm links, 0.06 mm hoch  
 Streuwert 3.11, horizontal: 3.30, vertikal: 2.90



Serie 3:

10.3 \* 10.4 \* 10.3 \* 7.7 ↘ 9.6 →  
 9.4 ↘ 8.5 ↖ 8.9 ↙ 8.9 ↑ 8.7 ↖

beste Teiler 142.5 (22.) 161.5 (23.) 170.7 (21.)  
 Trefferlage 0.33 mm links, 0.39 mm hoch  
 Streuwert 3.50, horizontal: 4.03, vertikal: 2.89





Serie 4:

7.5 ↗ 8.9 ↑ 8.7 ↖ 8.9 → 9.2 →  
 9.3 ↖ 9.5 ↗ 9.3 ↖ 9.0 ← 10.6 \*


beste Teiler 80.4 (40.) 364.2 (37.) 408.3 (38.)  
 Trefferlage 0.66 mm rechts, 1.87 mm hoch  
 Streuwert 3.42, horizontal: 4.02, vertikal: 2.68

Unterschrift des Schützen


Ergebnis: **258** (273.0)  
 Serien: 66 69 58 65  
 Zähler: 3 9 3 2 8 8 3 2 1 1  
 Innenzehner: 3  
 weiteste: 2486 (30), 2037 (20), 1998 (1)  
 beste Teiler 80.0 (8.) 145.6 (16.) 155.2 (17.)  
 Trefferlage 0.85 mm links, 0.44 mm tief  
 Streuwert 8.46, horizontal: 7.63, vertikal: 9.22




Serie 1:  
 3.0 ↗ 3.6 ↓ 8.2 ↑ 6.7 ↓ 9.7 ↘  
 9.1 → 9.1 → 10.6 \* 5.3 ↓ 4.1 ↘  
 beste Teiler 80.0 (8.) 318.4 (5.) 462.1 (6.)  
 Trefferlage 0.70 mm rechts, 0.63 mm tief  
 Streuwert 8.92, horizontal: 6.50, vertikal: 10.82



Serie 2:  
 7.8 ↙ 8.4 ↑ 6.2 ↘ 7.0 → 9.2 ↘  
 10.4 \* 10.3 \* 6.5 ↓ 4.0 ↓ 2.8 ↘  
 beste Teiler 145.6 (16.) 155.2 (17.) 432.5 (15.)  
 Trefferlage 1.56 mm links, 0.24 mm hoch  
 Streuwert 8.09, horizontal: 5.28, vertikal: 10.15





Serie 3:  
 6.2 ↘ 6.6 → 5.6 ↓ 6.4 ↘ 5.8 ↓  
 9.2 ↓ 6.2 ↗ 5.3 ↘ 9.4 ↘ 1.0 →  
 beste Teiler 394.6 (29.) 448.6 (26.) 1080.2 (22.)  
 Trefferlage 1.22 mm rechts, 0.70 mm tief  
 Streuwert 9.73, horizontal: 10.50, vertikal: 8.90




Serie 4:  
 5.1 ↙ 6.9 ↓ 5.7 ↘ 5.3 ↘ 9.1 ↘  
 5.0 ↓ 9.5 ← 9.5 ↓ 4.5 ↘ 8.7 ↓  
 beste Teiler 363.3 (37.) 367.8 (38.) 464.2 (35.)  
 Trefferlage 3.76 mm links, 0.68 mm tief  
 Streuwert 7.84, horizontal: 7.38, vertikal: 8.27

Unterschrift des Schützen


**Ergebnis: 345 (361.3)**  
**Serien:** 89 89 83 84  
**Zähler:** 6 19 9 6 0 0 0 0 0 0  
**Innenzehner:** 3  
**weiteste:** 982 (3), 963 (35), 892 (30)  
**beste Teiler** 125.7 (1.) 183.8 (4.) 198.0 (23.)  
**Trefferlage** 0.51 mm rechts, 0.36 mm tief  
**Streuwert** 3.77, horizontal: 4.34, vertikal: 3.09




**Serie 1:**  
 10.5 \* 9.5 ↖ 7.0 ↙ 10.2 \* 9.2 →  
 7.8 ↙ 9.6 ↗ 10.0 ↗ 8.8 ↘ 10.1 ↘  
**beste Teiler** 125.7 (1.) 183.8 (4.) 204.4 (10.)  
**Trefferlage** 1.18 mm links, 0.62 mm tief  
**Streuwert** 3.57, horizontal: 4.21, vertikal: 2.79



**Serie 2:**  
 9.4 ↖ 8.2 ↗ 10.1 ↗ 9.4 ↙ 9.8 ↓  
 8.9 ↘ 9.0 ↓ 9.3 ↙ 9.4 ↘ 9.9 ↖  
**beste Teiler** 203.0 (13.) 253.1 (20.) 292.1 (15.)  
**Trefferlage** 0.22 mm rechts, 1.42 mm tief  
**Streuwert** 3.00, horizontal: 3.03, vertikal: 2.97



**Serie 3:**  
 8.0 ← 7.7 → 10.2 \* 9.9 ← 9.2 →  
 9.3 ↙ 9.3 ↙ 8.3 → 7.6 → 7.4 ←  
**beste Teiler** 198.0 (23.) 262.0 (24.) 404.4 (26.)  
**Trefferlage** 0.19 mm rechts, 0.35 mm hoch  
**Streuwert** 4.57, horizontal: 6.19, vertikal: 1.86





**Serie 4:**  
 9.3 ↗ 8.1 ↗ 9.7 ↑ 8.9 ↖ 7.1 ↘  
 8.5 → 9.1 ↘ 8.8 ↘ 9.4 → 9.4 ↘  
**beste Teiler** 305.4 (33.) 386.7 (39.) 388.4 (40.)  
**Trefferlage** 2.81 mm rechts, 0.23 mm hoch  
**Streuwert** 3.60, horizontal: 2.64, vertikal: 4.35

Unterschrift des Schützen




Ergebnis: **303** (320.3)  
 Serien: 82 78 75 68  
 Zähler: 3 12 10 7 3 2 1 1 0 1  
 Innenzehner: 1  
 weiteste: 2263 (31), 1918 (27), 1665 (33)  
 beste Teiler 197.6 (20.) 206.0 (37.) 242.5 (4.)  
 Trefferlage 1.72 mm rechts, 1.33 mm hoch  
 Streuwert 6.05, horizontal: 7.16, vertikal: 4.67



Serie 1:

7.6 ← 7.9 ↑ 9.1 ↙ 10.0 ↓ 9.3 ↘  
 9.2 ↙ 8.7 ↘ 7.2 → 7.0 ↗ 9.0 ↙


beste Teiler 242.5 (4.) 403.2 (5.) 429.9 (6.)  
 Trefferlage 0.81 mm links, 0.26 mm hoch  
 Streuwert 4.87, horizontal: 5.49, vertikal: 4.16



Serie 2:

8.0 ↑ 8.7 ↗ 8.6 ↘ 7.7 ↖ 6.0 →  
 8.1 ↖ 9.8 ↗ 9.9 ↘ 5.3 ↘ 10.2 \*


beste Teiler 197.6 (20.) 257.6 (18.) 298.6 (17.)  
 Trefferlage 0.83 mm rechts, 2.56 mm hoch  
 Streuwert 5.45, horizontal: 6.00, vertikal: 4.83



Serie 3:

8.7 → 9.7 ↑ 8.0 → 8.6 ↖ 7.8 →  
 6.6 ↖ 3.3 ↗ 8.9 ↘ 9.0 ↗ 9.4 ↓

beste Teiler 304.4 (22.) 379.7 (30.) 486.3 (29.)  
 Trefferlage 2.01 mm rechts, 2.71 mm hoch  
 Streuwert 5.94, horizontal: 6.20, vertikal: 5.66



Serie 4:



1.9 → 7.8 → 4.3 ↘ 6.3 → 9.5 ←  
 8.8 → 10.1 ↑ 9.1 → 5.5 ↖ 9.7 ↑

beste Teiler 206.0 (37.) 302.9 (40.) 362.7 (35.)  
 Trefferlage 4.86 mm rechts, 0.20 mm tief  
 Streuwert 7.50, horizontal: 9.93, vertikal: 3.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (405.0)  
 Serien: 98 94 96 99  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 406 (15), 403 (6), 389 (17)  
 beste Teiler 32.5 (40.) 45.0 (4.) 70.6 (16.)  
 Trefferlage 0.26 mm rechts, 0.11 mm hoch  
 Streuwert 1.64, horizontal: 1.50, vertikal: 1.77




Serie 1:  
 10.4 \* 10.5 \* 9.9 → 10.8 \* 10.5 \*  
 9.3 → 10.1 ↘ 10.3 \* 10.0 ↘ 10.4 \*  
 beste Teiler 45.0 (4.) 104.6 (5.) 112.4 (2.)  
 Trefferlage 0.44 mm rechts, 0.01 mm hoch  
 Streuwert 1.49, horizontal: 1.78, vertikal: 1.14



Serie 2:  
 9.4 ↘ 10.0 ↑ 9.8 ↓ 9.7 ↑ 9.3 ↗  
 10.7 \* 9.4 ↙ 10.5 \* 10.3 \* 9.9 ↓  
 beste Teiler 70.6 (16.) 121.5 (18.) 157.2 (19.)  
 Trefferlage 0.27 mm rechts, 0.52 mm hoch  
 Streuwert 2.11, horizontal: 1.43, vertikal: 2.62





Serie 3:  
 9.6 ↗ 9.6 ↘ 10.5 \* 9.9 ↘ 10.2 \*  
 10.3 \* 10.0 ← 9.7 ↗ 10.5 \* 10.4 \*  
 beste Teiler 110.8 (29.) 120.6 (23.) 126.8 (30.)  
 Trefferlage 0.50 mm rechts, 0.23 mm hoch  
 Streuwert 1.73, horizontal: 1.73, vertikal: 1.72




Serie 4:  
 9.8 ↘ 10.0 ↘ 10.4 \* 10.3 \* 10.3 \*  
 10.4 \* 10.5 \* 10.1 ↓ 10.5 \* 10.8 \*  
 beste Teiler 32.5 (40.) 107.4 (37.) 118.7 (39.)  
 Trefferlage 0.17 mm links, 0.33 mm tief  
 Streuwert 1.27, horizontal: 1.11, vertikal: 1.42

Unterschrift des Schützen


Ergebnis: **360** (378.1)  
 Serien: 88 92 89 91  
 Zähler: 12 19 7 1 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1041 (1), 936 (26), 686 (13)  
 beste Teiler 58.2 (4.) 82.4 (36.) 143.0 (34.)  
 Trefferlage 0.58 mm links, 0.74 mm hoch  
 Streuwert 3.00, horizontal: 3.80, vertikal: 1.90




Serie 1:  
 6.8 → 9.7 ↗ 9.7 → 10.7 \* 8.9 ↗  
 9.6 ↘ 9.8 ↘ 10.1 ↑ 8.2 ← 10.4 \*  
 beste Teiler 58.2 (4.) 145.8 (10.) 221.3 (8.)  
 Trefferlage 0.98 mm rechts, 1.07 mm hoch  
 Streuwert 3.40, horizontal: 4.53, vertikal: 1.61



Serie 2:  
 9.4 ↗ 10.1 ← 8.2 ↖ 9.4 ↓ 9.7 ↓  
 9.6 ↖ 10.2 \* 9.8 ↖ 10.4 \* 9.4 ↘  
 beste Teiler 148.0 (19.) 178.1 (17.) 208.9 (12.)  
 Trefferlage 1.66 mm links, 0.30 mm tief  
 Streuwert 2.41, horizontal: 2.33, vertikal: 2.49



Serie 3:  
 9.0 ← 9.5 → 9.4 ↑ 10.3 \* 9.5 ↘  
 7.2 ← 9.2 ← 8.8 ↘ 10.0 ↖ 9.7 ↘  
 beste Teiler 162.0 (24.) 226.6 (29.) 302.2 (30.)  
 Trefferlage 2.61 mm links, 1.59 mm hoch  
 Streuwert 2.61, horizontal: 3.41, vertikal: 1.42





Serie 4:  
 8.5 ← 8.6 ↗ 8.9 → 10.4 \* 9.9 ↗  
 10.6 \* 10.3 \* 10.0 → 9.1 ↗ 9.1 ←  
 beste Teiler 82.4 (36.) 143.0 (34.) 163.4 (37.)  
 Trefferlage 0.94 mm rechts, 0.62 mm hoch  
 Streuwert 2.86, horizontal: 3.70, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


|              |                                        |         |    |    |   |   |   |   |   |
|--------------|----------------------------------------|---------|----|----|---|---|---|---|---|
| Ergebnis:    | <b>366</b>                             | (384.4) |    |    |   |   |   |   |   |
| Serien:      | 92                                     | 89      | 93 | 92 |   |   |   |   |   |
| Zähler:      | 13                                     | 21      | 5  | 1  | 0 | 0 | 0 | 0 | 0 |
| Innenzehner: | 10                                     |         |    |    |   |   |   |   |   |
| weiteste:    | 928 (4), 701 (33), 651 (18)            |         |    |    |   |   |   |   |   |
| beste Teiler | 63.0 (25.) 69.8 (6.) 71.6 (20.)        |         |    |    |   |   |   |   |   |
| Trefferlage  | 0.99 mm links, 0.47 mm hoch            |         |    |    |   |   |   |   |   |
| Streuwert    | 2.60, horizontal: 2.92, vertikal: 2.23 |         |    |    |   |   |   |   |   |




|              |                                        |        |        |       |        |
|--------------|----------------------------------------|--------|--------|-------|--------|
| Serie 1:     | 9.6 ↗                                  | 9.6 →  | 10.2 * | 7.2 ↘ | 10.0 ↗ |
|              | 10.7 *                                 | 10.4 * | 10.2 * | 9.6 ↘ | 8.5 →  |
| beste Teiler | 69.8 (6.) 150.8 (7.) 193.3 (3.)        |        |        |       |        |
| Trefferlage  | 0.00 mm , 0.96 mm hoch                 |        |        |       |        |
| Streuwert    | 3.03, horizontal: 3.53, vertikal: 2.42 |        |        |       |        |



|              |                                        |             |             |        |
|--------------|----------------------------------------|-------------|-------------|--------|
| Serie 2:     |                                        |             |             |        |
| 9.5 ↘        | 9.5 ↗                                  | 9.5 ↑       | 8.9 ↘       | 10.3 * |
| 9.1 ↙        | 9.7 ←                                  | 8.3 ↖       | 8.7 ↗       | 10.7 * |
| beste Teiler | 71.6 (20.)                             | 164.9 (15.) | 321.1 (17.) |        |
| Trefferlage  | 1.72 mm links, 1.28 mm hoch            |             |             |        |
| Streuwert    | 2.67, horizontal: 2.95, vertikal: 2.37 |             |             |        |





|              |                                        |        |       |        |
|--------------|----------------------------------------|--------|-------|--------|
| Serie 3:     |                                        |        |       |        |
| 9.3 ↙        | 10.5 *                                 | 9.7 ↓  | 9.8 ↗ | 10.7 * |
| 9.7 ↘        | 9.8 ↖                                  | 10.2 * | 9.3 ← | 9.8 ↓  |
| beste Teiler | 63.0 (25.) 110.5 (22.) 188.3 (28.)     |        |       |        |
| Trefferlage  | 0.94 mm links, 0.98 mm tief            |        |       |        |
| Streuwert    | 1.88, horizontal: 2.16, vertikal: 1.55 |        |       |        |



|              |                                        |             |             |       |
|--------------|----------------------------------------|-------------|-------------|-------|
| Serie 4:     |                                        |             |             |       |
| 9.5 ↘        | 10.1 ↗                                 | 8.1 ←       | 9.2 ↖       | 9.7 → |
| 10.2 *       | 10.0 ↖                                 | 9.4 ↖       | 9.7 ↗       | 9.5 ↖ |
| beste Teiler | 191.0 (36.)                            | 225.5 (32.) | 242.0 (37.) |       |
| Trefferlage  | 1.30 mm links, 0.64 mm hoch            |             |             |       |
| Streuwert    | 2.60, horizontal: 3.03, vertikal: 2.08 |             |             |       |


Unterschrift des Schützen

**Ergebnis: 341 (358.6)**  
**Serien: 85 82 89 85**  
**Zähler: 8 13 12 6 1 0 0 0 0 0**  
**Innenzehner: 5**  
**weiteste: 1246 (31), 944 (19), 910 (17)**  
**beste Teiler 107.5 (7.) 157.1 (8.) 170.5 (33.)**  
**Trefferlage 1.27 mm rechts, 0.47 mm tief**  
**Streuwert 3.87, horizontal: 4.11, vertikal: 3.60**


**Serie 1:**


7.9 ↘      9.1 ↗      8.5 ↗      9.3 ←      8.3 ↓  
 8.6 →      10.5 \*      10.3 \*      8.8 →      8.6 →

**beste Teiler 107.5 (7.) 157.1 (8.) 403.0 (4.)**  
**Trefferlage 2.14 mm rechts, 0.80 mm tief**  
**Streuwert 3.52, horizontal: 3.45, vertikal: 3.60**


**Serie 2:**


9.5 ↗      7.6 ↘      8.9 ↗      7.5 ↗      10.3 \*  
 9.6 ↓      7.3 ↓      9.4 ↗      7.2 →      9.3 ↑

**beste Teiler 174.7 (15.) 338.3 (16.) 362.7 (11.)**  
**Trefferlage 1.27 mm rechts, 0.31 mm hoch**  
**Streuwert 4.63, horizontal: 4.88, vertikal: 4.36**


**Serie 3:**

8.2 ↘      10.0 ↗      10.2 \*      9.7 ↓      8.3 ↓  
 9.8 ↘      10.0 →      9.2 ↘      7.8 →      9.7 ←

**beste Teiler 188.9 (23.) 228.9 (27.) 242.8 (22.)**  
**Trefferlage 0.04 mm rechts, 0.01 mm tief**  
**Streuwert 3.47, horizontal: 3.76, vertikal: 3.14**




**Serie 4:**

6.0 ↘      9.3 ↘      10.3 \*      10.0 ↗      8.1 →  
 9.9 ↗      8.8 ↘      8.9 ↑      8.8 ↓      9.1 ↗

**beste Teiler 170.5 (33.) 248.3 (34.) 262.4 (36.)**  
**Trefferlage 1.64 mm rechts, 1.38 mm tief**  
**Streuwert 4.07, horizontal: 4.56, vertikal: 3.52**


Unterschrift des Schützen

**Ergebnis: 332 (351.3)**  
**Serien:** 87 85 76 84  
**Zähler:** 7 15 8 5 3 2 0 0 0 0  
**Innenzehner:** 6  
**weiteste:** 1386 (6), 1321 (14), 1192 (23)  
**beste Teiler** 62.6 (39.) 65.0 (18.) 67.9 (20.)  
**Trefferlage** 2.16 mm rechts, 0.33 mm tief  
**Streuwert** 4.31, horizontal: 5.22, vertikal: 3.15


**Serie 1:**


9.9 ↘                      9.7 ↖                      9.2 →                      9.0 ↑                      9.8 ↓  
 5.4 →                      8.6 ↖                      10.3 \*                      9.8 ↓                      10.2 \*

**beste Teiler** 167.8 (8.) 200.0 (10.) 271.5 (1.)  
**Trefferlage** 1.67 mm rechts, 0.80 mm hoch  
**Streuwert** 3.92, horizontal: 4.79, vertikal: 2.79


**Serie 2:**


9.5 ↙                      9.4 ↑                      7.9 →                      5.7 →                      7.9 ↗  
 10.4 \*                      9.0 →                      10.7 \*                      9.0 ↘                      10.7 \*

**beste Teiler** 65.0 (18.) 67.9 (20.) 132.0 (16.)  
**Trefferlage** 3.40 mm rechts, 0.14 mm tief  
**Streuwert** 3.76, horizontal: 4.84, vertikal: 2.20


**Serie 3:**

7.3 →                      8.8 ←                      6.2 →                      9.1 →                      8.4 ↗  
 6.9 →                      9.9 ↙                      7.7 ↙                      7.4 ↖                      9.1 ↙

**beste Teiler** 273.4 (27.) 462.1 (24.) 475.9 (30.)  
**Trefferlage** 1.77 mm rechts, 0.55 mm hoch  
**Streuwert** 5.57, horizontal: 6.94, vertikal: 3.74




**Serie 4:**

6.3 →                      8.7 ↘                      9.5 ↓                      8.0 ↓                      8.8 ↓  
 9.7 ↖                      8.4 ↓                      8.3 →                      10.7 \*                      10.0 ↗


**beste Teiler** 62.6 (39.) 238.8 (40.) 322.2 (36.)  
**Trefferlage** 1.80 mm rechts, 2.54 mm tief  
**Streuwert** 3.86, horizontal: 4.60, vertikal: 2.93

Unterschrift des Schützen


**Ergebnis: 352 (367.2)**  
**Serien:** 91 85 85 91  
**Zähler:** 10 18 7 4 1 0 0 0 0 0  
**Innenzehner:** 7  
**weiteste:** 1142 (15), 936 (29), 879 (26)  
**beste Teiler** 34.5 (31.) 154.3 (19.) 168.1 (33.)  
**Trefferlage** 0.07 mm links, 0.81 mm hoch  
**Streuwert** 3.57, horizontal: 4.07, vertikal: 2.99




**Serie 1:**  
 9.2 ↗ 10.2 \* 9.6 ↓ 9.4 ↘ 9.9 ↑  
 10.1 ↑ 9.3 ↘ 8.3 ↑ 9.8 ↗ 9.4 ↘  
**beste Teiler** 186.9 (2.) 219.3 (6.) 271.8 (5.)  
**Trefferlage** 0.47 mm rechts, 0.19 mm hoch  
**Streuwert** 2.82, horizontal: 2.15, vertikal: 3.37



**Serie 2:**  
 9.4 ↗ 9.0 ↓ 9.1 ↗ 9.0 ↖ 6.4 ↖  
 9.5 ↘ 8.7 ↘ 9.0 ↖ 10.3 \* 7.7 ↖  
**beste Teiler** 154.3 (19.) 365.2 (16.) 390.4 (11.)  
**Trefferlage** 1.87 mm links, 0.35 mm hoch  
**Streuwert** 4.18, horizontal: 4.93, vertikal: 3.28





**Serie 3:**  
 10.2 \* 8.1 → 9.9 ↘ 10.0 ↑ 8.4 ↗  
 7.4 ↖ 9.0 ↘ 8.3 ↘ 7.2 ← 9.8 ↑  
**beste Teiler** 199.9 (21.) 244.2 (24.) 253.3 (23.)  
**Trefferlage** 0.09 mm rechts, 2.20 mm hoch  
**Streuwert** 4.07, horizontal: 4.79, vertikal: 3.21




**Serie 4:**  
 10.8 \* 10.2 \* 10.3 \* 10.3 \* 9.6 ↖  
 7.9 ↘ 9.2 ↑ 10.1 ↗ 8.8 → 8.4 ←  
**beste Teiler** 34.5 (31.) 168.1 (33.) 173.2 (34.)  
**Trefferlage** 0.99 mm rechts, 0.48 mm hoch  
**Streuwert** 3.01, horizontal: 3.82, vertikal: 1.87

Unterschrift des Schützen


**Ergebnis: 334 (350.7)**  
**Serien:** 86 84 83 81  
**Zähler:** 10 8 11 8 3 0 0 0 0 0  
**Innenzehner:** 5  
**weiteste:** 1179 (37), 1125 (32), 1112 (22)  
**beste Teiler** 120.0 (15.) 142.3 (35.) 154.0 (21.)  
**Trefferlage** 2.09 mm rechts, 0.07 mm hoch  
**Streuwert** 4.19, horizontal: 4.35, vertikal: 4.03




**Serie 1:**  
 10.3 \* 8.8 ↘ 10.1 ↗ 7.9 ↑ 10.1 ↙  
 10.2 \* 9.0 → 8.9 → 7.2 ↓ 7.3 →  
**beste Teiler** 174.0 (1.) 181.7 (6.) 201.3 (3.)  
**Trefferlage** 1.49 mm rechts, 0.40 mm hoch  
**Streuwert** 4.07, horizontal: 3.95, vertikal: 4.18



**Serie 2:**  
 8.5 ↑ 7.0 ↖ 8.9 ↓ 7.9 ↘ 10.5 \*  
 8.8 → 8.6 ↘ 9.6 → 10.1 ↓ 9.6 ↓  
**beste Teiler** 120.0 (15.) 224.2 (19.) 327.7 (18.)  
**Trefferlage** 1.55 mm rechts, 0.87 mm tief  
**Streuwert** 3.96, horizontal: 3.85, vertikal: 4.06



**Serie 3:**  
 10.3 \* 6.5 ↖ 9.4 ↖ 7.5 → 10.1 ↖  
 8.1 → 8.2 ↑ 7.5 ↘ 9.4 → 9.1 ←  
**beste Teiler** 154.0 (21.) 209.3 (25.) 381.2 (29.)  
**Trefferlage** 1.13 mm rechts, 1.45 mm hoch  
**Streuwert** 4.67, horizontal: 5.27, vertikal: 3.97





**Serie 4:**  
 9.5 ↖ 6.5 → 10.1 ↑ 8.5 ↑ 10.4 \*  
 8.3 → 6.2 ↘ 8.3 → 7.6 ↓ 9.9 →  
**beste Teiler** 142.3 (35.) 224.5 (33.) 253.2 (40.)  
**Trefferlage** 4.20 mm rechts, 0.69 mm tief  
**Streuwert** 4.12, horizontal: 4.15, vertikal: 4.09


Unterschrift des Schützen




**Ergebnis: 357 (373.8)**  
**Serien:** 89 89 88 91  
**Zähler:** 15 14 7 2 1 1 0 0 0 0  
**Innenzehner:** 8  
**weiteste:** 1294 (11), 1156 (25), 949 (26)  
**beste Teiler** 9.2 (19.) 21.3 (27.) 93.7 (2.)  
**Trefferlage** 0.65 mm rechts, 0.08 mm hoch  
**Streuwert** 3.47, horizontal: 4.43, vertikal: 2.12




**Serie 1:**  
 8.8 ↓ 10.6 \* 8.2 ↗ 9.3 ↙ 10.1 ↙  
 10.6 \* 9.4 ← 8.9 → 8.6 → 9.2 →  
**beste Teiler** 93.7 (2.) 100.4 (6.) 218.2 (5.)  
**Trefferlage** 0.95 mm rechts, 0.41 mm tief  
**Streuwert** 3.18, horizontal: 3.47, vertikal: 2.86



**Serie 2:**  
 5.8 ↘ 9.7 ↙ 10.0 ↘ 10.0 ↖ 9.1 ↙  
 9.5 ↖ 8.3 → 10.2 \* 10.9 \* 9.4 →  
**beste Teiler** 9.2 (19.) 198.1 (18.) 239.4 (13.)  
**Trefferlage** 1.24 mm rechts, 0.89 mm tief  
**Streuwert** 3.81, horizontal: 4.90, vertikal: 2.23





**Serie 3:**  
 10.3 \* 10.1 ↑ 9.4 ↖ 9.4 → 6.3 →  
 7.2 → 10.9 \* 9.6 → 8.9 ↖ 10.0 →  
**beste Teiler** 21.3 (27.) 173.7 (21.) 208.0 (22.)  
**Trefferlage** 2.25 mm rechts, 1.10 mm hoch  
**Streuwert** 3.67, horizontal: 5.01, vertikal: 1.34



**Serie 4:**  
 9.8 ↖ 9.3 ↖ 8.3 ← 9.7 ↗ 10.0 ↗  
 9.9 ← 10.0 ↓ 7.6 ← 10.3 \* 10.2 \*  
**beste Teiler** 165.5 (39.) 192.2 (40.) 234.0 (35.)  
**Trefferlage** 1.81 mm links, 0.52 mm hoch  
**Streuwert** 2.80, horizontal: 3.72, vertikal: 1.36


Unterschrift des Schützen

**Ergebnis: 340 (357.5)**  
**Serien: 81 89 83 87**  
**Zähler: 6 15 13 5 1 0 0 0 0 0**  
**Innenzehner: 5**  
**weiteste: 1112 (9), 925 (3), 858 (32)**  
**beste Teiler 91.5 (7.) 101.9 (27.) 144.5 (19.)**  
**Trefferlage 0.21 mm rechts, 2.00 mm hoch**  
**Streuwert 3.72, horizontal: 4.78, vertikal: 2.21**


**Serie 1:**


9.9 ↗ 9.4 → 7.3 ↖ 8.4 ← 8.4 →  
 7.7 ↖ 10.6 \* 8.7 ↗ 6.5 → 9.7 ↗

**beste Teiler 91.5 (7.) 274.6 (1.) 301.6 (10.)**  
**Trefferlage 0.97 mm rechts, 2.03 mm hoch**  
**Streuwert 4.53, horizontal: 5.80, vertikal: 2.73**


**Serie 2:**


9.1 ↖ 8.4 ← 9.2 ↖ 9.9 ↗ 9.2 ↖  
 8.2 ↖ 9.5 ↗ 9.3 ↗ 10.4 \* 9.9 →

**beste Teiler 144.5 (19.) 261.1 (14.) 269.3 (20.)**  
**Trefferlage 1.69 mm links, 2.23 mm hoch**  
**Streuwert 2.55, horizontal: 3.36, vertikal: 1.33**


**Serie 3:**

8.1 ↗ 8.5 ↖ 9.9 ↗ 9.1 ↑ 8.1 →  
 9.2 → 10.5 \* 7.9 → 7.6 ↑ 8.9 ↑

**beste Teiler 101.9 (27.) 251.9 (23.) 438.6 (26.)**  
**Trefferlage 2.06 mm rechts, 3.33 mm hoch**  
**Streuwert 3.21, horizontal: 3.98, vertikal: 2.20**




**Serie 4:**

8.7 → 7.5 ← 8.3 → 10.2 \* 10.2 \*  
 9.1 ← 9.3 ← 10.0 ← 8.1 ↖ 8.6 →


**beste Teiler 176.1 (34.) 199.0 (35.) 249.5 (38.)**  
**Trefferlage 0.50 mm links, 0.40 mm hoch**  
**Streuwert 3.97, horizontal: 5.41, vertikal: 1.49**

Unterschrift des Schützen


Ergebnis: **388** (408.2)  
 Serien: 96 96 98 98  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 538 (9), 440 (4), 363 (37)  
 beste Teiler 20.5 (39.) 40.5 (28.) 47.0 (29.)  
 Trefferlage 0.26 mm links, 0.45 mm tief  
 Streuwert 1.55, horizontal: 1.78, vertikal: 1.27




Serie 1:  
 10.5 \* 10.3 \* 10.2 \* 9.2 ↙ 10.6 \*  
 10.5 \* 10.4 \* 10.6 \* 8.8 ↖ 9.6 ↓  
 beste Teiler 76.2 (5.) 77.0 (8.) 109.9 (1.)  
 Trefferlage 0.76 mm links, 0.17 mm tief  
 Streuwert 1.91, horizontal: 2.15, vertikal: 1.63



Serie 2:  
 10.6 \* 10.5 \* 10.4 \* 10.4 \* 9.7 ←  
 9.6 → 10.7 \* 9.8 ↖ 9.7 → 10.0 →  
 beste Teiler 69.8 (17.) 87.9 (11.) 104.0 (12.)  
 Trefferlage 0.05 mm links, 0.27 mm tief  
 Streuwert 1.69, horizontal: 2.32, vertikal: 0.57





Serie 3:  
 10.3 \* 10.0 ↓ 9.5 ↙ 9.6 → 10.7 \*  
 10.4 \* 10.3 \* 10.8 \* 10.8 \* 10.7 \*  
 beste Teiler 40.5 (28.) 47.0 (29.) 62.2 (30.)  
 Trefferlage 0.53 mm rechts, 0.77 mm tief  
 Streuwert 1.28, horizontal: 1.30, vertikal: 1.27




Serie 4:  
 10.2 \* 10.6 \* 10.3 \* 10.3 \* 9.9 ↓  
 10.2 \* 9.5 ↙ 10.6 \* 10.9 \* 10.5 \*  
 beste Teiler 20.5 (39.) 83.4 (32.) 96.2 (38.)  
 Trefferlage 0.76 mm links, 0.60 mm tief  
 Streuwert 1.20, horizontal: 0.88, vertikal: 1.45

Unterschrift des Schützen


**Ergebnis: 395 (410.0)**  
**Serien: 99 98 98 100**  
**Zähler: 35 5 0 0 0 0 0 0 0 0**  
**Innenzehner: 27**  
**weiteste: 364 (28), 347 (23), 297 (19)**  
**beste Teiler 32.4 (6.) 38.9 (31.) 41.7 (20.)**  
**Trefferlage 0.39 mm links, 0.12 mm tief**  
**Streuwert 1.34, horizontal: 1.72, vertikal: 0.79**




**Serie 1:**  
 10.2 \* 10.1 ↙ 10.2 \* 10.1 ↖ 10.1 ↖  
 10.8 \* 9.9 ↙ 10.6 \* 10.1 ↗ 10.6 \*  
**beste Teiler 32.4 (6.) 87.3 (8.) 94.0 (10.)**  
**Trefferlage 0.75 mm links, 0.11 mm tief**  
**Streuwert 1.24, horizontal: 1.36, vertikal: 1.10**



**Serie 2:**  
 9.9 → 10.3 \* 10.0 ↖ 10.4 \* 10.1 ↖  
 10.4 \* 10.3 \* 10.2 \* 9.8 ↖ 10.8 \*  
**beste Teiler 41.7 (20.) 126.5 (16.) 132.6 (14.)**  
**Trefferlage 0.22 mm rechts, 0.19 mm hoch**  
**Streuwert 1.44, horizontal: 1.97, vertikal: 0.50**





**Serie 3:**  
 10.2 \* 10.4 \* 9.6 ↖ 10.0 ↖ 10.2 \*  
 10.2 \* 10.4 \* 9.5 ↖ 10.6 \* 10.3 \*  
**beste Teiler 96.5 (29.) 146.8 (22.) 147.8 (27.)**  
**Trefferlage 0.50 mm links, 0.25 mm tief**  
**Streuwert 1.61, horizontal: 2.15, vertikal: 0.76**




**Serie 4:**  
 10.8 \* 10.3 \* 10.3 \* 10.4 \* 10.2 \*  
 10.3 \* 10.0 ↙ 10.5 \* 10.7 \* 10.2 \*  
**beste Teiler 38.9 (31.) 58.1 (39.) 107.8 (38.)**  
**Trefferlage 0.52 mm links, 0.32 mm tief**  
**Streuwert 1.09, horizontal: 1.36, vertikal: 0.71**

Unterschrift des Schützen


Ergebnis: **369** (384.8)  
 Serien: 91 95 89 94  
 Zähler: 18 13 9 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 749 (14), 741 (4), 710 (21)  
 beste Teiler 50.4 (16.) 98.3 (36.) 103.0 (9.)  
 Trefferlage 0.67 mm rechts, 0.16 mm tief  
 Streuwert 2.69, horizontal: 3.36, vertikal: 1.79




Serie 1:  
 10.0 → 8.3 → 8.7 ← 8.0 → 10.4 \*  
 9.6 → 9.0 → 10.0 ↘ 10.5 \* 9.6 ↗  
 beste Teiler 103.0 (9.) 129.1 (5.) 248.9 (8.)  
 Trefferlage 1.93 mm rechts, 0.02 mm hoch  
 Streuwert 2.94, horizontal: 3.90, vertikal: 1.45



Serie 2:  
 10.2 \* 10.2 \* 10.1 ↘ 8.0 → 10.2 \*  
 10.8 \* 10.0 ← 8.9 ← 9.6 ↗ 10.1 →  
 beste Teiler 50.4 (16.) 186.8 (11.) 191.5 (12.)  
 Trefferlage 0.05 mm rechts, 0.56 mm tief  
 Streuwert 2.54, horizontal: 3.26, vertikal: 1.49





Serie 3:  
 8.1 ↗ 9.6 ↑ 9.8 → 8.8 → 9.7 ↗  
 9.6 ↘ 10.1 ↗ 9.4 ↗ 9.7 ↘ 9.5 ←  
 beste Teiler 213.6 (27.) 278.2 (23.) 308.4 (29.)  
 Trefferlage 1.58 mm rechts, 0.97 mm hoch  
 Streuwert 2.66, horizontal: 3.14, vertikal: 2.06



Serie 4:  
 9.9 ↗ 8.6 ← 10.1 ↘ 8.3 ← 10.2 \*  
 10.6 \* 10.1 ↘ 10.4 \* 10.2 \* 9.9 ↗  
 beste Teiler 98.3 (36.) 139.7 (38.) 180.0 (39.)  
 Trefferlage 0.85 mm links, 1.10 mm tief  
 Streuwert 2.25, horizontal: 2.74, vertikal: 1.61

Unterschrift des Schützen


Ergebnis: **368** (386.2)  
 Serien: 94 93 90 91  
 Zähler: 16 16 8 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 649 (33), 640 (35), 612 (23)  
 beste Teiler 29.4 (28.) 42.6 (20.) 106.3 (26.)  
 Trefferlage 1.41 mm links, 0.12 mm hoch  
 Streuwert 2.41, horizontal: 2.85, vertikal: 1.86



Serie 1:

9.0 ↙ 10.3 \* 8.7 → 10.1 ↗ 9.3 ←  
 9.3 ← 10.0 ↘ 9.9 ↘ 10.4 \* 10.0 ↘


beste Teiler 135.9 (9.) 163.6 (2.) 212.4 (4.)  
 Trefferlage 0.79 mm links, 1.04 mm hoch  
 Streuwert 2.37, horizontal: 3.02, vertikal: 1.46



Serie 2:

10.4 \* 9.3 ↘ 10.4 \* 9.9 → 9.7 ←  
 10.2 \* 9.7 ↙ 8.9 ↘ 9.1 ↘ 10.8 \*


beste Teiler 42.6 (20.) 140.4 (13.) 149.0 (11.)  
 Trefferlage 1.32 mm links, 0.48 mm hoch  
 Streuwert 2.09, horizontal: 2.61, vertikal: 1.40



Serie 3:

9.9 ↙ 10.0 ↙ 8.5 ↗ 9.9 ↓ 8.6 ←  
 10.5 \* 9.6 ↑ 10.8 \* 8.7 ← 9.9 ↑

beste Teiler 29.4 (28.) 106.3 (26.) 236.8 (22.)  
 Trefferlage 0.87 mm links, 0.08 mm hoch  
 Streuwert 2.73, horizontal: 3.20, vertikal: 2.15





Serie 4:

10.0 ↗ 9.8 ↘ 8.4 ← 9.3 ↙ 8.4 ↙  
 10.0 ← 9.5 ↙ 10.1 ↙ 8.7 ↙ 10.2 \*

beste Teiler 193.4 (40.) 223.3 (38.) 228.8 (31.)  
 Trefferlage 2.64 mm links, 1.10 mm tief  
 Streuwert 2.24, horizontal: 2.54, vertikal: 1.90


Unterschrift des Schützen

**Ergebnis: 329 (350.1)**  
**Serien: 84 78 83 84**  
**Zähler: 4 14 13 6 2 1 0 0 0 0**  
**Innenzehner: 4**  
**weiteste: 1266 (19), 1225 (24), 1001 (22)**  
**beste Teiler 95.1 (28.) 128.0 (30.) 138.2 (36.)**  
**Trefferlage 0.23 mm rechts, 1.98 mm hoch**  
**Streuwert 4.15, horizontal: 4.27, vertikal: 4.03**


**Serie 1:**


9.4 ↘      10.4 \*      8.8 ↘      9.0 ↘      7.8 ↑  
 8.7 ↘      8.2 ↘      7.4 ↑      9.8 ↑      9.6 ↘

**beste Teiler 140.6 (2.) 277.6 (9.) 333.6 (10.)**  
**Trefferlage 1.73 mm links, 4.12 mm hoch**  
**Streuwert 2.42, horizontal: 2.28, vertikal: 2.56**


**Serie 2:**


8.9 ↑      9.2 ↑      7.1 ↖      8.4 ↘      9.5 ↑  
 7.9 ↘      9.0 ↘      8.9 ↑      5.9 ↑      8.7 ↖

**beste Teiler 369.3 (15.) 442.7 (12.) 481.8 (17.)**  
**Trefferlage 0.81 mm links, 2.25 mm hoch**  
**Streuwert 4.93, horizontal: 4.53, vertikal: 5.29**


**Serie 3:**

8.7 ↑      6.9 ↘      8.6 ↗      6.1 ↘      9.9 ↘  
 8.6 ↘      9.3 ↘      10.6 \*      9.5 →      10.4 \*

**beste Teiler 95.1 (28.) 128.0 (30.) 251.4 (25.)**  
**Trefferlage 2.31 mm rechts, 0.06 mm tief**  
**Streuwert 4.33, horizontal: 4.17, vertikal: 4.49**




**Serie 4:**

7.5 →      9.0 ↘      9.2 ↘      9.8 ↗      9.3 ↘  
 10.4 \*      7.5 ↖      8.7 →      8.7 ↗      8.8 →


**beste Teiler 138.2 (36.) 277.9 (34.) 425.0 (35.)**  
**Trefferlage 1.17 mm rechts, 1.63 mm hoch**  
**Streuwert 3.89, horizontal: 4.94, vertikal: 2.42**

Unterschrift des Schützen


Ergebnis: **361** (376.4)  
 Serien: 91 92 91 87  
 Zähler: 16 12 9 3 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 780 (28), 760 (35), 752 (22)  
 beste Teiler 16.1 (9.) 103.0 (20.) 113.3 (12.)  
 Trefferlage 0.66 mm rechts, 0.30 mm hoch  
 Streuwert 3.15, horizontal: 3.94, vertikal: 2.07




Serie 1:  
 9.0 ↘ 8.3 → 9.9 ↘ 10.4 \* 9.2 ↘  
 10.0 ↘ 9.4 ↗ 8.9 → 10.9 \* 9.5 ↘  
 beste Teiler 16.1 (9.) 143.0 (4.) 236.7 (6.)  
 Trefferlage 0.15 mm rechts, 1.57 mm hoch  
 Streuwert 2.71, horizontal: 3.41, vertikal: 1.75



Serie 2:  
 8.4 ↘ 10.5 \* 9.2 → 10.5 \* 8.3 ←  
 9.1 ↘ 9.1 ↙ 9.4 ↘ 10.2 \* 10.5 \*  
 beste Teiler 103.0 (20.) 113.3 (12.) 119.0 (14.)  
 Trefferlage 0.41 mm links, 0.43 mm hoch  
 Streuwert 3.03, horizontal: 3.46, vertikal: 2.54



Serie 3:  
 9.1 ← 7.9 → 10.2 \* 9.5 ↙ 10.2 \*  
 10.2 \* 10.3 \* 7.8 → 9.7 ↗ 10.1 ↓  
 beste Teiler 166.3 (27.) 183.6 (23.) 190.2 (25.)  
 Trefferlage 1.27 mm rechts, 0.22 mm tief  
 Streuwert 3.02, horizontal: 4.06, vertikal: 1.33





Serie 4:  
 8.1 → 10.1 ↗ 10.4 \* 8.6 → 7.9 ↙  
 8.1 → 10.1 ↑ 10.5 \* 8.7 ← 8.2 ↘  
 beste Teiler 124.3 (38.) 131.0 (33.) 206.1 (32.)  
 Trefferlage 1.63 mm rechts, 0.56 mm tief  
 Streuwert 3.76, horizontal: 4.90, vertikal: 2.09


Unterschrift des Schützen




|              |                                        |    |    |    |   |   |   |   |   |         |
|--------------|----------------------------------------|----|----|----|---|---|---|---|---|---------|
| Ergebnis:    | <b>328</b>                             |    |    |    |   |   |   |   |   | (346.6) |
| Serien:      | 79                                     | 86 | 82 | 81 |   |   |   |   |   |         |
| Zähler:      | 4                                      | 14 | 11 | 8  | 3 | 0 | 0 | 0 | 0 | 0       |
| Innenzehner: | 2                                      |    |    |    |   |   |   |   |   |         |
| weiteste:    | 1204 (15), 1070 (5), 1004 (40)         |    |    |    |   |   |   |   |   |         |
| beste Teiler | 21.0 (20.) 123.7 (9.) 239.8 (12.)      |    |    |    |   |   |   |   |   |         |
| Trefferlage  | 1.78 mm links, 1.89 mm hoch            |    |    |    |   |   |   |   |   |         |
| Streuwert    | 4.13, horizontal: 4.54, vertikal: 3.68 |    |    |    |   |   |   |   |   |         |




|              |                                        |            |            |       |
|--------------|----------------------------------------|------------|------------|-------|
| Serie 1:     |                                        |            |            |       |
| 7.3 ↘        | 8.5 ↘                                  | 7.6 ↖      | 8.2 ↖      | 6.7 ↖ |
| 9.4 ↗        | 9.5 ↗                                  | 8.4 ↖      | 10.5 *     | 7.1 ↗ |
| beste Teiler | 123.7 (9.)                             | 358.6 (7.) | 398.1 (6.) |       |
| Trefferlage  | 3.30 mm links, 2.74 mm hoch            |            |            |       |
| Streuwert    | 4.27, horizontal: 4.41, vertikal: 4.12 |            |            |       |



|              |                                        |             |             |        |
|--------------|----------------------------------------|-------------|-------------|--------|
| Serie 2:     |                                        |             |             |        |
| 9.5 ↙        | 10.0 ↗                                 | 9.5 ↑       | 10.0 ↗      | 6.1 ↗  |
| 8.8 ↘        | 8.6 ↑                                  | 9.2 ↗       | 7.5 ↘       | 10.9 * |
| beste Teiler | 21.0 (20.)                             | 239.8 (12.) | 241.3 (14.) |        |
| Trefferlage  | 0.10 mm rechts, 3.04 mm hoch           |             |             |        |
| Streuwert    | 3.71, horizontal: 4.30, vertikal: 3.01 |             |             |        |





|              |                                        |             |             |       |
|--------------|----------------------------------------|-------------|-------------|-------|
| Serie 3:     |                                        |             |             |       |
| 8.9 ↖        | 9.3 ↖                                  | 9.0 ↙       | 9.4 ←       | 7.6 ← |
| 9.2 ↗        | 8.7 ↖                                  | 7.3 ↙       | 9.7 ↗       | 7.1 → |
| beste Teiler | 304.7 (29.)                            | 378.0 (24.) | 405.8 (22.) |       |
| Trefferlage  | 1.45 mm links, 0.46 mm hoch            |             |             |       |
| Streuwert    | 4.48, horizontal: 5.24, vertikal: 3.56 |             |             |       |




|              |                                        |             |             |       |
|--------------|----------------------------------------|-------------|-------------|-------|
| Serie 4:     |                                        |             |             |       |
| 9.5 ↗        | 7.7 ←                                  | 8.8 ↖       | 8.2 ↘       | 9.8 → |
| 9.9 ↘        | 8.9 ↖                                  | 9.0 ↑       | 8.4 ↘       | 6.9 ↙ |
| beste Teiler | 260.6 (36.)                            | 291.2 (35.) | 358.0 (31.) |       |
| Trefferlage  | 2.48 mm links, 1.31 mm hoch            |             |             |       |
| Streuwert    | 3.99, horizontal: 4.10, vertikal: 3.88 |             |             |       |

Unterschrift des Schützen


Ergebnis: **370** (389.8)  
 Serien: 91 90 93 96  
 Zähler: 15 21 3 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 972 (20), 725 (11), 580 (12)  
 beste Teiler 34.7 (13.) 79.2 (39.) 79.4 (15.)  
 Trefferlage 0.13 mm rechts, 0.20 mm tief  
 Streuwert 2.52, horizontal: 2.76, vertikal: 2.26




Serie 1:  
 9.3 ↘ 9.9 ↖ 9.5 ↓ 9.8 → 10.5 \*  
 10.3 \* 9.8 ↓ 8.9 ↖ 9.4 ↖ 9.8 ↖  
 beste Teiler 121.8 (5.) 152.3 (6.) 268.8 (2.)  
 Trefferlage 0.44 mm links, 0.09 mm hoch  
 Streuwert 2.42, horizontal: 2.32, vertikal: 2.52



Serie 2:  
 8.1 → 8.6 ↖ 10.8 \* 9.2 → 10.6 \*  
 10.3 \* 9.9 ↘ 9.2 → 10.1 ↖ 7.1 ↘  
 beste Teiler 34.7 (13.) 79.4 (15.) 164.8 (16.)  
 Trefferlage 1.86 mm rechts, 0.12 mm tief  
 Streuwert 3.34, horizontal: 3.65, vertikal: 2.99



Serie 3:  
 9.6 ↘ 9.9 → 9.9 ← 9.9 ← 10.2 \*  
 9.4 ↗ 9.7 ↙ 9.0 ↘ 10.6 \* 10.3 \*  
 beste Teiler 99.0 (29.) 173.4 (30.) 194.8 (25.)  
 Trefferlage 0.03 mm rechts, 0.61 mm tief  
 Streuwert 2.18, horizontal: 2.22, vertikal: 2.14





Serie 4:  
 10.2 \* 9.2 ← 9.9 ← 10.2 \* 9.4 ←  
 10.3 \* 10.1 ↓ 10.4 \* 10.6 \* 9.9 ↙  
 beste Teiler 79.2 (39.) 126.1 (38.) 163.8 (36.)  
 Trefferlage 0.91 mm links, 0.17 mm tief  
 Streuwert 1.78, horizontal: 2.11, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.6)  
 Serien: 89 90 92 89  
 Zähler: 10 20 10 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 690 (33), 625 (16), 606 (11)  
 beste Teiler 95.1 (19.) 96.3 (13.) 122.4 (20.)  
 Trefferlage 1.18 mm rechts, 0.22 mm tief  
 Streuwert 2.71, horizontal: 2.86, vertikal: 2.56




Serie 1:  
 9.3 ↑                      9.3 →                      8.9 ↗                      9.2 ↗                      10.0 ←  
 9.7 →                      10.3 \*                      9.3 →                      8.6 →                      8.9 →  
 beste Teiler 155.8 (7.) 241.5 (5.) 314.5 (6.)  
 Trefferlage 2.42 mm rechts, 0.90 mm hoch  
 Streuwert 2.45, horizontal: 2.69, vertikal: 2.17



Serie 2:  
 8.5 ↓                      8.8 →                      10.6 \*                      9.4 →                      9.5 ↗  
 8.5 →                      9.6 ↖                      9.6 ↖                      10.6 \*                      10.5 \*  
 beste Teiler 95.1 (19.) 96.3 (13.) 122.4 (20.)  
 Trefferlage 0.50 mm rechts, 1.27 mm tief  
 Streuwert 2.80, horizontal: 3.40, vertikal: 2.02



Serie 3:  
 9.4 →                      10.3 \*                      8.6 →                      9.0 ↓                      9.9 ↗  
 9.7 →                      10.3 \*                      10.3 \*                      8.9 ↖                      10.4 \*  
 beste Teiler 141.0 (30.) 151.3 (28.) 157.3 (22.)  
 Trefferlage 0.49 mm rechts, 0.55 mm tief  
 Streuwert 2.59, horizontal: 3.00, vertikal: 2.10





Serie 4:  
 9.7 →                      10.0 →                      8.2 ↑                      9.6 ↓                      9.4 ↗  
 9.7 ↓                      8.7 →                      9.2 ↓                      9.4 ↗                      9.8 →  
 beste Teiler 233.3 (32.) 297.3 (40.) 302.8 (31.)  
 Trefferlage 1.31 mm rechts, 0.03 mm hoch  
 Streuwert 2.93, horizontal: 2.22, vertikal: 3.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (396.4)  
 Serien: 93 95 93 94  
 Zähler: 18 19 3 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 692 (9), 585 (19), 524 (36)  
 beste Teiler 54.5 (25.) 60.0 (32.) 64.4 (37.)  
 Trefferlage 0.35 mm links, 0.48 mm hoch  
 Streuwert 2.12, horizontal: 2.45, vertikal: 1.73




Serie 1:  
 9.8 → 9.2 ↑ 10.3 \* 10.3 \* 10.2 \*  
 9.5 ↘ 9.1 → 9.9 ↘ 8.2 ↘ 10.6 \*  
 beste Teiler 94.5 (10.) 169.9 (4.) 174.4 (3.)  
 Trefferlage 1.25 mm rechts, 0.06 mm tief  
 Streuwert 2.47, horizontal: 2.46, vertikal: 2.48



Serie 2:  
 9.9 ↘ 10.6 \* 10.2 \* 9.5 ← 10.7 \*  
 10.6 \* 9.1 ↘ 10.4 \* 8.6 ↘ 10.3 \*  
 beste Teiler 68.0 (15.) 79.3 (16.) 100.3 (12.)  
 Trefferlage 0.75 mm links, 0.48 mm hoch  
 Streuwert 2.10, horizontal: 2.63, vertikal: 1.39



Serie 3:  
 9.4 ↘ 9.7 → 9.9 ↘ 9.9 → 10.7 \*  
 9.3 ← 10.4 \* 9.8 ↗ 10.3 \* 9.7 ↗  
 beste Teiler 54.5 (25.) 138.1 (27.) 159.4 (29.)  
 Trefferlage 0.54 mm links, 0.30 mm hoch  
 Streuwert 2.03, horizontal: 2.39, vertikal: 1.60





Serie 4:  
 9.8 ↘ 10.7 \* 10.5 \* 9.4 ← 10.3 \*  
 8.9 ↘ 10.7 \* 10.4 \* 9.8 ↘ 9.8 ↑  
 beste Teiler 60.0 (32.) 64.4 (37.) 101.1 (33.)  
 Trefferlage 1.36 mm links, 1.19 mm hoch  
 Streuwert 1.51, horizontal: 1.80, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **283** (299.0)  
 Serien: 70 72 73 68  
 Zähler: 3 7 9 9 4 5 0 2 0 0  
 Innenzehner: 2  
 weiteste: 2544 (21), 1946 (40), 1781 (5)  
 beste Teiler 8.9 (25.) 167.7 (10.) 223.1 (31.)  
 Trefferlage 3.65 mm links, 0.74 mm hoch  
 Streuwert 6.68, horizontal: 7.58, vertikal: 5.64




Serie 1:  
 9.7 ↑ 5.7 ↖ 7.6 ↑ 8.0 ↓ 3.8 ←  
 8.0 ↘ 7.0 ← 6.1 ↗ 7.0 ↑ 10.3 \*  
 beste Teiler 167.7 (10.) 316.1 (1.) 738.8 (6.)  
 Trefferlage 5.19 mm links, 1.45 mm hoch  
 Streuwert 6.40, horizontal: 6.35, vertikal: 6.45



Serie 2:  
 8.0 ↓ 8.8 ↗ 8.7 ← 9.6 ↖ 7.6 ↘  
 6.7 ↘ 5.2 ← 5.7 → 9.3 ↗ 7.1 ↑  
 beste Teiler 336.4 (14.) 422.1 (19.) 529.2 (12.)  
 Trefferlage 0.18 mm links, 0.66 mm hoch  
 Streuwert 6.66, horizontal: 7.34, vertikal: 5.89





Serie 3:  
 0.0 ↖ 8.8 ↓ 9.0 ↘ 9.3 ↖ 10.9 \*  
 8.8 → 9.5 ↘ 6.5 ↓ 7.1 ← 7.0 ←  
 beste Teiler 8.9 (25.) 361.2 (27.) 403.8 (24.)  
 Trefferlage 3.35 mm links, 1.02 mm tief  
 Streuwert 7.27, horizontal: 8.23, vertikal: 6.15



Serie 4:  
 10.1 ↑ 9.3 ↖ 7.6 ↘ 5.3 ← 6.2 ↖  
 8.5 ↑ 8.9 → 5.9 ← 7.2 ← 3.2 ↖  
 beste Teiler 223.1 (31.) 420.8 (32.) 525.1 (37.)  
 Trefferlage 5.85 mm links, 1.87 mm hoch  
 Streuwert 6.46, horizontal: 8.08, vertikal: 4.28

Unterschrift des Schützen


Ergebnis: **334** (352.4)  
 Serien: 81 82 83 88  
 Zähler: 6 16 10 4 2 2 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1489 (20), 1478 (2), 1044 (18)  
 beste Teiler 175.3 (27.) 182.7 (37.) 184.3 (30.)  
 Trefferlage 0.00 mm , 0.76 mm hoch  
 Streuwert 4.44, horizontal: 4.62, vertikal: 4.26



Serie 1:

7.7 ↘                      5.0 ←                      8.8 →                      8.3 ↗                      8.2 →  
 9.9 →                      10.0 ↗                      8.9 ←                      9.6 →                      9.9 ←


beste Teiler 241.1 (7.) 254.1 (6.) 258.8 (10.)  
 Trefferlage 0.34 mm links, 1.34 mm hoch  
 Streuwert 4.97, horizontal: 6.56, vertikal: 2.52



Serie 2:

9.2 ↑                      10.2 \*                      9.4 ↑                      9.4 ↘                      7.1 →  
 10.2 \*                      8.3 ↗                      6.8 ↘                      9.5 ↑                      5.0 ↘


beste Teiler 184.4 (12.) 196.0 (16.) 365.1 (19.)  
 Trefferlage 0.44 mm rechts, 4.30 mm hoch  
 Streuwert 4.42, horizontal: 4.59, vertikal: 4.24



Serie 3:

9.1 →                      7.2 ←                      8.6 ↘                      6.9 ↘                      8.7 ↓  
 8.7 →                      10.3 \*                      8.8 ↘                      9.9 ↗                      10.2 \*

beste Teiler 175.3 (27.) 184.3 (30.) 253.7 (29.)  
 Trefferlage 0.43 mm links, 0.21 mm tief  
 Streuwert 4.40, horizontal: 4.58, vertikal: 4.22



Serie 4:



9.2 ↗                      8.8 ↘                      9.9 ↙                      9.7 ↑                      9.9 ↘  
 9.0 ↓                      10.2 \*                      9.2 ↙                      9.1 ↙                      7.6 ↓

beste Teiler 182.7 (37.) 257.0 (35.) 275.5 (33.)  
 Trefferlage 0.32 mm rechts, 2.37 mm tief  
 Streuwert 2.91, horizontal: 2.57, vertikal: 3.21

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306** (327.6)  
 Serien: 84 76 76 70  
 Zähler: 6 6 10 10 4 2 2 0 0 0  
 Innenzehner: 4  
 weiteste: 1748 (39), 1514 (12), 1272 (15)  
 beste Teiler 33.1 (3.) 38.2 (24.) 113.4 (18.)  
 Trefferlage 5.68 mm links, 0.10 mm tief  
 Streuwert 3.99, horizontal: 4.77, vertikal: 3.00



Serie 1:

9.2 ↖ 9.8 ↙ 10.8 \* 10.4 \* 9.2 ↖  
 7.7 ↖ 8.7 ↗ 8.5 ↖ 7.1 ↙ 7.5 ↖


beste Teiler 33.1 (3.) 145.2 (4.) 282.3 (2.)  
 Trefferlage 3.48 mm links, 1.71 mm hoch  
 Streuwert 3.30, horizontal: 3.36, vertikal: 3.24



Serie 2:

7.7 ↙ 4.9 ← 8.8 ← 7.9 ↖ 5.9 ←  
 10.1 ↖ 9.6 ← 10.5 \* 8.6 ← 8.7 →


beste Teiler 113.4 (18.) 224.8 (16.) 331.5 (17.)  
 Trefferlage 5.40 mm links, 0.01 mm hoch  
 Streuwert 4.31, horizontal: 5.84, vertikal: 1.76



Serie 3:

6.7 ↙ 9.9 ↑ 6.9 ↙ 10.8 \* 7.1 ←  
 7.9 ↙ 10.1 ← 7.7 ← 5.9 ← 9.2 ↓

beste Teiler 38.2 (24.) 216.1 (27.) 261.3 (22.)  
 Trefferlage 5.47 mm links, 1.74 mm tief  
 Streuwert 4.08, horizontal: 5.00, vertikal: 2.88



Serie 4:



8.3 ↖ 8.1 ← 8.6 ↖ 7.4 ↙ 8.8 ←  
 6.4 ↙ 7.0 ← 8.5 ↖ 4.0 ← 6.7 ↙

beste Teiler 540.0 (35.) 585.3 (33.) 604.3 (38.)  
 Trefferlage 8.36 mm links, 0.40 mm tief  
 Streuwert 3.55, horizontal: 3.85, vertikal: 3.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (362.4)  
 Serien: 85 89 88 83  
 Zähler: 10 14 8 7 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1015 (38), 925 (6), 905 (17)  
 beste Teiler 113.0 (15.) 115.8 (27.) 132.0 (1.)  
 Trefferlage 1.26 mm rechts, 0.10 mm hoch  
 Streuwert 3.76, horizontal: 3.60, vertikal: 3.91




Serie 1:  
 10.4 \* 7.4 ↘ 10.0 ↘ 10.4 \* 8.9 ↘  
 7.3 ↘ 7.5 ↗ 7.9 → 10.1 ↘ 9.5 ↙  
 beste Teiler 132.0 (1.) 146.0 (4.) 206.3 (9.)  
 Trefferlage 3.32 mm rechts, 1.62 mm tief  
 Streuwert 3.42, horizontal: 3.24, vertikal: 3.58



Serie 2:  
 9.4 → 9.4 ↗ 10.4 \* 9.5 ↙ 10.5 \*  
 9.8 ↘ 7.3 ↙ 9.4 ↘ 8.1 ↘ 9.5 →  
 beste Teiler 113.0 (15.) 133.1 (13.) 281.0 (16.)  
 Trefferlage 0.32 mm rechts, 0.68 mm tief  
 Streuwert 3.42, horizontal: 3.39, vertikal: 3.45



Serie 3:  
 8.6 ↘ 10.1 ↘ 7.6 ↗ 10.2 \* 9.7 ↘  
 8.8 ↘ 10.5 \* 8.2 ↘ 8.0 ↘ 10.0 →  
 beste Teiler 115.8 (27.) 194.0 (24.) 207.0 (22.)  
 Trefferlage 0.05 mm links, 1.25 mm hoch  
 Streuwert 3.69, horizontal: 4.18, vertikal: 3.14





Serie 4:  
 9.2 ↘ 8.7 → 9.4 ↘ 9.9 ↘ 9.0 ↑  
 7.5 ↘ 8.5 ↘ 6.9 ↗ 9.4 ↑ 9.5 ↘  
 beste Teiler 266.5 (34.) 371.3 (40.) 376.6 (33.)  
 Trefferlage 1.46 mm rechts, 1.49 mm hoch  
 Streuwert 4.07, horizontal: 3.02, vertikal: 4.90

Unterschrift des Schützen

Meyton Elektronik




Ergebnis: **318** (336.0)  
 Serien: 78 79 78 83  
 Zähler: 3 13 12 8 1 1 2 0 0 0  
 Innenzehner: 2  
 weiteste: 1560 (23), 1524 (17), 1260 (38)  
 beste Teiler 78.3 (15.) 110.6 (29.) 205.4 (31.)  
 Trefferlage 0.81 mm links, 2.59 mm hoch  
 Streuwert 4.77, horizontal: 6.07, vertikal: 2.93



Serie 1:

7.8 ↗ 7.5 ← 7.6 ↗ 7.3 ← 9.0 →  
 9.4 ↗ 7.6 ↘ 8.1 ↗ 9.1 ↑ 8.6 ↑


beste Teiler 383.0 (6.) 458.0 (9.) 491.6 (5.)  
 Trefferlage 0.64 mm rechts, 2.87 mm hoch  
 Streuwert 4.79, horizontal: 6.41, vertikal: 2.21



Serie 2:

9.4 ↘ 9.6 ↗ 9.7 ↑ 8.6 ↘ 10.6 \*  
 7.5 → 4.9 ↗ 6.1 ↘ 9.1 ↘ 8.2 ↗


beste Teiler 78.3 (15.) 303.2 (13.) 342.1 (12.)  
 Trefferlage 1.34 mm rechts, 2.48 mm hoch  
 Streuwert 5.36, horizontal: 6.90, vertikal: 3.12



Serie 3:

8.8 ↗ 7.7 ↘ 4.7 ↘ 9.6 → 8.0 ↘  
 7.9 ↘ 8.0 ← 9.7 ← 10.5 \* 8.5 ↗

beste Teiler 110.6 (29.) 325.0 (28.) 329.7 (24.)  
 Trefferlage 2.98 mm links, 3.08 mm hoch  
 Streuwert 4.61, horizontal: 5.48, vertikal: 3.53





Serie 4:

10.1 ↓ 9.8 ↗ 9.4 ↘ 8.8 ← 9.2 ↑  
 8.1 ↗ 8.0 ↘ 5.9 ↘ 8.1 ↗ 9.5 ←

beste Teiler 205.4 (31.) 284.2 (32.) 369.5 (40.)  
 Trefferlage 2.27 mm links, 1.93 mm hoch  
 Streuwert 4.18, horizontal: 5.09, vertikal: 3.02

Unterschrift des Schützen


Ergebnis: **358** (379.8)  
 Serien: 90 88 89 91  
 Zähler: 10 21 6 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 968 (36), 930 (25), 814 (6)  
 beste Teiler 73.0 (5.) 111.3 (19.) 126.6 (37.)  
 Trefferlage 0.38 mm rechts, 0.76 mm tief  
 Streuwert 2.96, horizontal: 3.71, vertikal: 1.93



Serie 1:

9.9 ↘ 9.7 ↖ 8.8 ← 9.6 → 10.7 \*  
 7.7 → 10.3 \* 9.7 ↙ 10.4 \* 9.2 ↓


beste Teiler 73.0 (5.) 133.7 (9.) 173.1 (7.)  
 Trefferlage 0.66 mm rechts, 0.37 mm tief  
 Streuwert 2.91, horizontal: 3.57, vertikal: 2.04



Serie 2:

8.9 → 9.9 ↘ 9.8 → 8.3 ← 9.5 ↖  
 9.7 ↘ 9.9 → 8.4 ↙ 10.5 \* 9.5 ←


beste Teiler 111.3 (19.) 262.1 (17.) 268.4 (12.)  
 Trefferlage 0.17 mm links, 0.68 mm tief  
 Streuwert 3.01, horizontal: 3.57, vertikal: 2.33



Serie 3:

10.3 \* 9.7 ↙ 8.3 → 9.9 ↘ 7.2 ←  
 9.6 ↓ 10.1 → 10.4 \* 9.7 ← 8.4 →

beste Teiler 126.8 (28.) 168.2 (21.) 210.0 (27.)  
 Trefferlage 0.14 mm rechts, 0.56 mm tief  
 Streuwert 3.45, horizontal: 4.55, vertikal: 1.78





Serie 4:

9.7 ↙ 9.4 ← 9.5 ↖ 10.1 ↓ 10.2 \*  
 7.1 → 10.4 \* 9.9 → 9.8 ↘ 9.7 →


beste Teiler 126.6 (37.) 184.3 (35.) 218.7 (34.)  
 Trefferlage 0.88 mm rechts, 1.44 mm tief  
 Streuwert 2.76, horizontal: 3.55, vertikal: 1.62

Unterschrift des Schützen


Ergebnis: **376** (396.8)  
 Serien: 96 93 93 94  
 Zähler: 20 16 4 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 619 (32), 543 (21), 535 (17)  
 beste Teiler 20.2 (28.) 54.1 (31.) 58.0 (1.)  
 Trefferlage 0.37 mm links, 0.08 mm tief  
 Streuwert 2.12, horizontal: 2.50, vertikal: 1.67




Serie 1:  
 10.7 \* 10.4 \* 10.0 ↘ 9.4 → 10.6 \*  
 9.9 ← 9.7 ← 10.4 \* 10.1 ↓ 9.9 →  
 beste Teiler 58.0 (1.) 82.2 (5.) 134.0 (2.)  
 Trefferlage 0.06 mm rechts, 0.04 mm tief  
 Streuwert 1.74, horizontal: 2.19, vertikal: 1.11



Serie 2:  
 10.0 ↓ 9.6 ↓ 9.8 ← 9.8 ↘ 9.6 ↖  
 10.2 \* 8.8 ← 10.6 \* 9.2 ↘ 10.7 \*  
 beste Teiler 61.6 (20.) 96.6 (18.) 179.9 (16.)  
 Trefferlage 0.38 mm links, 1.21 mm tief  
 Streuwert 2.11, horizontal: 2.57, vertikal: 1.52





Serie 3:  
 8.8 ← 10.7 \* 10.0 ↓ 10.2 \* 9.3 ↖  
 9.5 ↗ 10.5 \* 10.9 \* 9.8 → 8.9 →  
 beste Teiler 20.2 (28.) 65.7 (22.) 102.3 (27.)  
 Trefferlage 0.16 mm links, 0.23 mm tief  
 Streuwert 2.41, horizontal: 2.98, vertikal: 1.66




Serie 4:  
 10.7 \* 8.5 ↗ 9.3 ↖ 10.3 \* 9.5 ↖  
 10.4 \* 9.4 ↖ 9.9 ← 10.1 ← 10.7 \*  
 beste Teiler 54.1 (31.) 63.0 (40.) 132.4 (36.)  
 Trefferlage 1.03 mm links, 1.15 mm hoch  
 Streuwert 2.07, horizontal: 2.44, vertikal: 1.61

Unterschrift des Schützen


Ergebnis: **382** (401.8)  
 Serien: 95 99 94 94  
 Zähler: 22 18 0 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 470 (28), 410 (9), 390 (1)  
 beste Teiler 58.6 (11.) 73.7 (29.) 84.3 (18.)  
 Trefferlage 0.56 mm links, 0.41 mm hoch  
 Streuwert 1.72, horizontal: 1.85, vertikal: 1.57




Serie 1:  
 9.4 ← 9.9 ↘ 9.8 ↗ 9.7 ↘ 10.5 \*  
 10.6 \* 10.4 \* 10.4 \* 9.3 ↙ 10.0 ↑  
 beste Teiler 93.0 (6.) 121.2 (5.) 140.0 (7.)  
 Trefferlage 1.26 mm links, 0.25 mm hoch  
 Streuwert 1.70, horizontal: 1.73, vertikal: 1.67



Serie 2:  
 10.7 \* 10.4 \* 10.1 ↑ 9.7 ↗ 10.3 \*  
 10.6 \* 10.3 \* 10.6 \* 10.0 ↑ 10.5 \*  
 beste Teiler 58.6 (11.) 84.3 (18.) 100.1 (16.)  
 Trefferlage 0.34 mm rechts, 1.08 mm hoch  
 Streuwert 0.98, horizontal: 1.00, vertikal: 0.95



Serie 3:  
 10.0 ↘ 9.5 ← 9.9 ↗ 10.1 ↗ 9.9 ↘  
 9.8 ↘ 9.8 ↑ 9.1 ↗ 10.7 \* 10.1 ↗  
 beste Teiler 73.7 (29.) 219.9 (30.) 221.8 (24.)  
 Trefferlage 0.34 mm rechts, 0.10 mm hoch  
 Streuwert 2.12, horizontal: 2.34, vertikal: 1.88



Serie 4:  
 9.7 ↗ 9.4 ← 9.9 ↗ 9.7 ↘ 9.8 ←  
 10.5 \* 10.5 \* 10.3 \* 9.8 ↘ 10.1 ↗  
 beste Teiler 118.0 (37.) 123.6 (36.) 159.0 (38.)  
 Trefferlage 1.68 mm links, 0.20 mm hoch  
 Streuwert 1.48, horizontal: 1.27, vertikal: 1.66

Unterschrift des Schützen

**LG 40 – Wertung – Damen I****StartNr: 372**



StandNr: 61

2. Februar 2020 12:43


**Aufderheide, Maike** #368

5400 Visier Ennigerloh


Ergebnis: **366** (382.5)  
Serien: 94 95 89 88  
Zähler: 15 17 7 1 0 0 0 0 0 0  
Innenzehner: 8  
weiteste: 779 (36), 730 (32), 670 (40)  
beste Teiler 91.0 (2.) 114.4 (28.) 115.8 (20.)  
Trefferlage 0.48 mm links, 1.26 mm hoch  
Streuwert 2.61, horizontal: 3.07, vertikal: 2.05




Serie 1:  
9.9 ↑ 10.6 \* 9.0 ↘ 10.0 ← 10.3 \*  
9.3 ↙ 9.7 ← 10.3 \* 9.3 → 9.4 ↘  
beste Teiler 91.0 (2.) 153.5 (8.) 154.4 (5.)  
Trefferlage 1.11 mm links, 1.12 mm hoch  
Streuwert 2.08, horizontal: 2.61, vertikal: 1.35



Serie 2:  
10.1 ↑ 10.1 → 10.3 \* 8.8 ↑ 9.6 ↘  
10.1 ↙ 10.1 ↘ 9.3 → 9.8 ↗ 10.5 \*  
beste Teiler 115.8 (20.) 168.3 (13.) 210.6 (16.)  
Trefferlage 0.44 mm rechts, 1.00 mm hoch  
Streuwert 2.04, horizontal: 2.06, vertikal: 2.03





Serie 3:  
8.7 ↙ 9.9 ↘ 9.4 ← 9.6 ↘ 10.2 \*  
8.7 ↗ 9.6 ↗ 10.5 \* 9.9 ↘ 8.5 ←  
beste Teiler 114.4 (28.) 179.9 (25.) 253.1 (29.)  
Trefferlage 0.66 mm links, 0.43 mm hoch  
Streuwert 2.88, horizontal: 3.51, vertikal: 2.06




Serie 4:  
10.1 ↗ 8.0 ← 10.2 \* 9.3 ↑ 9.2 ↙  
7.8 ↗ 9.3 ↘ 8.7 ↗ 10.1 ↘ 8.3 ↘  
beste Teiler 189.7 (33.) 203.0 (39.) 219.1 (31.)  
Trefferlage 0.60 mm links, 2.49 mm hoch  
Streuwert 3.27, horizontal: 3.99, vertikal: 2.33

Unterschrift des Schützen


Ergebnis: **365** (385.6)  
 Serien: 94 95 85 91  
 Zähler: 15 18 4 3 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 880 (30), 857 (33), 789 (27)  
 beste Teiler 20.3 (24.) 27.7 (23.) 56.9 (17.)  
 Trefferlage 0.22 mm links, 0.56 mm tief  
 Streuwert 2.75, horizontal: 2.86, vertikal: 2.64




Serie 1:  
 9.7 ← 9.4 ↓ 9.8 ↗ 10.3 \* 9.8 ↘  
 9.4 → 10.1 → 10.5 \* 10.2 \* 9.2 ↘  
 beste Teiler 110.1 (8.) 175.2 (4.) 181.9 (9.)  
 Trefferlage 0.47 mm links, 1.43 mm tief  
 Streuwert 1.91, horizontal: 2.07, vertikal: 1.74



Serie 2:  
 9.4 → 9.9 ← 9.7 ↗ 9.8 → 9.5 ↘  
 10.3 \* 10.7 \* 10.4 \* 10.0 ↘ 10.5 \*  
 beste Teiler 56.9 (17.) 114.7 (20.) 146.4 (18.)  
 Trefferlage 0.22 mm rechts, 0.23 mm tief  
 Streuwert 1.88, horizontal: 2.21, vertikal: 1.48



Serie 3:  
 8.5 ↓ 10.0 ↓ 10.8 \* 10.9 \* 8.7 ←  
 8.9 → 7.8 ← 9.6 ← 8.8 ↓ 7.4 →  
 beste Teiler 20.3 (24.) 27.7 (23.) 246.3 (22.)  
 Trefferlage 0.33 mm links, 0.89 mm tief  
 Streuwert 3.92, horizontal: 4.78, vertikal: 2.80





Serie 4:  
 10.6 \* 9.5 ↓ 7.5 ↑ 9.8 ↗ 10.1 →  
 9.2 ↓ 9.1 ↘ 10.6 \* 9.6 ↗ 9.6 ↘  
 beste Teiler 90.6 (31.) 96.0 (38.) 207.8 (35.)  
 Trefferlage 0.30 mm links, 0.29 mm hoch  
 Streuwert 3.03, horizontal: 1.76, vertikal: 3.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.1)  
 Serien: 86 88 95 88  
 Zähler: 12 16 9 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 824 (6), 756 (39), 751 (40)  
 beste Teiler 35.3 (22.) 65.7 (37.) 70.6 (30.)  
 Trefferlage 0.97 mm rechts, 0.87 mm hoch  
 Streuwert 2.97, horizontal: 2.75, vertikal: 3.17




Serie 1:  
 9.2 ↗ 10.0 ↘ 8.4 ↗ 8.4 ↑ 9.7 ↘  
 7.7 ↘ 9.1 → 8.8 ↓ 8.8 ↗ 10.4 \*  
 beste Teiler 149.1 (10.) 250.3 (2.) 320.8 (5.)  
 Trefferlage 1.60 mm rechts, 1.82 mm hoch  
 Streuwert 3.42, horizontal: 2.73, vertikal: 3.98



Serie 2:  
 9.3 ↗ 9.3 → 9.5 ↘ 10.2 \* 9.3 ↗  
 9.9 → 8.1 → 8.2 ↑ 8.7 → 9.5 ↘  
 beste Teiler 177.6 (14.) 254.8 (16.) 352.0 (13.)  
 Trefferlage 2.53 mm rechts, 0.87 mm hoch  
 Streuwert 2.83, horizontal: 2.61, vertikal: 3.03





Serie 3:  
 10.0 ↑ 10.8 \* 9.7 ↓ 10.3 \* 9.7 ↗  
 10.0 ↑ 8.7 ↖ 9.8 ↑ 10.3 \* 10.7 \*  
 beste Teiler 35.3 (22.) 70.6 (30.) 155.6 (24.)  
 Trefferlage 0.26 mm links, 0.07 mm hoch  
 Streuwert 2.05, horizontal: 1.71, vertikal: 2.35



Serie 4:  
 10.7 \* 8.9 ↘ 9.1 → 10.0 → 9.9 →  
 9.7 ↗ 10.7 \* 9.8 ← 7.9 ↑ 7.9 ↖  
 beste Teiler 65.7 (37.) 72.4 (31.) 240.3 (34.)  
 Trefferlage 0.01 mm rechts, 0.73 mm hoch  
 Streuwert 3.24, horizontal: 3.10, vertikal: 3.37

Unterschrift des Schützen


Ergebnis: **305** (326.0)  
 Serien: 79 67 77 82  
 Zähler: 6 9 6 9 4 5 1 0 0 0  
 Innenzehner: 6  
 weiteste: 1571 (15), 1443 (8), 1364 (33)  
 beste Teiler 25.2 (4.) 72.9 (35.) 83.4 (40.)  
 Trefferlage 0.70 mm rechts, 1.68 mm hoch  
 Streuwert 5.72, horizontal: 6.94, vertikal: 4.15



Serie 1:

7.8 ↗ 7.6 ↗ 8.1 ↖ 10.9 \* 8.5 ↑  
 9.1 ↖ 9.0 ↑ 5.2 → 9.9 → 7.1 →


beste Teiler 25.2 (4.) 268.0 (9.) 474.6 (6.)  
 Trefferlage 2.62 mm rechts, 1.96 mm hoch  
 Streuwert 5.10, horizontal: 6.35, vertikal: 3.41



Serie 2:

5.6 → 6.8 ↖ 5.9 ↖ 9.0 ↘ 4.7 ←  
 6.7 → 7.6 ↖ 6.3 ↗ 10.3 \* 9.2 →


beste Teiler 163.1 (19.) 446.7 (20.) 490.7 (14.)  
 Trefferlage 0.06 mm rechts, 2.13 mm hoch  
 Streuwert 7.50, horizontal: 9.63, vertikal: 4.43



Serie 3:

7.1 → 8.5 ↖ 7.1 ↖ 8.7 ↗ 8.9 ↖  
 6.8 ↖ 9.9 → 9.9 ↙ 10.5 \* 5.7 ←

beste Teiler 109.0 (29.) 261.4 (28.) 272.8 (27.)  
 Trefferlage 1.75 mm links, 1.17 mm hoch  
 Streuwert 5.46, horizontal: 6.59, vertikal: 4.04



Serie 4:

10.3 \* 9.5 → 5.5 ↑ 8.4 ↘ 10.7 \*  
 7.7 ↗ 9.9 ↘ 7.5 ↖ 7.5 → 10.6 \*



beste Teiler 72.9 (35.) 83.4 (40.) 175.0 (31.)  
 Trefferlage 1.88 mm rechts, 1.45 mm hoch  
 Streuwert 4.79, horizontal: 4.41, vertikal: 5.15

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **348** (366.2)  
 Serien: 87 87 86 88  
 Zähler: 8 17 10 5 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 943 (22), 888 (12), 885 (40)  
 beste Teiler 50.2 (4.) 55.7 (36.) 57.3 (27.)  
 Trefferlage 0.66 mm links, 0.20 mm hoch  
 Streuwert 3.60, horizontal: 3.60, vertikal: 3.61




Serie 1:  
 9.8 → 9.8 ↙ 9.1 ↙ 10.8 \* 8.3 ↓  
 9.6 ↘ 8.7 ← 9.6 ↑ 8.8 ↙ 8.4 ↖  
 beste Teiler 50.2 (4.) 286.8 (2.) 295.2 (1.)  
 Trefferlage 2.08 mm links, 0.31 mm tief  
 Streuwert 3.02, horizontal: 2.99, vertikal: 3.04



Serie 2:  
 9.1 ↑ 7.4 ↘ 9.0 ↓ 10.1 ↓ 8.2 →  
 10.1 ↑ 10.3 \* 7.8 ↓ 9.4 ↖ 8.4 ↘  
 beste Teiler 171.1 (17.) 204.6 (14.) 207.8 (16.)  
 Trefferlage 0.54 mm rechts, 0.52 mm tief  
 Streuwert 4.07, horizontal: 4.04, vertikal: 4.10



Serie 3:  
 9.2 → 7.2 ↘ 9.5 ↙ 8.9 ← 8.7 ↙  
 7.7 ↑ 10.7 \* 9.9 ↑ 10.6 \* 9.6 ↓  
 beste Teiler 57.3 (27.) 87.0 (29.) 268.0 (28.)  
 Trefferlage 1.07 mm links, 0.60 mm hoch  
 Streuwert 3.76, horizontal: 3.70, vertikal: 3.82





Serie 4:  
 9.0 ↓ 9.2 ↘ 8.2 ↖ 8.9 ↗ 9.5 ↗  
 10.7 \* 9.6 ↗ 10.0 ↓ 9.0 ← 7.4 ↖  
 beste Teiler 55.7 (36.) 226.0 (38.) 347.7 (37.)  
 Trefferlage 0.03 mm links, 1.03 mm hoch  
 Streuwert 3.66, horizontal: 3.56, vertikal: 3.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.5)  
 Serien: 95 88 92 85  
 Zähler: 16 13 6 5 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 818 (11), 802 (30), 792 (31)  
 beste Teiler 76.2 (13.) 96.9 (18.) 115.0 (6.)  
 Trefferlage 0.25 mm links, 0.04 mm hoch  
 Streuwert 3.11, horizontal: 4.01, vertikal: 1.78




Serie 1:  
 10.4 \* 10.1 ↗ 10.0 ↓ 8.8 ↘ 10.2 \*  
 10.5 \* 9.3 ↖ 10.3 \* 9.0 → 9.8 →  
 beste Teiler 115.0 (6.) 149.3 (1.) 175.4 (8.)  
 Trefferlage 0.59 mm rechts, 0.46 mm tief  
 Streuwert 2.27, horizontal: 2.86, vertikal: 1.45



Serie 2:  
 7.7 ↖ 7.8 ← 10.6 \* 7.9 → 10.1 ↗  
 9.6 ↘ 10.2 \* 10.6 \* 10.3 \* 8.7 ↖  
 beste Teiler 76.2 (13.) 96.9 (18.) 152.7 (19.)  
 Trefferlage 1.05 mm links, 0.44 mm tief  
 Streuwert 3.59, horizontal: 4.64, vertikal: 2.04



Serie 3:  
 9.9 ↘ 10.2 \* 10.1 ← 9.2 ↘ 10.0 ↖  
 9.5 → 9.5 ↘ 9.8 → 10.4 \* 7.7 ↖  
 beste Teiler 129.7 (29.) 186.0 (22.) 207.2 (23.)  
 Trefferlage 0.16 mm links, 0.55 mm hoch  
 Streuwert 2.75, horizontal: 3.55, vertikal: 1.61





Serie 4:  
 7.8 ↖ 9.5 → 9.6 → 8.6 → 10.4 \*  
 9.9 ↖ 8.3 ↖ 8.7 ↘ 9.5 ↖ 8.0 →  
 beste Teiler 148.6 (35.) 261.9 (36.) 339.9 (33.)  
 Trefferlage 0.38 mm links, 0.53 mm hoch  
 Streuwert 3.85, horizontal: 5.09, vertikal: 1.96

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (395.5)  
 Serien: 93 95 95 96  
 Zähler: 20 19 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 537 (24), 499 (27), 493 (2)  
 beste Teiler 44.3 (21.) 63.1 (26.) 104.0 (28.)  
 Trefferlage 0.85 mm rechts, 0.32 mm hoch  
 Streuwert 1.98, horizontal: 2.21, vertikal: 1.72



Serie 1:

9.9 ↘ 9.0 ↗ 9.9 ↖ 9.3 ↗ 10.4 \*  
 9.3 → 9.9 ↓ 9.9 ↙ 10.1 ↘ 10.0 ↙


beste Teiler 131.2 (5.) 213.8 (9.) 233.5 (10.)  
 Trefferlage 0.72 mm rechts, 0.22 mm hoch  
 Streuwert 2.25, horizontal: 2.56, vertikal: 1.90



Serie 2:

10.1 ↗ 9.6 ↑ 9.9 ↑ 9.6 ↗ 10.3 \*  
 10.1 ↙ 10.1 ↖ 10.0 ↘ 9.6 ↙ 9.4 →


beste Teiler 159.7 (15.) 213.2 (17.) 214.6 (16.)  
 Trefferlage 0.19 mm rechts, 0.65 mm hoch  
 Streuwert 2.05, horizontal: 2.22, vertikal: 1.86



Serie 3:

10.8 \* 9.7 ↙ 10.1 ↓ 8.8 → 10.3 \*  
 10.7 \* 9.0 ↘ 10.5 \* 10.1 ↗ 9.5 →

beste Teiler 44.3 (21.) 63.1 (26.) 104.0 (28.)  
 Trefferlage 1.27 mm rechts, 0.19 mm tief  
 Streuwert 2.02, horizontal: 2.42, vertikal: 1.51



Serie 4:



9.5 ↗ 10.2 \* 9.9 ↘ 10.1 → 10.1 ↑  
 10.0 → 10.4 \* 10.5 \* 9.1 ↗ 9.8 ↗

beste Teiler 121.0 (38.) 147.0 (37.) 177.7 (32.)  
 Trefferlage 1.20 mm rechts, 0.60 mm hoch  
 Streuwert 1.73, horizontal: 1.75, vertikal: 1.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.6)  
 Serien: 94 96 94 91  
 Zähler: 20 17 2 0 1 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 1041 (35), 583 (40), 504 (6)  
 beste Teiler 93.9 (20.) 118.1 (23.) 123.4 (38.)  
 Trefferlage 1.30 mm rechts, 0.46 mm hoch  
 Streuwert 2.20, horizontal: 2.74, vertikal: 1.47




Serie 1:  
 10.2 \* 9.3 ↘ 10.0 → 10.2 \* 9.7 →  
 8.9 ↗ 9.6 ↘ 9.5 → 10.2 \* 10.1 ↗  
 beste Teiler 177.7 (1.) 178.2 (9.) 197.3 (4.)  
 Trefferlage 0.52 mm rechts, 0.23 mm hoch  
 Streuwert 2.28, horizontal: 2.60, vertikal: 1.91



Serie 2:  
 10.3 \* 9.5 → 9.6 ↗ 10.3 \* 10.0 ↗  
 9.1 ↗ 9.6 ↗ 10.5 \* 10.3 \* 10.6 \*  
 beste Teiler 93.9 (20.) 125.5 (18.) 157.8 (19.)  
 Trefferlage 1.39 mm rechts, 0.89 mm hoch  
 Streuwert 1.57, horizontal: 1.62, vertikal: 1.52



Serie 3:  
 9.9 ← 9.8 ← 10.5 \* 9.5 → 9.5 ↘  
 10.3 \* 10.4 \* 9.3 → 10.2 \* 9.5 →  
 beste Teiler 118.1 (23.) 129.7 (27.) 162.2 (26.)  
 Trefferlage 1.19 mm rechts, 0.01 mm hoch  
 Streuwert 1.96, horizontal: 2.48, vertikal: 1.23





Serie 4:  
 9.0 → 10.2 \* 9.8 ↗ 10.4 \* 6.8 →  
 10.0 → 9.6 → 10.5 \* 10.3 \* 8.6 ↘  
 beste Teiler 123.4 (38.) 126.1 (34.) 162.5 (39.)  
 Trefferlage 2.12 mm rechts, 0.71 mm hoch  
 Streuwert 2.92, horizontal: 3.96, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (409.6)  
 Serien: 99 98 95 99  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 458 (21), 362 (25), 345 (5)  
 beste Teiler 47.1 (28.) 47.8 (11.) 91.5 (1.)  
 Trefferlage 0.17 mm rechts, 0.13 mm tief  
 Streuwert 1.42, horizontal: 1.65, vertikal: 1.14




Serie 1:  
 10.6 \* 10.5 \* 10.5 \* 10.5 \* 9.6 ↙  
 10.0 ↗ 10.6 \* 10.3 \* 10.5 \* 10.0 →  
 beste Teiler 91.5 (1.) 99.0 (7.) 103.4 (3.)  
 Trefferlage 0.44 mm rechts, 0.23 mm hoch  
 Streuwert 1.28, horizontal: 1.42, vertikal: 1.13



Serie 2:  
 10.8 \* 10.4 \* 9.9 ↓ 10.4 \* 10.6 \*  
 10.3 \* 9.8 ↘ 10.1 ↘ 10.3 \* 10.5 \*  
 beste Teiler 47.8 (11.) 94.0 (15.) 102.6 (20.)  
 Trefferlage 0.35 mm links, 0.21 mm tief  
 Streuwert 1.25, horizontal: 1.03, vertikal: 1.44



Serie 3:  
 9.1 → 9.9 → 10.3 \* 10.0 ↗ 9.5 ↙  
 9.8 ← 9.8 → 10.8 \* 10.3 \* 10.5 \*  
 beste Teiler 47.1 (28.) 117.3 (30.) 159.5 (29.)  
 Trefferlage 0.66 mm rechts, 0.16 mm tief  
 Streuwert 1.92, horizontal: 2.55, vertikal: 0.92





Serie 4:  
 10.6 \* 10.4 \* 10.5 \* 9.8 ↙ 10.3 \*  
 10.5 \* 10.4 \* 10.5 \* 10.4 \* 10.0 ↘  
 beste Teiler 93.9 (31.) 102.8 (38.) 111.1 (33.)  
 Trefferlage 0.04 mm links, 0.41 mm tief  
 Streuwert 1.17, horizontal: 1.25, vertikal: 1.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (409.1)  
 Serien: 98 98 98 97  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 436 (27), 346 (39), 341 (28)  
 beste Teiler 15.6 (18.) 46.6 (40.) 50.7 (14.)  
 Trefferlage 0.14 mm links, 0.00 mm  
 Streuwert 1.46, horizontal: 1.50, vertikal: 1.41




Serie 1:  
 10.1 ↑ 10.6 \* 10.3 \* 10.4 \* 10.1 ↙  
 10.6 \* 10.3 \* 9.9 ↘ 9.8 ↑ 10.2 \*  
 beste Teiler 87.1 (2.) 99.0 (6.) 147.8 (4.)  
 Trefferlage 0.04 mm links, 0.15 mm hoch  
 Streuwert 1.45, horizontal: 1.23, vertikal: 1.64



Serie 2:  
 10.4 \* 10.0 ↑ 10.4 \* 10.8 \* 9.8 ↘  
 9.8 ← 10.2 \* 10.9 \* 10.4 \* 10.5 \*  
 beste Teiler 15.6 (18.) 50.7 (14.) 108.2 (20.)  
 Trefferlage 0.08 mm links, 0.04 mm hoch  
 Streuwert 1.36, horizontal: 1.63, vertikal: 1.01




Serie 3:  
 10.5 \* 10.2 \* 10.6 \* 10.5 \* 10.5 \*  
 10.2 \* 9.2 ↘ 9.6 ↘ 10.1 ✓ 10.2 \*  
 beste Teiler 88.3 (23.) 103.2 (24.) 112.3 (21.)  
 Trefferlage 0.10 mm links, 0.35 mm tief  
 Streuwert 1.65, horizontal: 1.79, vertikal: 1.50



Serie 4:  
 10.4 \* 10.0 → 9.8 ↗ 10.3 \* 9.9 ↓  
 10.4 \* 10.1 ↘ 10.7 \* 9.6 ← 10.8 \*  
 beste Teiler 46.6 (40.) 63.4 (38.) 133.3 (31.)  
 Trefferlage 0.34 mm links, 0.15 mm hoch  
 Streuwert 1.56, horizontal: 1.55, vertikal: 1.58



Unterschrift des Schützen

Meyton Elektronik



Unterschrift des Schützen


Ergebnis: **354** (371.6)  
 Serien: 89 89 86 90  
 Zähler: 11 19 4 5 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1222 (33), 996 (13), 981 (29)  
 beste Teiler 52.4 (37.) 78.0 (10.) 131.8 (34.)  
 Trefferlage 1.35 mm rechts, 0.25 mm tief  
 Streuwert 3.38, horizontal: 4.05, vertikal: 2.53



Serie 1:

8.8 → 10.0 ↘ 9.2 ↗ 9.2 ↘ 9.6 ↗  
 9.7 ↖ 7.5 → 9.6 → 9.3 ↘ 10.6 \*


beste Teiler 78.0 (10.) 245.4 (2.) 317.4 (6.)  
 Trefferlage 1.95 mm rechts, 0.47 mm hoch  
 Streuwert 2.99, horizontal: 3.57, vertikal: 2.26



Serie 2:

10.0 ↘ 10.3 \* 7.0 ↘ 9.3 ↘ 9.8 ↖  
 7.9 → 10.0 ↘ 10.2 \* 9.4 ↗ 8.1 →


beste Teiler 152.0 (12.) 180.2 (18.) 239.5 (11.)  
 Trefferlage 2.64 mm rechts, 1.60 mm tief  
 Streuwert 3.06, horizontal: 3.13, vertikal: 3.00



Serie 3:

8.7 ↘ 10.4 \* 9.6 → 9.3 ↗ 9.6 ↖  
 9.6 ↘ 9.8 ↘ 7.8 → 7.0 ↖ 9.6 ↗

beste Teiler 134.7 (22.) 289.4 (27.) 334.8 (26.)  
 Trefferlage 0.39 mm rechts, 0.73 mm hoch  
 Streuwert 3.79, horizontal: 4.70, vertikal: 2.57



Serie 4:



10.3 \* 9.6 ↖ 6.1 → 10.4 \* 8.8 ↖  
 9.9 ↖ 10.7 \* 10.1 ↗ 9.5 ↘ 9.3 ↖

beste Teiler 52.4 (37.) 131.8 (34.) 174.2 (31.)  
 Trefferlage 0.40 mm rechts, 0.63 mm tief  
 Streuwert 3.56, horizontal: 4.70, vertikal: 1.81


Unterschrift des Schützen




Ergebnis: **377** (393.6)  
 Serien: 91 95 95 96  
 Zähler: 20 17 3 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 600 (39), 588 (10), 569 (3)  
 beste Teiler 43.1 (32.) 60.0 (33.) 98.4 (6.)  
 Trefferlage 0.04 mm rechts, 0.41 mm tief  
 Streuwert 2.23, horizontal: 2.67, vertikal: 1.68




Serie 1:  
 9.2 → 9.2 ← 8.7 ← 9.6 ← 9.8 ←  
 10.6 \* 10.3 \* 10.2 \* 9.8 ↘ 8.6 ↘  
 beste Teiler 98.4 (6.) 168.7 (7.) 183.8 (8.)  
 Trefferlage 0.91 mm links, 0.73 mm tief  
 Streuwert 2.65, horizontal: 3.39, vertikal: 1.59



Serie 2:  
 9.9 ↓ 9.3 ← 10.3 \* 10.4 \* 9.1 →  
 9.9 ↘ 9.0 ↘ 10.5 \* 10.1 → 10.5 \*  
 beste Teiler 110.6 (20.) 110.9 (18.) 139.5 (14.)  
 Trefferlage 1.13 mm rechts, 0.51 mm tief  
 Streuwert 2.00, horizontal: 2.33, vertikal: 1.59





Serie 3:  
 10.0 → 9.7 ← 10.3 \* 9.0 ↘ 9.3 ←  
 9.6 ↘ 10.2 \* 9.8 ← 10.1 ↑ 10.0 ↘  
 beste Teiler 157.0 (23.) 176.1 (27.) 213.3 (29.)  
 Trefferlage 0.66 mm links, 0.10 mm hoch  
 Streuwert 2.19, horizontal: 2.45, vertikal: 1.90




Serie 4:  
 10.1 ↓ 10.8 \* 10.7 \* 9.9 ↘ 10.4 \*  
 10.1 → 10.5 \* 9.2 ↘ 8.6 ↘ 10.3 \*  
 beste Teiler 43.1 (32.) 60.0 (33.) 111.4 (37.)  
 Trefferlage 0.62 mm rechts, 0.52 mm tief  
 Streuwert 1.99, horizontal: 2.19, vertikal: 1.77

Unterschrift des Schützen


Ergebnis: **393** (412.0)  
 Serien: 98 99 97 99  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 375 (24), 331 (21), 304 (2)  
 beste Teiler 24.0 (4.) 25.4 (33.) 26.2 (11.)  
 Trefferlage 0.34 mm links, 0.40 mm hoch  
 Streuwert 1.29, horizontal: 0.93, vertikal: 1.57




Serie 1:  
 10.0 ↘ 9.7 ← 10.0 ↑ 10.9 \* 10.4 \*  
 10.6 \* 10.7 \* 10.4 \* 9.8 ↘ 10.2 \*  
 beste Teiler 24.0 (4.) 62.6 (7.) 80.9 (6.)  
 Trefferlage 0.70 mm links, 0.69 mm hoch  
 Streuwert 1.23, horizontal: 1.15, vertikal: 1.31



Serie 2:  
 10.8 \* 10.3 \* 10.4 \* 10.6 \* 10.8 \*  
 10.2 \* 9.8 ↑ 10.3 \* 10.5 \* 10.0 ↘  
 beste Teiler 26.2 (11.) 41.0 (15.) 81.2 (14.)  
 Trefferlage 0.07 mm links, 0.66 mm hoch  
 Streuwert 1.13, horizontal: 0.88, vertikal: 1.33



Serie 3:  
 9.6 ↑ 9.8 ↘ 10.3 \* 9.5 ↓ 10.6 \*  
 10.5 \* 10.8 \* 10.5 \* 10.0 ↑ 10.2 \*  
 beste Teiler 34.0 (27.) 92.3 (25.) 107.0 (26.)  
 Trefferlage 0.33 mm links, 0.28 mm hoch  
 Streuwert 1.62, horizontal: 0.95, vertikal: 2.09





Serie 4:  
 10.2 \* 10.6 \* 10.9 \* 10.5 \* 10.7 \*  
 10.4 \* 9.9 ↓ 10.0 ↑ 10.2 \* 10.4 \*  
 beste Teiler 25.4 (33.) 69.5 (35.) 97.1 (32.)  
 Trefferlage 0.25 mm links, 0.04 mm tief  
 Streuwert 1.20, horizontal: 0.71, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **247** (263.8)  
 Serien: 65 61 59 62  
 Zähler: 4 2 5 8 5 10 2 0 2 1  
 Innenzehner: 4  
 weiteste: 2866 (23), 2475 (30), 2181 (37)  
 beste Teiler 36.0 (39.) 177.6 (9.) 177.6 (22.)  
 Trefferlage 1.85 mm links, 1.14 mm tief  
 Streuwert 8.81, horizontal: 9.63, vertikal: 7.90




Serie 1:  
 6.2 ↘ 4.2 ↙ 8.9 ↑ 5.8 ↙ 8.0 ←  
 4.5 ↑ 5.8 → 5.1 ↙ 10.2 \* 10.2 \*  
 beste Teiler 177.6 (9.) 200.2 (10.) 523.4 (3.)  
 Trefferlage 3.86 mm links, 0.37 mm tief  
 Streuwert 8.09, horizontal: 7.24, vertikal: 8.86



Serie 2:  
 2.9 ↙ 6.2 → 8.7 ↘ 5.3 ↑ 6.4 ↘  
 7.0 ← 6.6 ↑ 7.7 ↘ 7.1 → 7.5 ←  
 beste Teiler 557.3 (13.) 823.6 (18.) 855.4 (20.)  
 Trefferlage 0.30 mm links, 1.10 mm tief  
 Streuwert 8.66, horizontal: 9.52, vertikal: 7.70



Serie 3:  
 5.6 ↓ 10.2 \* 0.0 ← 5.2 ↑ 9.2 ↘  
 7.8 ↙ 7.8 → 8.1 ↓ 7.7 ↙ 1.1 ←  
 beste Teiler 177.6 (22.) 432.2 (25.) 716.0 (28.)  
 Trefferlage 6.17 mm links, 2.11 mm tief  
 Streuwert 9.61, horizontal: 11.11, vertikal: 7.82





Serie 4:  
 5.9 ↘ 9.1 ↓ 5.1 ↘ 8.2 ↑ 7.5 ↘  
 5.3 → 2.2 ↗ 5.9 ← 10.8 \* 6.8 ↘  
 beste Teiler 36.0 (39.) 469.2 (32.) 688.4 (34.)  
 Trefferlage 2.91 mm rechts, 0.99 mm tief  
 Streuwert 8.72, horizontal: 9.07, vertikal: 8.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.3)  
 Serien: 90 92 86 89  
 Zähler: 11 16 12 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 993 (26), 727 (32), 711 (23)  
 beste Teiler 35.2 (36.) 73.0 (17.) 79.8 (40.)  
 Trefferlage 0.74 mm rechts, 0.05 mm tief  
 Streuwert 3.22, horizontal: 3.43, vertikal: 3.00




Serie 1:  
 10.4 \* 8.8 ↘ 9.6 → 9.5 ↗ 9.4 ↘  
 10.5 \* 8.9 → 9.1 ↑ 9.7 ↘ 9.0 ↘  
 beste Teiler 115.4 (6.) 138.2 (1.) 315.9 (9.)  
 Trefferlage 0.61 mm rechts, 1.49 mm hoch  
 Streuwert 2.66, horizontal: 2.77, vertikal: 2.55



Serie 2:  
 10.1 ↓ 9.8 ↑ 9.6 ↘ 10.2 \* 8.6 ↗  
 9.5 ↘ 10.7 \* 9.6 ↓ 8.8 ↙ 10.0 ←  
 beste Teiler 73.0 (17.) 181.6 (14.) 211.7 (11.)  
 Trefferlage 0.45 mm rechts, 0.40 mm tief  
 Streuwert 2.55, horizontal: 2.08, vertikal: 2.95





Serie 3:  
 9.7 ↓ 10.1 ↓ 8.1 ↑ 8.5 → 9.2 ↘  
 7.0 → 9.0 ↘ 8.9 → 8.1 ↘ 10.0 ↘  
 beste Teiler 216.7 (22.) 243.0 (30.) 308.6 (21.)  
 Trefferlage 1.99 mm rechts, 0.16 mm tief  
 Streuwert 3.98, horizontal: 3.93, vertikal: 4.04




Serie 4:  
 8.2 → 8.0 ← 9.2 ↘ 8.2 ↘ 10.1 ↘  
 10.8 \* 9.9 ↘ 8.6 ← 9.3 ↙ 10.6 \*  
 beste Teiler 35.2 (36.) 79.8 (40.) 219.6 (35.)  
 Trefferlage 0.07 mm links, 1.15 mm tief  
 Streuwert 3.48, horizontal: 4.58, vertikal: 1.82

Unterschrift des Schützen


Ergebnis: **382** (400.3)  
 Serien: 96 97 95 94  
 Zähler: 24 15 0 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 795 (32), 478 (29), 429 (30)  
 beste Teiler 47.4 (28.) 48.1 (31.) 52.2 (20.)  
 Trefferlage 0.27 mm links, 0.09 mm tief  
 Streuwert 1.96, horizontal: 2.13, vertikal: 1.78




Serie 1:  
 10.1 ↘ 9.9 ↘ 9.8 ↘ 9.5 ↘ 10.3 \*  
 10.5 \* 10.1 ↘ 10.2 \* 10.3 \* 9.3 ↓  
 beste Teiler 106.9 (6.) 160.8 (5.) 166.6 (9.)  
 Trefferlage 0.36 mm rechts, 0.46 mm tief  
 Streuwert 1.87, horizontal: 1.93, vertikal: 1.81



Serie 2:  
 9.5 ↗ 10.4 \* 9.9 ↗ 10.4 \* 10.5 \*  
 9.7 ↘ 10.0 ↖ 10.2 \* 10.4 \* 10.7 \*  
 beste Teiler 52.2 (20.) 106.9 (15.) 136.2 (19.)  
 Trefferlage 0.20 mm links, 0.23 mm hoch  
 Streuwert 1.60, horizontal: 1.35, vertikal: 1.82



Serie 3:  
 9.9 ↘ 10.4 \* 10.4 \* 10.0 ↗ 9.5 ↗  
 10.0 ↘ 9.9 ↘ 10.8 \* 9.0 ↖ 9.2 ↓  
 beste Teiler 47.4 (28.) 127.4 (22.) 148.4 (23.)  
 Trefferlage 0.34 mm links, 0.63 mm tief  
 Streuwert 2.10, horizontal: 2.03, vertikal: 2.17





Serie 4:  
 10.8 \* 7.8 ↖ 10.6 \* 9.5 ↖ 9.9 ↗  
 10.6 \* 10.0 ↖ 10.1 ↗ 10.5 \* 9.7 ↘  
 beste Teiler 48.1 (31.) 91.5 (33.) 95.2 (36.)  
 Trefferlage 0.90 mm links, 0.49 mm hoch  
 Streuwert 2.30, horizontal: 3.03, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (367.7)  
 Serien: 85 89 89 85  
 Zähler: 9 14 13 4 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 871 (32), 836 (2), 797 (4)  
 beste Teiler 73.9 (10.) 88.3 (5.) 160.0 (16.)  
 Trefferlage 1.16 mm rechts, 0.08 mm tief  
 Streuwert 3.40, horizontal: 4.14, vertikal: 2.45




Serie 1:  
 8.8 → 7.6 ↗ 8.2 → 7.8 → 10.6 \*  
 9.3 ↑ 8.2 ← 10.1 ↓ 8.4 ↘ 10.7 \*  
 beste Teiler 73.9 (10.) 88.3 (5.) 213.8 (8.)  
 Trefferlage 2.77 mm rechts, 0.15 mm hoch  
 Streuwert 3.67, horizontal: 4.59, vertikal: 2.40



Serie 2:  
 8.9 ↙ 9.6 ↑ 9.7 ↓ 8.4 ↘ 9.9 ↓  
 10.3 \* 10.0 ↘ 8.7 → 8.8 ↘ 10.0 ↙  
 beste Teiler 160.0 (16.) 227.6 (17.) 240.8 (20.)  
 Trefferlage 0.77 mm rechts, 1.27 mm tief  
 Streuwert 2.85, horizontal: 3.38, vertikal: 2.18





Serie 3:  
 9.7 ↘ 10.1 ↑ 9.1 ↓ 10.0 ↘ 9.2 ↓  
 8.9 → 8.0 ↘ 8.8 ← 9.3 ← 9.8 ↘  
 beste Teiler 214.2 (22.) 232.8 (24.) 299.7 (30.)  
 Trefferlage 0.95 mm links, 0.17 mm hoch  
 Streuwert 3.23, horizontal: 3.53, vertikal: 2.90



Serie 4:  
 8.5 ↘ 7.5 → 9.8 ↘ 9.8 ↗ 7.9 →  
 9.9 → 8.3 → 10.1 ↘ 9.3 ↗ 9.7 ↑  
 beste Teiler 205.0 (38.) 261.2 (36.) 283.9 (33.)  
 Trefferlage 2.06 mm rechts, 0.58 mm hoch  
 Streuwert 3.54, horizontal: 4.50, vertikal: 2.20


Unterschrift des Schützen

**Ergebnis: 301 (314.0)**  
**Serien: 80 77 66 78**  
**Zähler: 6 7 7 10 5 3 1 1 0 0**  
**Innenzehner: 5**  
**weiteste: 1940 (26), 1737 (21), 1485 (6)**  
**beste Teiler 68.5 (3.) 116.6 (10.) 151.9 (35.)**  
**Trefferlage 2.89 mm links, 0.71 mm hoch**  
**Streuwert 6.01, horizontal: 7.17, vertikal: 4.57**


**Serie 1:**


6.4 → 9.2 ↘ 10.7 \* 8.7 ↖ 9.3 ↗  
 5.0 ↘ 7.1 ↖ 8.0 ↖ 8.1 ↖ 10.5 \*

**beste Teiler 68.5 (3.) 116.6 (10.) 410.1 (5.)**  
**Trefferlage 2.51 mm links, 2.47 mm hoch**  
**Streuwert 5.22, horizontal: 6.26, vertikal: 3.92**


**Serie 2:**


6.3 ↖ 7.7 → 7.5 ↘ 10.0 ↖ 7.4 ↑  
 8.0 → 9.4 ↗ 5.1 ↖ 9.0 ↓ 9.4 ↖

**beste Teiler 250.1 (14.) 377.9 (17.) 386.2 (20.)**  
**Trefferlage 1.86 mm links, 1.58 mm hoch**  
**Streuwert 5.89, horizontal: 6.98, vertikal: 4.54**


**Serie 3:**

4.0 ↖ 10.2 \* 9.3 ↘ 6.8 ↘ 7.3 ↘  
 3.2 ↖ 7.3 ↗ 8.5 ↘ 7.6 ↖ 5.7 ↖

**beste Teiler 188.6 (22.) 422.1 (23.) 622.3 (28.)**  
**Trefferlage 7.31 mm links, 0.24 mm tief**  
**Streuwert 6.34, horizontal: 7.91, vertikal: 4.21**


**Serie 4:**



7.3 ↘ 7.6 ↓ 7.9 → 10.2 \* 10.3 \*  
 8.1 ↑ 8.3 ↘ 6.2 ↖ 9.1 ↖ 6.3 ↘

**beste Teiler 151.9 (35.) 195.7 (34.) 466.4 (39.)**  
**Trefferlage 0.10 mm rechts, 0.94 mm tief**  
**Streuwert 5.82, horizontal: 6.26, vertikal: 5.34**


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.4)  
 Serien: 93 92 90 95  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 720 (18), 707 (24), 642 (4)  
 beste Teiler 35.0 (35.) 60.4 (2.) 65.0 (5.)  
 Trefferlage 0.28 mm rechts, 0.34 mm tief  
 Streuwert 2.51, horizontal: 2.99, vertikal: 1.92




Serie 1:  
 10.0 ↗ 10.7 \* 10.2 \* 8.4 ← 10.7 \*  
 10.1 ← 10.0 ↓ 9.8 ↑ 8.7 → 8.5 →  
 beste Teiler 60.4 (2.) 65.0 (5.) 179.4 (3.)  
 Trefferlage 0.44 mm rechts, 0.37 mm tief  
 Streuwert 2.76, horizontal: 3.53, vertikal: 1.66



Serie 2:  
 9.3 ↖ 10.1 ↓ 9.6 ← 10.2 \* 10.4 \*  
 9.6 ↗ 9.5 ↘ 8.1 → 9.8 ↓ 9.8 ↘  
 beste Teiler 142.4 (15.) 187.9 (14.) 201.8 (12.)  
 Trefferlage 0.07 mm rechts, 0.57 mm tief  
 Streuwert 2.67, horizontal: 3.19, vertikal: 2.03



Serie 3:  
 9.3 ↘ 9.8 ↑ 9.8 ↗ 8.1 → 9.6 ↑  
 9.9 ↗ 9.9 ↘ 9.4 ← 10.5 \* 9.3 ↓  
 beste Teiler 104.1 (29.) 269.4 (27.) 275.6 (26.)  
 Trefferlage 0.99 mm rechts, 0.09 mm hoch  
 Streuwert 2.73, horizontal: 2.83, vertikal: 2.63





Serie 4:  
 9.9 ↗ 9.2 → 10.2 \* 10.3 \* 10.8 \*  
 9.0 ← 9.9 ← 9.6 ↗ 10.3 \* 10.1 ↗  
 beste Teiler 35.0 (35.) 172.2 (34.) 173.7 (39.)  
 Trefferlage 0.35 mm links, 0.52 mm tief  
 Streuwert 2.09, horizontal: 2.63, vertikal: 1.35

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **366** (387.3)  
 Serien: 92 91 91 92  
 Zähler: 11 25 3 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 811 (18), 673 (4), 638 (29)  
 beste Teiler 66.2 (5.) 73.3 (33.) 89.4 (27.)  
 Trefferlage 0.15 mm rechts, 0.36 mm hoch  
 Streuwert 2.53, horizontal: 3.10, vertikal: 1.77




Serie 1:  
 9.8 ↙ 9.6 ↙ 9.8 ↗ 8.3 → 10.7 \*  
 10.4 \* 10.2 \* 9.2 ↖ 9.5 ↖ 9.6 ↖  
 beste Teiler 66.2 (5.) 140.1 (6.) 196.8 (7.)  
 Trefferlage 0.44 mm links, 0.39 mm hoch  
 Streuwert 2.58, horizontal: 3.42, vertikal: 1.28



Serie 2:  
 9.9 → 9.4 ↖ 10.1 ↖ 10.1 ↓ 10.6 \*  
 9.7 ↗ 9.5 ↖ 7.7 → 8.8 → 10.1 ↖  
 beste Teiler 97.4 (15.) 215.6 (13.) 217.3 (14.)  
 Trefferlage 1.14 mm rechts, 0.88 mm hoch  
 Streuwert 2.73, horizontal: 3.40, vertikal: 1.83





Serie 3:  
 9.6 ↖ 9.4 ↖ 9.7 ↖ 9.3 → 9.9 ↖  
 10.3 \* 10.6 \* 9.7 ↖ 8.4 → 9.8 ↖  
 beste Teiler 89.4 (27.) 154.0 (26.) 269.1 (25.)  
 Trefferlage 0.53 mm rechts, 0.32 mm hoch  
 Streuwert 2.57, horizontal: 3.15, vertikal: 1.82




Serie 4:  
 10.3 \* 9.9 ↗ 10.7 \* 9.2 ↖ 9.2 ↖  
 9.2 ↖ 9.7 → 9.7 ↓ 9.8 ↓ 9.9 ↗  
 beste Teiler 73.3 (33.) 174.8 (31.) 263.4 (40.)  
 Trefferlage 0.60 mm links, 0.13 mm tief  
 Streuwert 2.34, horizontal: 2.50, vertikal: 2.16

Unterschrift des Schützen


Ergebnis: **381** (397.1)  
 Serien: 95 96 96 94  
 Zähler: 22 17 1 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 621 (24), 480 (36), 473 (12)  
 beste Teiler 21.8 (30.) 79.8 (5.) 94.7 (14.)  
 Trefferlage 0.16 mm links, 0.73 mm hoch  
 Streuwert 1.98, horizontal: 2.35, vertikal: 1.52




Serie 1:  
 9.5 ← 9.5 ↖ 9.4 ↖ 10.6 \* 10.6 \*  
 10.5 \* 10.2 \* 9.6 ↖ 10.1 ↖ 9.8 ↖  
 beste Teiler 79.8 (5.) 95.0 (4.) 104.6 (6.)  
 Trefferlage 1.38 mm links, 0.86 mm hoch  
 Streuwert 1.55, horizontal: 1.82, vertikal: 1.22



Serie 2:  
 10.3 \* 9.1 ↗ 9.9 ↘ 10.6 \* 10.2 \*  
 10.4 \* 10.2 \* 9.7 ↖ 10.1 ↗ 9.3 ↘  
 beste Teiler 94.7 (14.) 146.6 (16.) 173.9 (11.)  
 Trefferlage 0.71 mm rechts, 0.44 mm hoch  
 Streuwert 1.89, horizontal: 1.87, vertikal: 1.92



Serie 3:  
 10.2 \* 10.5 \* 9.7 ↖ 8.5 ↖ 10.4 \*  
 9.5 ↗ 10.5 \* 10.1 ↗ 10.1 ↖ 10.9 \*  
 beste Teiler 21.8 (30.) 107.0 (27.) 115.4 (22.)  
 Trefferlage 0.36 mm links, 0.86 mm hoch  
 Streuwert 1.97, horizontal: 2.38, vertikal: 1.44





Serie 4:  
 10.2 \* 10.2 \* 9.2 ↗ 9.7 ↖ 9.5 ←  
 9.0 → 9.5 → 10.3 \* 9.4 ↖ 10.1 ↗  
 beste Teiler 157.0 (38.) 181.1 (32.) 196.0 (31.)  
 Trefferlage 0.36 mm rechts, 0.75 mm hoch  
 Streuwert 2.37, horizontal: 2.93, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (398.6)  
 Serien: 97 93 93 96  
 Zähler: 22 15 3 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 553 (29), 517 (14), 515 (32)  
 beste Teiler 31.2 (13.) 48.5 (3.) 92.0 (33.)  
 Trefferlage 0.32 mm rechts, 0.60 mm tief  
 Streuwert 1.94, horizontal: 2.19, vertikal: 1.66




Serie 1:  
 9.7 ↗ 9.5 ↓ 10.8 \* 10.3 \* 10.2 \*  
 10.2 \* 10.2 \* 10.4 \* 10.2 \* 9.7 ↘  
 beste Teiler 48.5 (3.) 130.5 (8.) 160.0 (4.)  
 Trefferlage 0.68 mm rechts, 0.83 mm tief  
 Streuwert 1.47, horizontal: 1.11, vertikal: 1.75



Serie 2:  
 9.7 ↗ 9.1 ↘ 10.8 \* 8.9 ↘ 9.8 ↘  
 9.2 ↓ 10.3 \* 9.7 ↗ 10.4 \* 10.5 \*  
 beste Teiler 31.2 (13.) 107.0 (20.) 130.0 (19.)  
 Trefferlage 0.94 mm rechts, 1.43 mm tief  
 Streuwert 2.00, horizontal: 2.42, vertikal: 1.48



Serie 3:  
 10.2 \* 10.4 \* 9.6 ↗ 9.7 ↗ 10.3 \*  
 9.9 ↘ 9.5 ↘ 9.3 ↘ 8.7 ↘ 10.4 \*  
 beste Teiler 137.2 (30.) 150.9 (22.) 164.7 (25.)  
 Trefferlage 0.32 mm rechts, 0.47 mm tief  
 Streuwert 2.33, horizontal: 2.60, vertikal: 2.04





Serie 4:  
 10.3 \* 8.9 ↖ 10.6 \* 10.2 \* 10.0 →  
 10.3 \* 10.5 \* 9.8 ← 9.9 → 10.5 \*  
 beste Teiler 92.0 (33.) 103.4 (40.) 117.5 (37.)  
 Trefferlage 0.65 mm links, 0.33 mm hoch  
 Streuwert 1.74, horizontal: 2.31, vertikal: 0.83


Unterschrift des Schützen

Meyton Elektronik


|              |                                        |         |    |    |   |   |   |   |   |
|--------------|----------------------------------------|---------|----|----|---|---|---|---|---|
| Ergebnis:    | <b>330</b>                             | (349.8) |    |    |   |   |   |   |   |
| Serien:      | 85                                     | 87      | 79 | 79 |   |   |   |   |   |
| Zähler:      | 5                                      | 12      | 14 | 6  | 3 | 0 | 0 | 0 | 0 |
| Innenzehner: | 5                                      |         |    |    |   |   |   |   |   |
| weiteste:    | 1096 (38), 1070 (30), 1024 (39)        |         |    |    |   |   |   |   |   |
| beste Teiler | 133.8 (37.) 156.8 (23.) 181.0 (20.)    |         |    |    |   |   |   |   |   |
| Trefferlage  | 2.57 mm rechts, 0.10 mm tief           |         |    |    |   |   |   |   |   |
| Streuwert    | 3.93, horizontal: 5.02, vertikal: 2.39 |         |    |    |   |   |   |   |   |



|              |                                        |       |       |       |
|--------------|----------------------------------------|-------|-------|-------|
| Serie 1:     |                                        |       |       |       |
| 7.7 ↖        | 9.7 ↗                                  | 9.0 → | 9.2 ↘ | 8.7 ↘ |
| 9.7 ←        | 9.0 ↘                                  | 8.9 ↗ | 8.6 → | 9.4 ↘ |
| beste Teiler | 307.8 (2.) 313.4 (6.) 397.4 (10.)      |       |       |       |
| Trefferlage  | 1.81 mm rechts, 0.00 mm                |       |       |       |
| Streuwert    | 3.57, horizontal: 4.02, vertikal: 3.05 |       |       |       |



|              |                                        |             |             |        |
|--------------|----------------------------------------|-------------|-------------|--------|
| Serie 2:     |                                        |             |             |        |
| 9.3 ↓        | 9.8 →                                  | 9.9 ↘       | 7.5 ↗       | 9.3 ↑  |
| 8.6 ↙        | 9.1 ↗                                  | 10.2 *      | 7.8 →       | 10.2 * |
| beste Teiler | 181.0 (20.)                            | 186.5 (18.) | 269.4 (13.) |        |
| Trefferlage  | 1.93 mm rechts, 0.30 mm hoch           |             |             |        |
| Streuwert    | 3.44, horizontal: 4.03, vertikal: 2.72 |             |             |        |




Serie 3:

|       |       |        |       |       |
|-------|-------|--------|-------|-------|
| 9.3 ← | 8.7 → | 10.3 * | 8.6 ← | 8.0 → |
| 7.9 → | 8.8 → | 8.7 ←  | 7.3 → | 6.7 → |

beste Teiler 156.8 (23.) 418.5 (21.) 529.3 (27.)

Trefferlage 2.73 mm rechts, 0.82 mm tief



Streuwert 4.55, horizontal: 6.31, vertikal: 1.28




|              |                                        |             |             |        |       |
|--------------|----------------------------------------|-------------|-------------|--------|-------|
| Serie 4:     | 8.7 ↗                                  | 8.7 →       | 8.5 →       | 10.2 * | 8.7 ↖ |
|              | 8.0 ↘                                  | 10.4 *      | 6.6 →       | 6.9 →  | 7.2 → |
| beste Teiler | 133.8 (37.)                            | 199.3 (34.) | 555.1 (35.) |        |       |
| Trefferlage  | 3.81 mm rechts, 0.09 mm hoch           |             |             |        |       |
| Streuwert    | 4.46, horizontal: 5.85, vertikal: 2.35 |             |             |        |       |

Unterschrift des Schützen


Ergebnis: **394** (409.1)  
 Serien: 99 99 99 97  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 467 (21), 371 (38), 328 (20)  
 beste Teiler 46.7 (31.) 53.0 (28.) 72.1 (8.)  
 Trefferlage 0.03 mm rechts, 0.28 mm hoch  
 Streuwert 1.43, horizontal: 1.49, vertikal: 1.36




Serie 1:  
 10.4 \* 10.2 \* 10.0 ↘ 9.8 ↖ 10.2 \*  
 10.6 \* 10.1 ↘ 10.7 \* 10.0 ↖ 10.2 \*  
 beste Teiler 72.1 (8.) 100.6 (6.) 146.2 (1.)  
 Trefferlage 0.43 mm links, 0.15 mm hoch  
 Streuwert 1.41, horizontal: 1.48, vertikal: 1.33



Serie 2:  
 10.6 \* 10.2 \* 10.5 \* 10.5 \* 10.5 \*  
 10.3 \* 10.1 ↗ 10.2 \* 10.1 ↓ 9.6 ↑  
 beste Teiler 100.4 (11.) 106.6 (15.) 107.5 (14.)  
 Trefferlage 0.00 mm, 0.70 mm hoch  
 Streuwert 1.26, horizontal: 0.96, vertikal: 1.50



Serie 3:  
 9.1 ↗ 10.3 \* 10.2 \* 10.1 ↖ 10.5 \*  
 10.0 ↘ 10.6 \* 10.7 \* 10.3 \* 10.0 ↘  
 beste Teiler 53.0 (28.) 82.4 (27.) 115.7 (25.)  
 Trefferlage 0.49 mm rechts, 0.01 mm hoch  
 Streuwert 1.61, horizontal: 1.74, vertikal: 1.47





Serie 4:  
 10.8 \* 10.5 \* 10.6 \* 10.5 \* 10.1 ←  
 10.2 \* 9.9 ← 9.5 ↗ 9.8 ↗ 10.6 \*  
 beste Teiler 46.7 (31.) 86.8 (33.) 94.5 (40.)  
 Trefferlage 0.08 mm rechts, 0.28 mm hoch  
 Streuwert 1.51, horizontal: 1.74, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 378 (397.2)**  
**Serien:** 94 94 96 94  
**Zähler:** 19 20 1 0 0 0 0 0 0 0  
**Innenzehner:** 13  
**weiteste:** 517 (19), 445 (14), 433 (35)  
**beste Teiler** 68.2 (32.) 73.5 (30.) 81.3 (1.)  
**Trefferlage** 0.05 mm links, 0.22 mm tief  
**Streuwert** 1.98, horizontal: 1.94, vertikal: 2.02




**Serie 1:**  
 10.6 \* 9.9 ↓ 9.4 ↙ 9.5 ↖ 9.7 →  
 10.3 \* 9.9 ← 10.0 ↗ 9.6 ↗ 10.0 →  
**beste Teiler** 81.3 (1.) 154.2 (6.) 238.9 (8.)  
**Trefferlage** 0.52 mm links, 0.12 mm hoch  
**Streuwert** 2.05, horizontal: 2.43, vertikal: 1.59



**Serie 2:**  
 10.4 \* 10.2 \* 10.3 \* 9.2 ↖ 9.9 ↘  
 10.1 ↘ 10.6 \* 9.6 ↗ 8.9 ↘ 9.8 ↑  
**beste Teiler** 94.3 (17.) 132.2 (11.) 165.8 (13.)  
**Trefferlage** 0.11 mm links, 0.14 mm hoch  
**Streuwert** 2.19, horizontal: 1.73, vertikal: 2.58





**Serie 3:**  
 10.0 ↗ 9.6 ↘ 9.3 ↓ 10.1 ↓ 10.2 \*  
 10.0 ↖ 9.8 ↖ 9.9 ↗ 10.5 \* 10.7 \*  
**beste Teiler** 73.5 (30.) 104.3 (29.) 179.0 (25.)  
**Trefferlage** 0.05 mm links, 0.05 mm tief  
**Streuwert** 1.86, horizontal: 1.75, vertikal: 1.97




**Serie 4:**  
 9.4 ↘ 10.7 \* 10.3 \* 10.3 \* 9.2 ↓  
 9.9 ↗ 9.3 ↗ 10.3 \* 9.9 → 9.9 ↗  
**beste Teiler** 68.2 (32.) 152.2 (33.) 171.1 (34.)  
**Trefferlage** 0.45 mm rechts, 1.11 mm tief  
**Streuwert** 1.89, horizontal: 1.94, vertikal: 1.85

Unterschrift des Schützen


Ergebnis: **388** (408.3)  
 Serien: 95 98 97 98  
 Zähler: 28 12 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 354 (10), 352 (14), 341 (4)  
 beste Teiler 15.0 (21.) 62.2 (33.) 72.2 (5.)  
 Trefferlage 0.69 mm links, 0.33 mm hoch  
 Streuwert 1.38, horizontal: 1.58, vertikal: 1.14




Serie 1:  
 9.8 ← 10.6 \* 10.4 \* 9.6 ↖ 10.7 \*  
 10.6 \* 9.9 ↘ 9.8 ↖ 10.2 \* 9.5 →  
 beste Teiler 72.2 (5.) 78.4 (6.) 88.7 (2.)  
 Trefferlage 1.08 mm links, 0.62 mm hoch  
 Streuwert 1.50, horizontal: 1.91, vertikal: 0.90



Serie 2:  
 10.6 \* 10.6 \* 10.2 \* 9.5 ↖ 10.1 ↗  
 10.2 \* 10.4 \* 10.4 \* 10.5 \* 9.9 ↙  
 beste Teiler 88.4 (11.) 89.0 (12.) 121.4 (19.)  
 Trefferlage 0.75 mm links, 0.52 mm hoch  
 Streuwert 1.30, horizontal: 1.36, vertikal: 1.23





Serie 3:  
 10.9 \* 10.3 \* 9.6 ← 9.8 ↖ 10.2 \*  
 9.8 → 10.4 \* 10.6 \* 10.6 \* 10.6 \*  
 beste Teiler 15.0 (21.) 76.8 (30.) 86.0 (28.)  
 Trefferlage 0.11 mm links, 0.05 mm hoch  
 Streuwert 1.44, horizontal: 1.81, vertikal: 0.94




Serie 4:  
 9.9 ↙ 10.4 \* 10.7 \* 9.8 ↗ 10.0 ↙  
 10.2 \* 10.1 ← 10.5 \* 10.0 ↖ 10.4 \*  
 beste Teiler 62.2 (33.) 123.6 (38.) 126.5 (32.)  
 Trefferlage 0.84 mm links, 0.14 mm hoch  
 Streuwert 1.37, horizontal: 1.23, vertikal: 1.49

Unterschrift des Schützen


Ergebnis: **382** (399.3)  
 Serien: 96 93 95 98  
 Zähler: 24 14 2 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 549 (12), 532 (9), 456 (28)  
 beste Teiler 49.1 (6.) 51.0 (8.) 81.6 (2.)  
 Trefferlage 0.56 mm rechts, 1.02 mm hoch  
 Streuwert 1.78, horizontal: 2.05, vertikal: 1.46




Serie 1:  
 10.1 ↗ 10.6 \* 10.3 \* 10.2 \* 9.3 ↑  
 10.8 \* 9.9 → 10.7 \* 8.8 → 10.3 \*  
 beste Teiler 49.1 (6.) 51.0 (8.) 81.6 (2.)  
 Trefferlage 0.72 mm rechts, 0.30 mm hoch  
 Streuwert 1.84, horizontal: 1.99, vertikal: 1.68



Serie 2:  
 9.5 ↗ 8.8 → 9.8 → 9.8 ↘ 9.5 ↘  
 10.2 \* 10.5 \* 10.2 \* 9.8 ↘ 10.2 \*  
 beste Teiler 107.6 (17.) 177.5 (18.) 188.8 (20.)  
 Trefferlage 0.79 mm rechts, 1.42 mm hoch  
 Streuwert 1.92, horizontal: 2.62, vertikal: 0.74



Serie 3:  
 9.2 ↘ 9.4 ↗ 10.5 \* 10.5 \* 10.1 ↑  
 10.6 \* 9.5 ↑ 9.1 ↗ 9.6 → 10.1 →  
 beste Teiler 99.2 (26.) 101.8 (23.) 109.6 (24.)  
 Trefferlage 0.94 mm rechts, 1.59 mm hoch  
 Streuwert 1.79, horizontal: 2.02, vertikal: 1.53





Serie 4:  
 10.6 \* 10.4 \* 10.2 \* 10.2 \* 10.3 \*  
 9.4 ↘ 10.1 ↗ 10.5 \* 10.1 ↓ 9.6 →  
 beste Teiler 88.0 (31.) 106.1 (38.) 140.9 (32.)  
 Trefferlage 0.19 mm links, 0.77 mm hoch  
 Streuwert 1.52, horizontal: 1.53, vertikal: 1.51

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **325** (341.8)  
 Serien: 77 89 78 81  
 Zähler: 2 17 10 8 1 2 0 0 0 0  
 Innenzehner: 0  
 weiteste: 1321 (6), 1260 (29), 1085 (40)  
 beste Teiler 215.7 (15.) 227.0 (19.) 264.4 (37.)  
 Trefferlage 0.72 mm rechts, 2.97 mm hoch  
 Streuwert 4.16, horizontal: 4.91, vertikal: 3.25




Serie 1:  
 9.0 ↘ 9.7 ↙ 7.8 → 8.7 ↖ 9.4 ↗  
 5.7 → 7.8 → 7.7 ↗ 9.8 ↗ 7.5 ↑  
 beste Teiler 297.2 (9.) 324.2 (2.) 387.1 (5.)  
 Trefferlage 2.70 mm rechts, 2.29 mm hoch  
 Streuwert 4.71, horizontal: 5.64, vertikal: 3.54



Serie 2:  
 9.3 ↘ 9.0 ↘ 9.4 ↗ 9.0 ↖ 10.1 ↙  
 8.3 ↗ 8.7 ← 9.0 ← 10.0 ↗ 8.0 ↖  
 beste Teiler 215.7 (15.) 227.0 (19.) 391.8 (13.)  
 Trefferlage 3.04 mm links, 1.49 mm hoch  
 Streuwert 2.68, horizontal: 2.79, vertikal: 2.57



Serie 3:  
 8.8 ↗ 9.0 ↘ 9.4 ↑ 7.5 ↗ 8.5 →  
 7.6 ↗ 9.6 → 7.3 ↗ 5.9 ↖ 9.3 →  
 beste Teiler 346.1 (27.) 388.6 (23.) 401.3 (30.)  
 Trefferlage 2.15 mm rechts, 3.49 mm hoch  
 Streuwert 4.43, horizontal: 4.95, vertikal: 3.83





Serie 4:  
 9.7 ↘ 9.3 ↖ 8.2 ↑ 9.1 ↗ 8.3 ↗  
 8.1 ↗ 9.9 ↖ 7.7 ↑ 8.1 ↖ 6.6 ↗  
 beste Teiler 264.4 (37.) 308.0 (31.) 421.8 (32.)  
 Trefferlage 1.08 mm rechts, 4.60 mm hoch  
 Streuwert 3.43, horizontal: 4.21, vertikal: 2.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (354.3)  
 Serien: 87 82 82 86  
 Zähler: 5 17 13 2 1 2 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1318 (37), 1284 (27), 1078 (30)  
 beste Teiler 82.5 (28.) 146.5 (33.) 176.4 (8.)  
 Trefferlage 1.46 mm rechts, 1.14 mm tief  
 Streuwert 4.04, horizontal: 4.82, vertikal: 3.08




Serie 1:  
 8.7 ↗ 9.7 ↑ 10.2 \* 9.4 ↙ 9.4 ↗  
 8.4 → 8.3 ↘ 10.2 \* 8.4 → 8.0 →  
 beste Teiler 176.4 (8.) 200.0 (3.) 307.3 (2.)  
 Trefferlage 1.64 mm rechts, 0.65 mm hoch  
 Streuwert 3.56, horizontal: 4.29, vertikal: 2.64



Serie 2:  
 8.9 → 8.3 ↙ 8.2 → 9.8 ← 7.8 ↘  
 8.0 → 9.1 ↓ 9.5 ↓ 9.4 → 7.2 ↘  
 beste Teiler 285.5 (14.) 367.7 (18.) 396.9 (19.)  
 Trefferlage 2.55 mm rechts, 2.66 mm tief  
 Streuwert 3.70, horizontal: 4.67, vertikal: 2.37





Serie 3:  
 8.8 ↙ 9.2 ↗ 8.2 ↘ 10.0 ↙ 9.5 ↘  
 8.2 ↓ 5.8 ← 10.6 \* 9.7 ↓ 6.6 ↘  
 beste Teiler 82.5 (28.) 226.0 (24.) 304.9 (29.)  
 Trefferlage 0.21 mm links, 1.92 mm tief  
 Streuwert 4.80, horizontal: 5.46, vertikal: 4.03




Serie 4:  
 9.0 ↓ 8.2 → 10.4 \* 9.7 ← 9.8 ↙  
 9.2 ↘ 5.7 → 9.9 ↓ 9.0 → 9.9 ↗  
 beste Teiler 146.5 (33.) 260.7 (38.) 262.9 (40.)  
 Trefferlage 1.88 mm rechts, 0.65 mm tief  
 Streuwert 3.95, horizontal: 5.10, vertikal: 2.26

Unterschrift des Schützen


Ergebnis: **296** (312.3)  
 Serien: 74 76 77 69  
 Zähler: 6 5 8 10 3 7 1 0 0 0  
 Innenzehner: 3  
 weiteste: 1505 (32), 1427 (10), 1411 (39)  
 beste Teiler 122.9 (5.) 144.0 (17.) 151.1 (26.)  
 Trefferlage 2.63 mm links, 0.16 mm tief  
 Streuwert 6.08, horizontal: 7.03, vertikal: 4.94




Serie 1:  
 7.5 ↘ 7.2 → 10.0 ↘ 9.6 ↗ 10.5 \*  
 7.9 ↓ 6.2 ← 5.3 ← 8.0 ← 5.2 ←  
 beste Teiler 122.9 (5.) 237.4 (3.) 334.0 (4.)  
 Trefferlage 3.87 mm links, 0.48 mm tief  
 Streuwert 6.18, horizontal: 7.67, vertikal: 4.21



Serie 2:  
 7.5 ↘ 8.1 ↗ 8.6 ↘ 7.5 ↑ 5.4 ←  
 9.9 ↗ 10.4 \* 6.3 ← 8.9 ↘ 8.6 →  
 beste Teiler 144.0 (17.) 263.3 (16.) 515.6 (19.)  
 Trefferlage 3.36 mm links, 1.80 mm hoch  
 Streuwert 5.22, horizontal: 6.37, vertikal: 3.72





Serie 3:  
 5.8 ↗ 7.9 ↘ 9.6 ↓ 10.1 ↗ 9.3 ↘  
 10.3 \* 7.3 ↗ 7.2 ↓ 5.3 → 8.0 ←  
 beste Teiler 151.1 (26.) 207.4 (24.) 347.5 (23.)  
 Trefferlage 0.47 mm links, 1.38 mm tief  
 Streuwert 6.07, horizontal: 6.64, vertikal: 5.43



Serie 4:  
 7.5 ↗ 4.9 ← 6.1 ↘ 9.2 ↓ 8.3 ↓  
 10.0 → 8.6 ↗ 5.9 ↓ 5.3 ← 7.1 ←  
 beste Teiler 249.5 (36.) 431.2 (34.) 577.2 (37.)  
 Trefferlage 2.82 mm links, 0.59 mm tief  
 Streuwert 7.14, horizontal: 7.96, vertikal: 6.21

Unterschrift des Schützen


Ergebnis: **353** (370.9)  
 Serien: 91 88 82 92  
 Zähler: 12 13 13 1 0 1 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1281 (14), 845 (21), 750 (30)  
 beste Teiler 117.8 (9.) 139.5 (35.) 145.6 (4.)  
 Trefferlage 0.72 mm links, 0.84 mm hoch  
 Streuwert 3.35, horizontal: 3.92, vertikal: 2.66



Serie 1:

8.8 ← 9.9 ↘ 9.7 ↙ 10.4 \* 9.2 ↖  
 9.1 ↑ 10.1 → 8.7 → 10.5 \* 9.9 →


beste Teiler 117.8 (9.) 145.6 (4.) 220.1 (7.)  
 Trefferlage 0.16 mm rechts, 0.18 mm hoch  
 Streuwert 2.71, horizontal: 3.33, vertikal: 1.91



Serie 2:

9.7 ↓ 9.8 ↗ 10.0 ↑ 5.8 ↖ 10.2 \*  
 8.4 ↖ 10.1 → 9.4 ↙ 10.2 \* 8.9 ↗


beste Teiler 180.6 (19.) 199.0 (15.) 218.0 (17.)  
 Trefferlage 0.86 mm links, 1.29 mm hoch  
 Streuwert 3.77, horizontal: 4.43, vertikal: 2.96



Serie 3:

7.6 ↗ 8.2 ↖ 9.1 ↙ 8.8 ← 8.9 ↑  
 9.4 ↗ 8.2 ← 9.2 ↖ 8.5 ↖ 8.0 ←

beste Teiler 395.8 (26.) 442.1 (28.) 462.5 (23.)  
 Trefferlage 1.99 mm links, 2.03 mm hoch  
 Streuwert 4.00, horizontal: 4.57, vertikal: 3.34



Serie 4:



10.2 \* 8.6 → 10.1 ↖ 10.2 \* 10.4 \*  
 9.9 ↗ 9.5 ↘ 8.8 ↙ 8.4 ← 10.1 ↗

beste Teiler 139.5 (35.) 177.4 (31.) 199.8 (34.)  
 Trefferlage 0.20 mm links, 0.15 mm tief  
 Streuwert 2.82, horizontal: 3.49, vertikal: 1.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.6)  
 Serien: 92 92 92 92  
 Zähler: 13 22 5 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 624 (27), 615 (4), 584 (2)  
 beste Teiler 82.2 (1.) 111.1 (18.) 111.8 (9.)  
 Trefferlage 0.03 mm links, 0.38 mm tief  
 Streuwert 2.55, horizontal: 2.68, vertikal: 2.41




Serie 1:  
 10.6 \* 8.6 ↑ 9.5 → 8.5 ↓ 9.7 ←  
 9.7 → 10.0 ↓ 9.5 ↙ 10.5 \* 10.5 \*  
 beste Teiler 82.2 (1.) 111.8 (9.) 122.9 (10.)  
 Trefferlage 0.14 mm links, 0.57 mm tief  
 Streuwert 2.63, horizontal: 2.36, vertikal: 2.87



Serie 2:  
 9.6 ↓ 9.1 ↘ 9.7 ↙ 8.8 ↘ 10.0 ↘  
 9.3 ↓ 10.3 \* 10.5 \* 9.1 → 9.8 →  
 beste Teiler 111.1 (18.) 172.0 (17.) 242.6 (15.)  
 Trefferlage 1.59 mm rechts, 1.52 mm tief  
 Streuwert 2.14, horizontal: 2.49, vertikal: 1.72



Serie 3:  
 10.2 \* 10.2 \* 9.8 ↑ 9.2 ↘ 9.9 ←  
 10.2 \* 8.5 ← 9.2 ↓ 9.7 ↓ 9.7 ↙  
 beste Teiler 184.8 (26.) 186.6 (22.) 192.2 (21.)  
 Trefferlage 0.91 mm links, 0.87 mm tief  
 Streuwert 2.41, horizontal: 2.61, vertikal: 2.18





Serie 4:  
 9.2 ↘ 9.6 ↘ 10.1 ↙ 9.6 → 10.0 ↗  
 8.9 ← 10.2 \* 9.0 ↑ 9.4 ↗ 9.7 ←  
 beste Teiler 187.8 (37.) 219.7 (33.) 241.6 (35.)  
 Trefferlage 0.68 mm links, 1.44 mm hoch  
 Streuwert 2.45, horizontal: 2.86, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (389.2)  
 Serien: 96 90 88 95  
 Zähler: 16 19 3 2 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 880 (16), 863 (21), 661 (25)  
 beste Teiler 31.8 (14.) 58.0 (20.) 66.3 (1.)  
 Trefferlage 0.81 mm rechts, 0.76 mm hoch  
 Streuwert 2.46, horizontal: 2.85, vertikal: 2.00




Serie 1:  
 10.7 \* 10.0 ↗ 9.4 ↗ 10.4 \* 10.6 \*  
 9.2 ↓ 9.1 → 9.9 ↘ 10.0 ↗ 10.5 \*  
 beste Teiler 66.3 (1.) 79.1 (5.) 121.2 (10.)  
 Trefferlage 1.54 mm rechts, 0.09 mm tief  
 Streuwert 1.71, horizontal: 1.59, vertikal: 1.83



Serie 2:  
 9.1 ↗ 9.1 → 9.7 ↖ 10.8 \* 10.6 \*  
 7.4 ↗ 9.9 → 8.9 ↖ 9.6 ↗ 10.7 \*  
 beste Teiler 31.8 (14.) 58.0 (20.) 98.4 (15.)  
 Trefferlage 1.08 mm rechts, 1.70 mm hoch  
 Streuwert 2.75, horizontal: 3.31, vertikal: 2.05



Serie 3:  
 7.5 ↖ 9.6 ↖ 9.8 ↖ 9.9 ↘ 8.3 →  
 10.1 ↗ 9.2 ↖ 9.5 ↗ 8.7 ↑ 10.2 \*  
 beste Teiler 187.8 (30.) 213.5 (26.) 253.8 (24.)  
 Trefferlage 0.27 mm links, 1.58 mm hoch  
 Streuwert 3.25, horizontal: 4.16, vertikal: 1.95





Serie 4:  
 10.3 \* 10.1 ↗ 9.9 → 9.7 ↗ 9.9 ↓  
 10.6 \* 10.2 \* 9.7 ↘ 9.9 ↗ 10.5 \*  
 beste Teiler 84.6 (36.) 117.0 (40.) 153.0 (31.)  
 Trefferlage 0.91 mm rechts, 0.12 mm tief  
 Streuwert 1.58, horizontal: 1.56, vertikal: 1.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.8)  
 Serien: 91 87 82 88  
 Zähler: 6 18 15 0 1 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 1054 (27), 716 (28), 705 (34)  
 beste Teiler 107.5 (2.) 208.4 (18.) 212.6 (5.)  
 Trefferlage 0.37 mm rechts, 1.45 mm hoch  
 Streuwert 3.39, horizontal: 4.30, vertikal: 2.14




Serie 1:  
 9.9 ↘ 10.5 \* 9.4 ↙ 9.1 → 10.1 ↘  
 9.1 ↘ 9.4 ↗ 9.8 ↗ 9.1 ↗ 8.3 →  
 beste Teiler 107.5 (2.) 212.6 (5.) 268.0 (1.)  
 Trefferlage 0.99 mm rechts, 1.45 mm hoch  
 Streuwert 2.69, horizontal: 3.50, vertikal: 1.48



Serie 2:  
 8.3 → 9.3 ↗ 8.8 ↖ 9.3 ↘ 9.8 ↗  
 9.0 → 9.1 ↘ 10.1 ↘ 8.5 ↖ 8.2 ↖  
 beste Teiler 208.4 (18.) 276.6 (15.) 401.2 (12.)  
 Trefferlage 0.73 mm rechts, 1.24 mm hoch  
 Streuwert 3.56, horizontal: 3.97, vertikal: 3.09



Serie 3:  
 8.8 ↖ 8.6 ↖ 9.0 ↗ 8.9 ↖ 9.7 ↖  
 8.8 ↗ 6.7 → 8.1 → 9.9 ↗ 9.1 ↖  
 beste Teiler 275.5 (29.) 310.7 (25.) 458.7 (30.)  
 Trefferlage 0.15 mm rechts, 1.07 mm hoch  
 Streuwert 4.27, horizontal: 5.82, vertikal: 1.63





Serie 4:  
 8.4 → 10.0 ↖ 9.2 ↖ 8.1 ↑ 8.7 ↖  
 10.0 ↑ 9.5 ↖ 8.7 → 10.0 ↗ 8.5 ↖  
 beste Teiler 228.8 (32.) 241.2 (36.) 244.7 (39.)  
 Trefferlage 0.39 mm links, 2.04 mm hoch  
 Streuwert 3.30, horizontal: 4.11, vertikal: 2.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (389.3)  
 Serien: 91 96 94 94  
 Zähler: 18 19 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 613 (5), 602 (39), 536 (8)  
 beste Teiler 57.6 (19.) 85.7 (3.) 129.9 (12.)  
 Trefferlage 0.04 mm rechts, 0.08 mm hoch  
 Streuwert 2.38, horizontal: 2.44, vertikal: 2.31




Serie 1:  
 9.9 → 9.6 ↖ 10.6 \* 9.6 ↘ 8.5 ↑  
 9.9 ↘ 10.2 \* 8.8 ↓ 9.6 ↖ 10.1 ←  
 beste Teiler 85.7 (3.) 199.0 (7.) 204.6 (10.)  
 Trefferlage 0.29 mm rechts, 0.15 mm hoch  
 Streuwert 2.59, horizontal: 2.10, vertikal: 3.01



Serie 2:  
 9.3 → 10.4 \* 9.1 ↙ 10.2 \* 10.0 ↘  
 9.2 ↖ 9.0 → 10.1 ↖ 10.7 \* 10.0 ←  
 beste Teiler 57.6 (19.) 129.9 (12.) 191.5 (14.)  
 Trefferlage 0.40 mm links, 0.25 mm tief  
 Streuwert 2.37, horizontal: 2.71, vertikal: 1.98



Serie 3:  
 9.1 ← 9.2 ↖ 9.4 ↖ 9.1 → 10.1 ←  
 10.1 ↘ 10.0 ← 9.6 ↑ 9.2 ↗ 10.2 \*  
 beste Teiler 188.8 (30.) 204.9 (26.) 211.0 (25.)  
 Trefferlage 0.59 mm links, 0.85 mm hoch  
 Streuwert 2.51, horizontal: 2.95, vertikal: 1.98





Serie 4:  
 9.7 ↘ 10.1 ← 10.1 ← 9.9 ↖ 10.4 \*  
 9.5 → 10.1 ↗ 9.8 → 8.5 ↓ 10.4 \*  
 beste Teiler 130.4 (35.) 147.1 (40.) 204.6 (33.)  
 Trefferlage 0.90 mm rechts, 0.39 mm tief  
 Streuwert 2.12, horizontal: 1.96, vertikal: 2.27

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **376** (397.2)  
 Serien: 91 96 95 94  
 Zähler: 19 19 1 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 768 (1), 528 (23), 486 (14)  
 beste Teiler 33.8 (16.) 42.3 (5.) 67.7 (15.)  
 Trefferlage 0.48 mm links, 0.69 mm hoch  
 Streuwert 2.00, horizontal: 2.49, vertikal: 1.35




Serie 1:  
 7.9 ↘ 9.7 ↘ 9.6 ↘ 9.7 ↘ 10.8 \*  
 9.8 ← 9.5 ↗ 10.0 → 9.8 ↘ 10.4 \*  
 beste Teiler 42.3 (5.) 146.9 (10.) 232.0 (8.)  
 Trefferlage 0.51 mm links, 0.48 mm hoch  
 Streuwert 2.60, horizontal: 3.10, vertikal: 1.96



Serie 2:  
 9.7 ↑ 10.1 → 9.9 ↘ 9.0 → 10.7 \*  
 10.8 \* 10.6 \* 10.3 \* 9.9 ↙ 10.1 ↗  
 beste Teiler 33.8 (16.) 67.7 (15.) 80.0 (17.)  
 Trefferlage 0.15 mm rechts, 0.64 mm hoch  
 Streuwert 1.77, horizontal: 2.14, vertikal: 1.30



Serie 3:  
 9.2 ← 9.7 ↘ 8.8 ← 10.0 ↑ 9.7 ↘  
 10.5 \* 10.4 \* 10.2 \* 10.3 \* 10.4 \*  
 beste Teiler 118.8 (26.) 131.4 (30.) 148.7 (27.)  
 Trefferlage 1.40 mm links, 1.07 mm hoch  
 Streuwert 1.74, horizontal: 2.31, vertikal: 0.86





Serie 4:  
 10.3 \* 9.7 ↘ 10.2 \* 10.3 \* 9.3 ↘  
 10.5 \* 9.9 ← 9.9 ↘ 9.9 → 9.7 →  
 beste Teiler 112.2 (36.) 173.1 (31.) 173.1 (34.)  
 Trefferlage 0.16 mm links, 0.59 mm hoch  
 Streuwert 1.89, horizontal: 2.41, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 371 (385.8)**  
**Serien:** 91 92 95 93  
**Zähler:** 21 11 6 2 0 0 0 0 0 0  
**Innenzehner:** 14  
**weiteste:** 913 (1), 888 (12), 737 (7)  
**beste Teiler** 25.5 (24.) 92.0 (6.) 116.1 (38.)  
**Trefferlage** 0.87 mm rechts, 0.27 mm hoch  
**Streuwert** 2.75, horizontal: 3.49, vertikal: 1.70




**Serie 1:**  
 7.3 → 10.4 \* 8.8 → 10.2 \* 9.0 ←  
 10.6 \* 8.0 → 9.4 ↖ 10.5 \* 10.3 \*  
**beste Teiler** 92.0 (6.) 121.8 (9.) 135.0 (2.)  
**Trefferlage** 1.40 mm rechts, 0.24 mm hoch  
**Streuwert** 3.32, horizontal: 4.27, vertikal: 1.95



**Serie 2:**  
 10.4 \* 7.4 → 10.0 ↗ 10.5 \* 9.7 ←  
 10.4 \* 10.1 → 9.3 ← 9.7 ↑ 8.7 ←  
**beste Teiler** 123.8 (14.) 142.6 (11.) 149.8 (16.)  
**Trefferlage** 0.16 mm links, 0.20 mm hoch  
**Streuwert** 3.00, horizontal: 3.92, vertikal: 1.64



**Serie 3:**  
 10.1 ↖ 10.4 \* 8.5 → 10.9 \* 8.8 →  
 10.0 ↓ 10.0 → 10.3 \* 9.0 → 10.3 \*  
**beste Teiler** 25.5 (24.) 149.2 (22.) 168.9 (28.)  
**Trefferlage** 1.63 mm rechts, 0.18 mm hoch  
**Streuwert** 2.23, horizontal: 2.81, vertikal: 1.42





**Serie 4:**  
 9.5 ↖ 9.9 ↖ 8.2 → 9.1 → 10.1 ↗  
 10.2 \* 9.8 ↗ 10.5 \* 10.0 ↓ 9.5 ↖  
**beste Teiler** 116.1 (38.) 195.4 (36.) 211.6 (35.)  
**Trefferlage** 0.60 mm rechts, 0.46 mm hoch  
**Streuwert** 2.55, horizontal: 3.00, vertikal: 2.01

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (372.7)  
 Serien: 86 90 89 88  
 Zähler: 12 13 12 2 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1141 (16), 864 (6), 760 (35)  
 beste Teiler 64.1 (27.) 85.2 (21.) 134.1 (8.)  
 Trefferlage 0.39 mm links, 0.48 mm hoch  
 Streuwert 3.33, horizontal: 3.40, vertikal: 3.26



Serie 1:

9.4 ← 8.9 ↖ 9.3 ↘ 8.5 ↘ 9.6 ↑  
 7.5 ↑ 8.8 ↖ 10.4 \* 9.3 → 9.7 ↓


beste Teiler 134.1 (8.) 310.6 (10.) 342.7 (5.)  
 Trefferlage 1.68 mm links, 2.04 mm hoch  
 Streuwert 3.07, horizontal: 3.04, vertikal: 3.09



Serie 2:

9.9 ↗ 10.3 \* 9.8 ↙ 9.0 ↙ 9.8 ↑  
 6.4 ↘ 9.9 ↑ 10.3 \* 9.4 ↘ 10.1 ↓


beste Teiler 151.4 (12.) 174.3 (18.) 206.8 (20.)  
 Trefferlage 1.36 mm links, 1.50 mm hoch  
 Streuwert 3.06, horizontal: 3.19, vertikal: 2.93



Serie 3:

10.6 \* 8.6 ↘ 8.1 → 9.9 ↙ 8.9 →  
 8.6 ↓ 10.7 \* 10.0 → 10.1 ↓ 8.5 ↘

beste Teiler 64.1 (27.) 85.2 (21.) 213.2 (29.)  
 Trefferlage 1.36 mm rechts, 1.08 mm tief  
 Streuwert 3.11, horizontal: 3.29, vertikal: 2.92





Serie 4:

8.4 ↙ 10.3 \* 8.8 ↗ 8.6 ↑ 7.9 →  
 8.6 ↘ 10.4 \* 9.2 ↓ 10.2 \* 10.0 ←

beste Teiler 134.6 (37.) 175.8 (32.) 193.1 (39.)  
 Trefferlage 0.09 mm rechts, 0.53 mm tief  
 Streuwert 3.53, horizontal: 3.63, vertikal: 3.43

Unterschrift des Schützen


Ergebnis: **339** (355.9)  
 Serien: 87 88 78 86  
 Zähler: 7 15 12 4 1 0 1 0 0 0  
 Innenzehner: 6  
 weiteste: 1646 (21), 1212 (30), 915 (39)  
 beste Teiler 102.9 (34.) 109.6 (4.) 132.6 (16.)  
 Trefferlage 0.83 mm rechts, 0.45 mm tief  
 Streuwert 4.24, horizontal: 4.33, vertikal: 4.14



Serie 1:

9.5 ↘ 7.6 ↗ 9.9 ↘ 10.5 \* 9.1 ↓  
 9.4 ↑ 10.4 \* 9.2 ↑ 8.6 → 7.5 ↓


beste Teiler 109.6 (4.) 147.8 (7.) 265.1 (3.)  
 Trefferlage 0.09 mm links, 1.31 mm tief  
 Streuwert 3.67, horizontal: 3.12, vertikal: 4.15



Serie 2:

9.7 ↗ 8.9 ↖ 9.6 ↓ 9.3 ← 9.0 ↘  
 10.4 \* 9.4 ↗ 8.9 ↘ 9.2 ↘ 8.5 ↗


beste Teiler 132.6 (16.) 307.4 (11.) 335.4 (13.)  
 Trefferlage 0.68 mm rechts, 0.88 mm hoch  
 Streuwert 3.13, horizontal: 3.10, vertikal: 3.17



Serie 3:

4.4 ↘ 8.1 ← 8.7 ↘ 9.6 ↑ 9.5 ←  
 8.7 ↘ 8.1 ↑ 8.5 ↗ 10.1 ↓ 6.1 ↘

beste Teiler 210.2 (29.) 348.3 (24.) 357.8 (25.)  
 Trefferlage 1.70 mm rechts, 0.07 mm hoch  
 Streuwert 5.86, horizontal: 6.59, vertikal: 5.02





Serie 4:

10.3 \* 9.9 ← 10.3 \* 10.5 \* 8.6 ↗  
 8.1 ↘ 7.4 ↗ 9.0 ↑ 7.3 ↘ 8.1 ↘


beste Teiler 102.9 (34.) 154.5 (31.) 174.1 (33.)  
 Trefferlage 1.05 mm rechts, 1.47 mm tief  
 Streuwert 4.13, horizontal: 4.05, vertikal: 4.20

Unterschrift des Schützen


**Ergebnis: 353 (373.6)**  
**Serien:** 80 90 91 92  
**Zähler:** 12 13 12 2 1 0 0 0 0 0  
**Innenzehner:** 12  
**weiteste:** 1114 (4), 833 (5), 761 (2)  
**beste Teiler** 57.3 (39.) 119.0 (13.) 125.0 (3.)  
**Trefferlage** 0.09 mm rechts, 0.65 mm tief  
**Streuwert** 3.31, horizontal: 3.91, vertikal: 2.56




**Serie 1:**  
 9.3 ↙ 7.9 ↙ 10.5 \* 6.5 → 7.6 ↖  
 8.3 ↓ 8.8 ← 9.7 ↘ 8.5 ↓ 8.7 →  
**beste Teiler** 125.0 (3.) 315.9 (8.) 409.3 (1.)  
**Trefferlage** 0.45 mm links, 1.06 mm tief  
**Streuwert** 4.75, horizontal: 5.68, vertikal: 3.60



**Serie 2:**  
 10.3 \* 9.8 ↘ 10.5 \* 9.4 ↓ 8.2 ↖  
 10.2 \* 9.7 → 8.5 ← 9.5 ↘ 8.4 →  
**beste Teiler** 119.0 (13.) 172.0 (11.) 180.5 (16.)  
**Trefferlage** 0.31 mm links, 0.47 mm tief  
**Streuwert** 3.13, horizontal: 3.64, vertikal: 2.51





**Serie 3:**  
 10.3 \* 8.8 ↖ 9.9 ↘ 10.2 \* 8.8 ←  
 10.2 \* 9.3 ↘ 10.4 \* 9.8 → 8.9 →  
**beste Teiler** 147.2 (28.) 152.0 (21.) 185.1 (24.)  
**Trefferlage** 0.09 mm rechts, 0.24 mm tief  
**Streuwert** 2.67, horizontal: 3.52, vertikal: 1.37



**Serie 4:**  
 10.4 \* 9.3 → 10.3 \* 9.9 ↗ 10.4 \*  
 9.5 → 8.1 ↓ 9.5 → 10.7 \* 8.6 ↙  
**beste Teiler** 57.3 (39.) 139.7 (31.) 141.7 (35.)  
**Trefferlage** 1.05 mm rechts, 0.84 mm tief  
**Streuwert** 2.63, horizontal: 2.63, vertikal: 2.63


Unterschrift des Schützen

**Ergebnis: 359 (376.6)**  
**Serien:** 90 90 93 86  
**Zähler:** 12 19 6 2 1 0 0 0 0 0  
**Innenzehner:** 11  
**weiteste:** 1096 (39), 891 (36), 825 (15)  
**beste Teiler** 35.3 (29.) 117.6 (27.) 139.8 (37.)  
**Trefferlage** 0.41 mm links, 1.38 mm hoch  
**Streuwert** 3.01, horizontal: 3.34, vertikal: 2.64


**Serie 1:**


8.7 ↖ 10.3 \* 8.2 ↗ 9.7 ↗ 9.7 →  
 8.7 → 9.1 → 10.3 \* 10.2 \* 9.5 ↗

**beste Teiler** 151.4 (2.) 173.0 (8.) 185.7 (9.)  
**Trefferlage** 1.72 mm rechts, 0.95 mm hoch  
**Streuwert** 2.74, horizontal: 3.42, vertikal: 1.81


**Serie 2:**


9.6 ↖ 9.2 ↗ 10.2 \* 9.2 ↗ 7.7 ↖  
 9.3 → 8.3 ↖ 10.3 \* 10.2 \* 9.2 ↖

**beste Teiler** 165.4 (18.) 181.4 (13.) 194.3 (19.)  
**Trefferlage** 0.44 mm links, 1.66 mm hoch  
**Streuwert** 3.15, horizontal: 4.12, vertikal: 1.69


**Serie 3:**

9.9 ↖ 9.5 → 8.7 ↖ 9.8 ↖ 9.2 ↖  
 10.1 ← 10.5 \* 10.2 \* 10.8 \* 9.8 ↑

**beste Teiler** 35.3 (29.) 117.6 (27.) 178.1 (28.)  
**Trefferlage** 1.16 mm links, 1.33 mm hoch  
**Streuwert** 1.88, horizontal: 2.28, vertikal: 1.37




**Serie 4:**

10.2 \* 9.0 ↖ 9.0 ↖ 8.8 ↖ 9.8 ↗  
 7.4 ↓ 10.4 \* 9.7 ↓ 6.6 ↖ 9.6 ↑


**beste Teiler** 139.8 (37.) 196.6 (31.) 279.4 (35.)  
**Trefferlage** 1.76 mm links, 1.60 mm hoch  
**Streuwert** 3.77, horizontal: 2.56, vertikal: 4.67

Unterschrift des Schützen


**Ergebnis: 373 (390.8)**  
**Serien:** 94 94 93 92  
**Zähler:** 19 15 6 0 0 0 0 0 0 0  
**Innenzehner:** 15  
**weiteste:** 734 (31), 577 (22), 539 (40)  
**beste Teiler** 63.3 (39.) 76.0 (33.) 123.8 (11.)  
**Trefferlage** 0.19 mm rechts, 0.12 mm hoch  
**Streuwert** 2.39, horizontal: 2.54, vertikal: 2.22




**Serie 1:**  
 9.3 ↖ 10.2 \* 9.9 ↑ 8.9 ↘ 10.3 \*  
 10.0 ↘ 9.7 ← 9.2 ← 10.1 ↘ 10.4 \*  
**beste Teiler** 128.1 (10.) 171.3 (5.) 185.6 (2.)  
**Trefferlage** 0.48 mm links, 0.44 mm tief  
**Streuwert** 2.29, horizontal: 2.54, vertikal: 2.00



**Serie 2:**  
 10.5 \* 8.9 ↑ 9.2 ↖ 10.2 \* 10.3 \*  
 9.7 ↗ 9.3 ↗ 10.4 \* 10.1 ↙ 9.7 ↖  
**beste Teiler** 123.8 (11.) 138.1 (18.) 173.5 (15.)  
**Trefferlage** 0.01 mm links, 1.15 mm hoch  
**Streuwert** 2.15, horizontal: 2.23, vertikal: 2.06



**Serie 3:**  
 8.9 → 8.6 ↘ 9.7 ↖ 10.4 \* 9.2 ↘  
 10.2 \* 10.3 \* 10.3 \* 10.3 \* 9.9 ↑  
**beste Teiler** 134.4 (24.) 151.2 (28.) 152.0 (27.)  
**Trefferlage** 1.08 mm rechts, 0.13 mm hoch  
**Streuwert** 2.33, horizontal: 2.62, vertikal: 1.99





**Serie 4:**  
 8.0 ↘ 9.8 ↙ 10.6 \* 9.5 ↘ 9.9 →  
 10.1 ↗ 10.3 \* 9.0 ↖ 10.7 \* 8.8 ↖  
**beste Teiler** 63.3 (39.) 76.0 (33.) 167.7 (37.)  
**Trefferlage** 0.20 mm rechts, 0.32 mm tief  
**Streuwert** 2.79, horizontal: 2.86, vertikal: 2.72


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 362 (382.9)**  
**Serien: 92 96 87 87**  
**Zähler: 15 14 10 0 1 0 0 0 0 0**  
**Innenzehner: 14**  
**weiteste: 1035 (35), 714 (38), 592 (23)**  
**beste Teiler 30.2 (7.) 35.3 (25.) 38.0 (1.)**  
**Trefferlage 1.24 mm links, 0.21 mm hoch**  
**Streuwert 2.80, horizontal: 3.34, vertikal: 2.11**




**Serie 1:**  
 10.8 \* 9.8 ↘ 10.7 \* 9.6 ← 8.6 ←  
 9.3 ↙ 10.8 \* 8.7 ← 10.3 \* 9.4 ↓  
**beste Teiler 30.2 (7.) 38.0 (1.) 55.9 (3.)**  
**Trefferlage 1.89 mm links, 0.61 mm tief**  
**Streuwert 2.14, horizontal: 2.61, vertikal: 1.52**



**Serie 2:**  
 10.1 ↗ 10.2 \* 10.5 \* 9.3 ↘ 9.6 ←  
 10.2 \* 10.7 \* 10.3 \* 9.8 ↑ 9.8 ↘  
**beste Teiler 58.0 (17.) 109.7 (13.) 175.9 (18.)**  
**Trefferlage 0.06 mm links, 0.13 mm tief**  
**Streuwert 1.84, horizontal: 1.76, vertikal: 1.92**



**Serie 3:**  
 8.8 ↘ 8.7 ↙ 8.6 → 8.7 ← 10.8 \*  
 8.7 ← 9.1 ← 10.3 \* 9.1 ↑ 9.6 ↘  
**beste Teiler 35.3 (25.) 174.0 (28.) 329.7 (30.)**  
**Trefferlage 1.82 mm links, 0.98 mm hoch**  
**Streuwert 3.11, horizontal: 3.66, vertikal: 2.46**





**Serie 4:**  
 10.7 \* 10.2 \* 10.6 \* 8.6 ↘ 6.8 ←  
 9.2 → 8.8 ↑ 8.1 → 9.4 ← 9.6 ↘  
**beste Teiler 72.8 (31.) 98.6 (33.) 190.9 (32.)**  
**Trefferlage 1.20 mm links, 0.62 mm hoch**  
**Streuwert 3.76, horizontal: 4.77, vertikal: 2.35**


Unterschrift des Schützen




**Ergebnis: 396 (411.8)**  
**Serien: 98 98 100 100**  
**Zähler: 36 4 0 0 0 0 0 0 0 0**  
**Innenzehner: 26**  
**weiteste: 313 (16), 293 (8), 265 (1)**  
**beste Teiler 37.4 (37.) 59.4 (35.) 61.0 (31.)**  
**Trefferlage 0.20 mm rechts, 0.26 mm hoch**  
**Streuwert 1.26, horizontal: 1.55, vertikal: 0.88**




**Serie 1:**  
 9.9 → 10.0 → 10.1 → 10.5 \* 10.5 \*  
 10.1 ← 10.7 \* 9.8 → 10.1 ↗ 10.2 \*  
**beste Teiler 64.0 (7.) 103.8 (4.) 124.9 (5.)**  
**Trefferlage 1.19 mm rechts, 0.38 mm hoch**  
**Streuwert 1.21, horizontal: 1.57, vertikal: 0.70**



**Serie 2:**  
 10.2 \* 9.9 ↖ 10.2 \* 10.2 \* 10.1 ↗  
 9.7 → 10.0 ← 10.1 → 10.4 \* 10.6 \*  
**beste Teiler 98.9 (20.) 126.6 (19.) 177.8 (13.)**  
**Trefferlage 0.10 mm rechts, 0.51 mm hoch**  
**Streuwert 1.53, horizontal: 1.91, vertikal: 1.02**



**Serie 3:**  
 10.5 \* 10.2 \* 10.4 \* 10.6 \* 10.4 \*  
 10.6 \* 10.6 \* 10.6 \* 10.4 \* 10.4 \*  
**beste Teiler 76.3 (24.) 80.0 (28.) 80.4 (27.)**  
**Trefferlage 0.26 mm links, 0.52 mm hoch**  
**Streuwert 0.83, horizontal: 0.72, vertikal: 0.93**





**Serie 4:**  
 10.7 \* 10.1 → 10.0 ← 10.1 → 10.7 \*  
 10.4 \* 10.8 \* 10.3 \* 10.4 \* 10.3 \*  
**beste Teiler 37.4 (37.) 59.4 (35.) 61.0 (31.)**  
**Trefferlage 0.22 mm links, 0.35 mm tief**  
**Streuwert 1.14, horizontal: 1.49, vertikal: 0.63**


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 360 (376.4)**  
**Serien:** 94 84 95 87  
**Zähler:** 13 16 9 2 0 0 0 0 0 0  
**Innenzehner:** 9  
**weiteste:** 841 (40), 751 (16), 722 (13)  
**beste Teiler** 22.0 (6.) 34.0 (8.) 110.4 (4.)  
**Trefferlage** 1.86 mm rechts, 0.04 mm tief  
**Streuwert** 2.80, horizontal: 3.33, vertikal: 2.16




**Serie 1:**  
 9.9 → 9.1 ↓ 10.0 ← 10.5 \* 9.3 ↘  
 10.9 \* 9.0 → 10.8 \* 10.2 \* 8.5 ↖  
**beste Teiler** 22.0 (6.) 34.0 (8.) 110.4 (4.)  
**Trefferlage** 0.07 mm rechts, 0.21 mm tief  
**Streuwert** 2.53, horizontal: 2.78, vertikal: 2.27



**Serie 2:**  
 9.9 ↖ 8.6 ↖ 8.1 → 9.1 ↗ 9.4 →  
 7.9 ↘ 8.7 ↘ 10.0 → 8.8 → 8.4 →  
**beste Teiler** 243.7 (18.) 266.7 (11.) 380.1 (15.)  
**Trefferlage** 3.32 mm rechts, 0.01 mm hoch  
**Streuwert** 3.18, horizontal: 3.95, vertikal: 2.13



**Serie 3:**  
 9.9 ↗ 9.0 ← 9.4 ↗ 10.1 ↓ 10.2 \*  
 10.4 \* 9.4 ↗ 10.0 ↖ 9.3 → 10.4 \*  
**beste Teiler** 132.5 (26.) 135.7 (30.) 178.2 (25.)  
**Trefferlage** 0.78 mm rechts, 0.86 mm hoch  
**Streuwert** 2.10, horizontal: 2.41, vertikal: 1.75





**Serie 4:**  
 8.8 → 9.6 ↑ 8.3 ↘ 9.8 ↗ 9.2 ↓  
 8.2 ↘ 10.2 \* 10.2 \* 9.3 ↘ 7.6 →  
**beste Teiler** 178.9 (38.) 188.7 (37.) 276.0 (34.)  
**Trefferlage** 3.28 mm rechts, 0.87 mm tief  
**Streuwert** 2.75, horizontal: 3.05, vertikal: 2.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (390.3)  
 Serien: 96 93 93 95  
 Zähler: 22 14 3 1 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 913 (15), 733 (31), 638 (24)  
 beste Teiler 58.4 (29.) 66.2 (18.) 79.3 (4.)  
 Trefferlage 0.19 mm links, 0.92 mm hoch  
 Streuwert 2.41, horizontal: 2.73, vertikal: 2.05




Serie 1:  
 10.1 ↓ 10.2 \* 10.6 \* 10.6 \* 10.1 →  
 9.5 → 9.1 ↘ 9.3 → 10.0 ↙ 9.6 →  
 beste Teiler 79.3 (4.) 91.4 (3.) 177.5 (2.)  
 Trefferlage 1.05 mm rechts, 0.20 mm tief  
 Streuwert 1.97, horizontal: 2.07, vertikal: 1.86



Serie 2:  
 9.1 ← 10.1 ↖ 9.7 → 10.2 \* 7.3 ↖  
 9.2 ↗ 9.2 ← 10.7 \* 10.0 ← 10.2 \*  
 beste Teiler 66.2 (18.) 179.2 (14.) 181.1 (20.)  
 Trefferlage 1.45 mm links, 0.73 mm hoch  
 Streuwert 2.82, horizontal: 3.51, vertikal: 1.89



Serie 3:  
 8.9 ↘ 10.1 → 9.4 ← 8.4 ↑ 9.9 ↗  
 10.3 \* 9.3 ← 10.0 ↗ 10.7 \* 10.3 \*  
 beste Teiler 58.4 (29.) 164.5 (26.) 170.9 (30.)  
 Trefferlage 0.61 mm links, 1.30 mm hoch  
 Streuwert 2.38, horizontal: 2.38, vertikal: 2.39





Serie 4:  
 8.0 ↗ 10.6 \* 10.2 \* 10.5 \* 10.0 ↗  
 9.5 ← 9.3 ↗ 9.3 ↘ 10.4 \* 10.4 \*  
 beste Teiler 82.2 (32.) 114.2 (34.) 142.6 (39.)  
 Trefferlage 0.24 mm rechts, 1.87 mm hoch  
 Streuwert 2.11, horizontal: 2.47, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.2)  
 Serien: 92 92 89 92  
 Zähler: 15 15 10 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 735 (29), 682 (31), 643 (4)  
 beste Teiler 41.1 (32.) 49.2 (3.) 84.9 (9.)  
 Trefferlage 0.16 mm links, 1.53 mm tief  
 Streuwert 2.55, horizontal: 2.83, vertikal: 2.24




Serie 1:  
 8.8 ← 10.3 \* 10.8 \* 8.4 ↘ 8.8 →  
 10.1 ↘ 9.8 ↙ 9.6 ↙ 10.6 \* 10.5 \*  
 beste Teiler 49.2 (3.) 84.9 (9.) 106.2 (10.)  
 Trefferlage 0.98 mm links, 0.64 mm tief  
 Streuwert 2.50, horizontal: 3.23, vertikal: 1.45



Serie 2:  
 9.4 ↘ 9.9 → 9.6 ↙ 9.1 ↙ 9.4 ↙  
 9.3 ↙ 10.0 ↙ 9.5 ↘ 9.0 ↓ 10.1 ←  
 beste Teiler 220.0 (20.) 240.4 (17.) 259.4 (12.)  
 Trefferlage 0.76 mm links, 2.17 mm tief  
 Streuwert 2.13, horizontal: 2.56, vertikal: 1.58



Serie 3:  
 10.2 \* 10.0 ↗ 10.0 ↓ 8.6 ↘ 9.3 ↘  
 8.6 ↘ 8.8 ↓ 8.9 → 8.0 ↓ 10.5 \*  
 beste Teiler 120.1 (30.) 196.8 (21.) 236.3 (22.)  
 Trefferlage 1.49 mm rechts, 2.81 mm tief  
 Streuwert 2.49, horizontal: 2.05, vertikal: 2.86





Serie 4:  
 8.2 ↘ 10.8 \* 9.4 ↑ 9.7 ← 8.7 ↘  
 10.6 \* 10.4 \* 9.8 ↙ 9.6 ↘ 10.1 ↓  
 beste Teiler 41.1 (32.) 89.6 (36.) 130.7 (37.)  
 Trefferlage 0.39 mm links, 0.49 mm tief  
 Streuwert 2.63, horizontal: 3.04, vertikal: 2.16

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (347.7)  
 Serien: 83 84 80 83  
 Zähler: 6 10 14 8 2 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1104 (37), 1037 (12), 940 (28)  
 beste Teiler 25.9 (40.) 78.9 (23.) 147.0 (31.)  
 Trefferlage 1.04 mm links, 0.19 mm tief  
 Streuwert 4.43, horizontal: 3.86, vertikal: 4.93



Serie 1:

8.1 ↙ 8.2 ↓ 8.9 ↘ 7.3 ↙ 8.1 ↙  
 9.6 ↑ 9.6 ↘ 9.2 ↘ 9.1 ↘ 8.8 ↑


beste Teiler 331.2 (7.) 341.1 (6.) 449.4 (8.)  
 Trefferlage 1.42 mm links, 1.27 mm tief  
 Streuwert 4.19, horizontal: 3.89, vertikal: 4.46



Serie 2:

7.2 ↑ 6.8 ↓ 10.0 ↘ 9.7 ↘ 8.2 ↘  
 7.6 ↓ 10.2 \* 10.3 \* 8.0 ↘ 9.5 ←


beste Teiler 169.3 (18.) 194.7 (17.) 232.9 (13.)  
 Trefferlage 1.85 mm links, 0.78 mm hoch  
 Streuwert 4.50, horizontal: 2.47, vertikal: 5.87



Serie 3:

8.8 ↙ 8.9 ↑ 10.6 \* 8.8 ↑ 7.4 →  
 9.4 ↘ 7.4 → 7.2 ← 9.3 ↓ 7.7 ↙

beste Teiler 78.9 (23.) 385.7 (26.) 404.0 (29.)  
 Trefferlage 0.73 mm links, 0.01 mm tief  
 Streuwert 4.85, horizontal: 5.89, vertikal: 3.52





Serie 4:

10.4 \* 9.0 ↑ 8.5 ↓ 8.7 ↘ 8.4 ↑  
 8.0 ↙ 6.5 ↑ 9.7 ↓ 7.7 ↙ 10.9 \*

beste Teiler 25.9 (40.) 147.0 (31.) 318.0 (38.)  
 Trefferlage 0.15 mm links, 0.27 mm tief  
 Streuwert 4.62, horizontal: 2.58, vertikal: 6.01

Unterschrift des Schützen


Ergebnis: **348** (366.5)  
 Serien: 87 85 90 86  
 Zähler: 9 15 11 5 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 868 (27), 838 (34), 818 (2)  
 beste Teiler 62.9 (16.) 138.7 (21.) 149.4 (28.)  
 Trefferlage 0.10 mm links, 0.90 mm hoch  
 Streuwert 3.52, horizontal: 3.46, vertikal: 3.57



Serie 1:

9.7 ↗ 7.7 ↘ 9.9 ↑ 8.8 ↗ 9.8 ↗  
 9.9 ↗ 10.1 ↗ 8.2 ↘ 9.8 ↘ 9.2 ↑


beste Teiler 210.3 (7.) 259.7 (6.) 267.1 (3.)  
 Trefferlage 0.72 mm rechts, 1.50 mm hoch  
 Streuwert 3.18, horizontal: 2.89, vertikal: 3.44



Serie 2:

10.2 \* 8.3 ↙ 10.1 ↘ 8.2 ↘ 7.8 ↓  
 10.7 \* 8.9 ↘ 8.5 ↙ 9.8 → 7.7 ↘


beste Teiler 62.9 (16.) 188.2 (11.) 212.4 (13.)  
 Trefferlage 1.81 mm links, 0.30 mm hoch  
 Streuwert 3.83, horizontal: 3.51, vertikal: 4.12



Serie 3:

10.4 \* 10.1 ↑ 9.2 ↘ 9.3 ↘ 8.7 ↗  
 9.7 ↓ 7.5 → 10.4 \* 9.5 ↙ 9.2 ↗

beste Teiler 138.7 (21.) 149.4 (28.) 204.7 (22.)  
 Trefferlage 0.59 mm rechts, 0.79 mm hoch  
 Streuwert 3.21, horizontal: 3.74, vertikal: 2.57



Serie 4:



9.2 ↙ 8.4 ↗ 9.0 ↗ 7.6 ↓ 8.8 ↘  
 10.0 ↘ 10.2 \* 9.3 ↘ 8.6 ↘ 8.1 ↑

beste Teiler 193.5 (37.) 250.5 (36.) 404.8 (38.)  
 Trefferlage 0.07 mm rechts, 1.03 mm hoch  
 Streuwert 3.98, horizontal: 3.57, vertikal: 4.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (410.1)  
 Serien: 99 99 98 97  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 295 (7), 292 (40), 278 (31)  
 beste Teiler 46.5 (36.) 49.0 (25.) 53.8 (34.)  
 Trefferlage 0.10 mm links, 0.52 mm hoch  
 Streuwert 1.29, horizontal: 1.32, vertikal: 1.27




Serie 1:  
 10.1 ↖ 10.5 \* 10.6 \* 10.3 \* 10.0 ↖  
 10.1 ↖ 9.8 ↙ 10.3 \* 10.7 \* 10.6 \*  
 beste Teiler 70.0 (9.) 82.2 (3.) 95.7 (10.)  
 Trefferlage 0.73 mm links, 0.43 mm hoch  
 Streuwert 1.16, horizontal: 1.00, vertikal: 1.29



Serie 2:  
 10.0 ↑ 10.2 \* 9.9 ↓ 10.0 ↙ 10.4 \*  
 10.0 ↘ 10.6 \* 10.4 \* 10.3 \* 10.4 \*  
 beste Teiler 97.7 (17.) 132.9 (18.) 137.5 (15.)  
 Trefferlage 0.19 mm links, 0.21 mm hoch  
 Streuwert 1.41, horizontal: 1.18, vertikal: 1.60



Serie 3:  
 10.3 \* 9.9 ↖ 10.3 \* 9.9 ↗ 10.8 \*  
 10.6 \* 10.3 \* 10.4 \* 10.1 ↑ 10.4 \*  
 beste Teiler 49.0 (25.) 94.2 (26.) 131.0 (28.)  
 Trefferlage 0.49 mm rechts, 0.77 mm hoch  
 Streuwert 1.12, horizontal: 1.18, vertikal: 1.06





Serie 4:  
 9.8 ↖ 10.1 ↗ 10.2 \* 10.7 \* 10.2 \*  
 10.8 \* 10.2 \* 10.2 \* 9.9 ↘ 9.8 ↖  
 beste Teiler 46.5 (36.) 53.8 (34.) 177.1 (37.)  
 Trefferlage 0.03 mm rechts, 0.65 mm hoch  
 Streuwert 1.47, horizontal: 1.69, vertikal: 1.19


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 367 (385.4)**  
**Serien:** 90 92 91 94  
**Zähler:** 15 18 6 1 0 0 0 0 0 0  
**Innenzehner:** 8  
**weiteste:** 809 (3), 728 (32), 603 (22)  
**beste Teiler** 51.2 (28.) 102.4 (33.) 112.8 (13.)  
**Trefferlage** 0.11 mm rechts, 0.10 mm tief  
**Streuwert** 2.65, horizontal: 2.86, vertikal: 2.42




**Serie 1:**  
 9.8 ↑ 9.6 ↘ 7.7 ← 9.1 ↓ 8.7 ←  
 10.3 \* 10.3 \* 10.1 ← 9.4 ← 9.4 ↘  
**beste Teiler** 157.5 (6.) 164.7 (7.) 203.0 (8.)  
**Trefferlage** 2.44 mm links, 0.19 mm tief  
**Streuwert** 2.57, horizontal: 2.64, vertikal: 2.50



**Serie 2:**  
 10.4 \* 9.8 ↗ 10.5 \* 8.8 ↘ 9.4 →  
 9.9 ↗ 10.1 ↓ 9.9 → 9.7 ↘ 9.5 ↖  
**beste Teiler** 112.8 (13.) 137.2 (11.) 214.3 (17.)  
**Trefferlage** 0.13 mm rechts, 1.04 mm tief  
**Streuwert** 2.19, horizontal: 2.50, vertikal: 1.83



**Serie 3:**  
 9.2 → 8.5 → 10.1 ↘ 8.8 → 8.8 →  
 9.7 ↓ 10.0 ↑ 10.7 \* 10.1 ↖ 9.5 ↘  
**beste Teiler** 51.2 (28.) 211.4 (29.) 212.6 (23.)  
**Trefferlage** 2.30 mm rechts, 0.52 mm tief  
**Streuwert** 2.35, horizontal: 2.61, vertikal: 2.06





**Serie 4:**  
 9.7 ↑ 8.0 ↑ 10.5 \* 9.6 ↗ 10.0 ↗  
 10.0 ↗ 10.5 \* 9.6 ← 10.2 \* 9.5 ↓  
**beste Teiler** 102.4 (33.) 119.0 (37.) 187.8 (39.)  
**Trefferlage** 0.46 mm rechts, 1.35 mm hoch  
**Streuwert** 2.31, horizontal: 1.63, vertikal: 2.83

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **387** (405.3)  
 Serien: 97 96 97 97  
 Zähler: 28 11 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 525 (4), 436 (31), 412 (14)  
 beste Teiler 32.4 (30.) 79.2 (34.) 91.1 (13.)  
 Trefferlage 0.03 mm rechts, 0.12 mm tief  
 Streuwert 1.66, horizontal: 2.07, vertikal: 1.10




Serie 1:  
 10.0 ← 10.4 \* 10.4 \* 8.9 → 10.5 \*  
 10.6 \* 10.6 \* 10.4 \* 10.1 ↖ 9.6 ↙  
 beste Teiler 94.3 (6.) 96.6 (7.) 112.0 (5.)  
 Trefferlage 0.26 mm links, 0.20 mm tief  
 Streuwert 1.79, horizontal: 2.27, vertikal: 1.11



Serie 2:  
 10.0 ↘ 9.7 → 10.6 \* 9.3 ← 9.7 →  
 10.4 \* 10.5 \* 10.3 \* 9.5 ← 10.4 \*  
 beste Teiler 91.1 (13.) 120.4 (17.) 128.2 (16.)  
 Trefferlage 0.14 mm rechts, 0.45 mm tief  
 Streuwert 1.83, horizontal: 2.49, vertikal: 0.73



Serie 3:  
 10.3 \* 10.1 ↘ 10.4 \* 9.8 ↙ 9.5 ←  
 10.4 \* 10.5 \* 9.8 ↑ 10.5 \* 10.8 \*  
 beste Teiler 32.4 (30.) 106.0 (29.) 109.5 (27.)  
 Trefferlage 0.47 mm links, 0.37 mm hoch  
 Streuwert 1.45, horizontal: 1.53, vertikal: 1.36





Serie 4:  
 9.2 ↘ 9.9 ↖ 10.1 ↗ 10.6 \* 10.4 \*  
 10.3 \* 10.5 \* 10.3 \* 10.1 → 9.9 ←  
 beste Teiler 79.2 (34.) 123.7 (37.) 140.4 (35.)  
 Trefferlage 0.73 mm rechts, 0.22 mm tief  
 Streuwert 1.59, horizontal: 1.97, vertikal: 1.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394** (413.8)  
 Serien: 100 98 98 98  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 379 (14), 363 (34), 320 (30)  
 beste Teiler 36.2 (11.) 44.2 (40.) 45.5 (21.)  
 Trefferlage 0.12 mm rechts, 0.21 mm hoch  
 Streuwert 1.24, horizontal: 1.34, vertikal: 1.13




Serie 1:  
 10.3 \* 10.4 \* 10.6 \* 10.7 \* 10.3 \*  
 10.6 \* 10.2 \* 10.5 \* 10.6 \* 10.4 \*  
 beste Teiler 62.1 (4.) 79.9 (9.) 80.3 (6.)  
 Trefferlage 0.11 mm links, 0.44 mm hoch  
 Streuwert 0.88, horizontal: 1.04, vertikal: 0.68



Serie 2:  
 10.8 \* 10.7 \* 10.7 \* 9.4 ↗ 10.2 \*  
 10.1 ← 10.3 \* 10.4 \* 10.0 ↓ 9.9 ↓  
 beste Teiler 36.2 (11.) 62.3 (13.) 63.0 (12.)  
 Trefferlage 0.25 mm rechts, 0.08 mm tief  
 Streuwert 1.49, horizontal: 1.53, vertikal: 1.46



Serie 3:  
 10.8 \* 10.2 \* 10.7 \* 10.7 \* 9.8 ↗  
 10.7 \* 10.3 \* 10.8 \* 10.5 \* 9.7 ↖  
 beste Teiler 45.5 (21.) 48.8 (28.) 60.7 (24.)  
 Trefferlage 0.02 mm rechts, 0.47 mm hoch  
 Streuwert 1.17, horizontal: 1.28, vertikal: 1.04





Serie 4:  
 10.4 \* 10.3 \* 10.4 \* 9.5 → 10.1 ↓  
 10.4 \* 10.1 ↗ 9.8 ↘ 10.7 \* 10.8 \*  
 beste Teiler 44.2 (40.) 58.6 (39.) 140.0 (33.)  
 Trefferlage 0.34 mm rechts, 0.04 mm hoch  
 Streuwert 1.45, horizontal: 1.60, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (388.6)  
 Serien: 91 91 96 95  
 Zähler: 18 17 5 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 708 (3), 673 (8), 566 (39)  
 beste Teiler 15.5 (1.) 38.4 (20.) 132.9 (4.)  
 Trefferlage 0.01 mm rechts, 0.25 mm tief  
 Streuwert 2.47, horizontal: 2.74, vertikal: 2.18




Serie 1:  
 10.9 \* 9.3 ← 8.1 ← 10.4 \* 9.8 ↑  
 9.9 ↓ 10.1 → 8.3 ↑ 9.9 → 9.3 ←  
 beste Teiler 15.5 (1.) 132.9 (4.) 212.4 (7.)  
 Trefferlage 0.99 mm links, 0.64 mm hoch  
 Streuwert 2.82, horizontal: 3.07, vertikal: 2.54



Serie 2:  
 9.8 ↘ 8.8 ↓ 10.4 \* 9.5 ↙ 10.4 \*  
 9.3 ↗ 8.8 → 9.9 ↓ 9.9 ↑ 10.8 \*  
 beste Teiler 38.4 (20.) 133.0 (13.) 138.6 (15.)  
 Trefferlage 0.66 mm rechts, 0.86 mm tief  
 Streuwert 2.39, horizontal: 2.55, vertikal: 2.21



Serie 3:  
 9.3 ← 9.2 ← 10.0 ↘ 9.5 ↑ 10.0 ↓  
 9.7 ↗ 10.1 ↗ 10.0 → 10.0 ↘ 10.3 \*  
 beste Teiler 171.0 (30.) 225.8 (27.) 230.2 (25.)  
 Trefferlage 0.53 mm rechts, 0.23 mm hoch  
 Streuwert 2.21, horizontal: 2.58, vertikal: 1.75





Serie 4:  
 10.0 ↓ 10.1 ↓ 9.0 ↙ 9.8 ↓ 10.0 ↘  
 10.0 → 10.0 ↑ 9.2 ← 8.7 → 10.1 ↘  
 beste Teiler 218.7 (32.) 220.7 (40.) 226.1 (31.)  
 Trefferlage 0.16 mm links, 1.05 mm tief  
 Streuwert 2.43, horizontal: 2.83, vertikal: 1.95

Unterschrift des Schützen

Meyton Elektronik




Ergebnis: **306** (325.1)  
 Serien: 75 74 76 81  
 Zähler: 4 9 12 6 3 5 1 0 0 0  
 Innenzehner: 3  
 weiteste: 1667 (1), 1460 (12), 1403 (29)  
 beste Teiler 23.7 (15.) 180.6 (24.) 194.8 (38.)  
 Trefferlage 2.46 mm links, 3.13 mm hoch  
 Streuwert 5.08, horizontal: 5.23, vertikal: 4.92



Serie 1:

4.3 ↑ 9.4 ↘ 8.0 ↗ 6.5 ↙ 9.6 ↖  
 7.5 ↗ 8.6 ↗ 9.6 ↖ 6.0 ↑ 9.4 ↖


beste Teiler 335.9 (8.) 336.1 (5.) 376.4 (2.)  
 Trefferlage 0.60 mm links, 3.66 mm hoch  
 Streuwert 5.92, horizontal: 4.29, vertikal: 7.19



Serie 2:

8.9 ← 5.1 ↖ 9.4 ↙ 8.0 ↖ 10.9 \*  
 5.5 ↖ 7.4 ↖ 9.9 ↑ 5.6 ↖ 8.9 ↖


beste Teiler 23.7 (15.) 253.6 (18.) 389.3 (13.)  
 Trefferlage 5.36 mm links, 3.50 mm hoch  
 Streuwert 4.55, horizontal: 5.05, vertikal: 3.99



Serie 3:

5.9 ↗ 9.6 → 8.7 ↖ 10.2 \* 9.8 ↖  
 8.1 ↗ 7.5 ↖ 7.2 ↖ 5.3 ← 8.4 ↖

beste Teiler 180.6 (24.) 295.7 (25.) 339.0 (22.)  
 Trefferlage 2.04 mm links, 3.38 mm hoch  
 Streuwert 5.34, horizontal: 6.47, vertikal: 3.90





Serie 4:

9.7 ↓ 7.9 ↑ 8.8 ↑ 8.1 ↖ 6.4 ←  
 10.0 ↗ 7.9 ↖ 10.2 \* 8.5 ↙ 8.4 ↑

beste Teiler 194.8 (38.) 250.4 (36.) 315.3 (31.)  
 Trefferlage 1.85 mm links, 1.98 mm hoch  
 Streuwert 4.42, horizontal: 4.36, vertikal: 4.48


Unterschrift des Schützen

**Ergebnis: 367 (386.2)**  
**Serien:** 90 89 93 95  
**Zähler:** 12 23 5 0 0 0 0 0 0 0  
**Innenzehner:** 7  
**weiteste:** 677 (1), 555 (21), 543 (19)  
**beste Teiler** 8.2 (26.) 13.6 (34.) 103.2 (25.)  
**Trefferlage** 0.49 mm links, 0.34 mm hoch  
**Streuwert** 2.50, horizontal: 2.93, vertikal: 1.97


**Serie 1:**


8.2 ↘                      9.8 ↘                      9.2 ←                      9.4 ←                      10.0 ↑  
 9.2 ↘                      10.3 \*                      9.4 ↘                      9.9 ↘                      8.9 ↘

**beste Teiler** 173.7 (7.) 250.5 (5.) 269.6 (9.)  
**Trefferlage** 0.97 mm links, 0.21 mm hoch  
**Streuwert** 2.93, horizontal: 3.31, vertikal: 2.50


**Serie 2:**


9.4 ↗                      9.7 ↘                      8.8 ↘                      9.0 ↘                      9.8 ↘  
 9.6 ←                      10.2 \*                      9.5 ↗                      8.8 ←                      9.6 ↘

**beste Teiler** 179.4 (17.) 292.8 (15.) 323.4 (12.)  
**Trefferlage** 1.06 mm links, 1.19 mm hoch  
**Streuwert** 2.68, horizontal: 3.25, vertikal: 1.94


**Serie 3:**

8.7 →                      9.8 ↓                      9.7 ↘                      9.9 ↘                      10.5 \*  
 10.9 \*                      10.1 ↓                      9.2 ↘                      9.8 ↗                      10.0 ↘

**beste Teiler** 8.2 (26.) 103.2 (25.) 219.1 (27.)  
**Trefferlage** 0.40 mm rechts, 0.13 mm tief  
**Streuwert** 2.27, horizontal: 2.64, vertikal: 1.83


**Serie 4:**



9.6 ↘                      9.4 ↘                      10.0 ←                      10.9 \*                      10.3 \*  
 10.3 \*                      10.0 →                      9.3 →                      9.2 ↘                      9.9 ↗

**beste Teiler** 13.6 (34.) 174.0 (36.) 174.9 (35.)  
**Trefferlage** 0.34 mm links, 0.12 mm hoch  
**Streuwert** 2.19, horizontal: 2.69, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 335 (354.5)**  
**Serien:** 82 88 78 87  
**Zähler:** 8 13 8 8 3 0 0 0 0 0  
**Innenzehner:** 7  
**weiteste:** 1177 (34), 1094 (29), 1044 (9)  
**beste Teiler** 95.0 (38.) 108.4 (24.) 119.4 (17.)  
**Trefferlage** 0.46 mm links, 0.59 mm tief  
**Streuwert** 4.29, horizontal: 5.01, vertikal: 3.43




**Serie 1:**  
 9.6 ↑ 9.9 ↓ 8.2 ← 7.6 ↘ 9.7 ↘  
 7.4 ↓ 9.7 ↓ 10.2 \* 6.8 → 8.8 ↘  
**beste Teiler** 188.9 (8.) 273.0 (2.) 319.1 (7.)  
**Trefferlage** 0.45 mm rechts, 1.31 mm tief  
**Streuwert** 4.46, horizontal: 5.15, vertikal: 3.64



**Serie 2:**  
 8.2 ← 8.5 ← 9.3 ← 9.8 → 9.3 ↓  
 7.4 → 10.5 \* 9.9 ↘ 9.3 ↓ 10.5 \*  
**beste Teiler** 119.4 (17.) 121.2 (20.) 271.2 (18.)  
**Trefferlage** 0.76 mm links, 0.88 mm tief  
**Streuwert** 3.50, horizontal: 4.42, vertikal: 2.24



**Serie 3:**  
 9.2 ← 8.8 → 7.1 ↘ 10.5 \* 8.7 ↘  
 7.4 → 8.1 ← 7.7 ↘ 6.6 ↘ 8.2 ↙  
**beste Teiler** 108.4 (24.) 432.6 (21.) 529.1 (22.)  
**Trefferlage** 0.99 mm links, 0.68 mm hoch  
**Streuwert** 5.35, horizontal: 6.43, vertikal: 4.00





**Serie 4:**  
 9.4 ↗ 7.8 ← 10.1 ↑ 6.2 ↘ 10.3 \*  
 7.7 ↘ 9.5 ↓ 10.6 \* 10.4 \* 9.6 ↓  
**beste Teiler** 95.0 (38.) 141.4 (39.) 171.7 (35.)  
**Trefferlage** 0.54 mm links, 0.84 mm tief  
**Streuwert** 4.13, horizontal: 4.47, vertikal: 3.75


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 353 (369.7)**  
**Serien:** 88 88 89 88  
**Zähler:** 10 15 13 2 0 0 0 0 0 0  
**Innenzehner:** 4  
**weiteste:** 940 (18), 899 (31), 726 (4)  
**beste Teiler** 75.1 (27.) 91.0 (34.) 111.4 (35.)  
**Trefferlage** 1.02 mm links, 0.18 mm hoch  
**Streuwert** 3.35, horizontal: 3.59, vertikal: 3.10




**Serie 1:**  
 10.1 ↘ 9.6 → 9.3 ↘ 8.0 → 8.6 ↖  
 10.1 ↙ 8.2 → 8.3 ↖ 9.8 ← 9.9 ↗  
**beste Teiler** 216.0 (1.) 219.2 (6.) 263.5 (10.)  
**Trefferlage** 1.18 mm rechts, 0.42 mm hoch  
**Streuwert** 3.47, horizontal: 4.02, vertikal: 2.82



**Serie 2:**  
 9.5 ← 8.2 ← 9.5 ↓ 10.0 ↖ 9.4 ←  
 9.3 → 8.3 ↓ 7.2 ↘ 10.1 ↑ 9.8 →  
**beste Teiler** 203.2 (19.) 250.9 (14.) 278.9 (20.)  
**Trefferlage** 1.62 mm links, 0.39 mm tief  
**Streuwert** 3.59, horizontal: 3.87, vertikal: 3.29



**Serie 3:**  
 9.5 ↓ 9.1 ← 9.0 ↘ 8.9 ↖ 8.6 ←  
 10.4 \* 10.7 \* 8.4 ↓ 10.0 ← 8.8 ↑  
**beste Teiler** 75.1 (27.) 148.2 (26.) 242.6 (29.)  
**Trefferlage** 2.15 mm links, 0.26 mm tief  
**Streuwert** 2.89, horizontal: 2.43, vertikal: 3.28





**Serie 4:**  
 7.4 ← 9.4 ↑ 9.5 ↘ 10.6 \* 10.5 \*  
 8.6 ↗ 8.4 ↖ 9.8 ← 8.8 ↓ 10.1 ←  
**beste Teiler** 91.0 (34.) 111.4 (35.) 224.1 (40.)  
**Trefferlage** 1.52 mm links, 0.96 mm hoch  
**Streuwert** 3.31, horizontal: 3.35, vertikal: 3.28

Unterschrift des Schützen

Meyton Elektronik




Ergebnis: **351** (369.5)  
 Serien: 83 86 94 88  
 Zähler: 7 21 9 2 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1163 (2), 780 (40), 768 (3)  
 beste Teiler 62.0 (31.) 64.0 (25.) 74.0 (37.)  
 Trefferlage 0.29 mm links, 0.59 mm tief  
 Streuwert 3.41, horizontal: 3.71, vertikal: 3.08



Serie 1:

9.1 ↗ 6.3 ↗ 7.9 ↓ 9.5 ← 9.2 ↓  
 9.3 ↘ 9.6 ↗ 8.3 ↖ 8.3 ↘ 9.7 ↓


beste Teiler 325.5 (10.) 333.5 (7.) 354.0 (4.)  
 Trefferlage 1.55 mm rechts, 1.28 mm tief  
 Streuwert 4.31, horizontal: 4.46, vertikal: 4.15



Serie 2:

9.7 ↓ 9.7 ↓ 8.5 ← 9.0 → 8.3 ←  
 9.5 ↗ 8.9 ↓ 9.9 ← 8.5 → 9.6 ↗


beste Teiler 264.5 (18.) 320.6 (11.) 324.2 (12.)  
 Trefferlage 0.17 mm links, 0.73 mm tief  
 Streuwert 3.48, horizontal: 4.06, vertikal: 2.78



Serie 3:

9.1 ← 9.0 ← 9.4 ↓ 10.0 ↑ 10.7 \*  
 10.6 \* 10.3 \* 9.7 ↓ 9.3 ↑ 9.1 ↓

beste Teiler 64.0 (25.) 97.0 (26.) 152.5 (27.)  
 Trefferlage 0.56 mm links, 0.91 mm tief  
 Streuwert 2.45, horizontal: 2.13, vertikal: 2.73



Serie 4:



10.7 \* 10.0 ← 8.9 ← 9.7 → 9.4 ↘  
 9.0 ↘ 10.7 \* 8.8 ↘ 8.5 ↓ 7.8 ←

beste Teiler 62.0 (31.) 74.0 (37.) 228.2 (32.)  
 Trefferlage 2.01 mm links, 0.56 mm hoch  
 Streuwert 3.03, horizontal: 3.41, vertikal: 2.58


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 374 (390.7)**  
**Serien: 94 97 93 90**  
**Zähler: 18 19 2 1 0 0 0 0 0 0**  
**Innenzehner: 12**  
**weiteste: 912 (37), 651 (2), 533 (33)**  
**beste Teiler 21.0 (28.) 39.4 (11.) 52.8 (23.)**  
**Trefferlage 0.40 mm links, 0.06 mm tief**  
**Streuwert 2.47, horizontal: 2.82, vertikal: 2.07**




**Serie 1:**  
 10.4 \* 8.3 ↘ 9.2 ↘ 9.3 ↘ 9.9 ←  
 9.6 ← 10.7 \* 10.4 \* 10.1 ↗ 10.6 \*  
**beste Teiler 55.0 (7.) 97.7 (10.) 144.0 (1.)**  
**Trefferlage 1.00 mm rechts, 0.81 mm tief**  
**Streuwert 2.22, horizontal: 2.75, vertikal: 1.52**



**Serie 2:**  
 10.8 \* 9.2 ↘ 9.4 ↘ 10.0 ↘ 10.6 \*  
 10.1 ← 9.4 ← 10.4 \* 10.4 \* 10.0 ↘  
**beste Teiler 39.4 (11.) 82.4 (15.) 133.9 (19.)**  
**Trefferlage 0.67 mm links, 0.12 mm tief**  
**Streuwert 1.90, horizontal: 1.79, vertikal: 2.00**



**Serie 3:**  
 9.0 ↘ 9.2 ↗ 10.7 \* 9.5 ← 9.0 ↘  
 10.6 \* 9.6 ← 10.9 \* 9.7 ↘ 9.8 ↑  
**beste Teiler 21.0 (28.) 52.8 (23.) 80.7 (26.)**  
**Trefferlage 0.89 mm links, 0.54 mm tief**  
**Streuwert 2.33, horizontal: 2.68, vertikal: 1.93**





**Serie 4:**  
 10.0 ↘ 9.2 ↑ 8.8 ← 9.1 ↘ 10.4 \*  
 9.9 ↑ 7.3 ← 9.2 ↑ 10.1 ↘ 9.9 ↑  
**beste Teiler 148.6 (35.) 208.6 (39.) 248.9 (31.)**  
**Trefferlage 1.04 mm links, 1.21 mm hoch**  
**Streuwert 3.10, horizontal: 3.66, vertikal: 2.41**


Unterschrift des Schützen

Meyton Elektronik


|              |                                        |         |    |    |   |   |   |   |   |
|--------------|----------------------------------------|---------|----|----|---|---|---|---|---|
| Ergebnis:    | <b>367</b>                             | (384.7) |    |    |   |   |   |   |   |
| Serien:      | 92                                     | 93      | 88 | 94 |   |   |   |   |   |
| Zähler:      | 18                                     | 13      | 7  | 2  | 0 | 0 | 0 | 0 | 0 |
| Innenzehner: | 13                                     |         |    |    |   |   |   |   |   |
| weiteste:    | 844 (38), 822 (21), 667 (26)           |         |    |    |   |   |   |   |   |
| beste Teiler | 43.1 (30.) 49.9 (20.) 68.7 (3.)        |         |    |    |   |   |   |   |   |
| Trefferlage  | 0.01 mm rechts, 0.31 mm tief           |         |    |    |   |   |   |   |   |
| Streuwert    | 2.82, horizontal: 3.35, vertikal: 2.17 |         |    |    |   |   |   |   |   |




|              |                                        |        |       |        |
|--------------|----------------------------------------|--------|-------|--------|
| Serie 1:     |                                        |        |       |        |
| 9.8 ↘        | 8.5 ←                                  | 10.7 * | 9.8 ↗ | 10.6 * |
| 10.2 *       | 8.4 ↙                                  | 10.2 * | 8.6 ↖ | 10.3 * |
| beste Teiler | 68.7 (3.) 85.8 (5.) 174.5 (10.)        |        |       |        |
| Trefferlage  | 0.83 mm links, 1.16 mm tief            |        |       |        |
| Streuwert    | 2.55, horizontal: 3.04, vertikal: 1.95 |        |       |        |



|              |                                        |             |             |        |
|--------------|----------------------------------------|-------------|-------------|--------|
| Serie 2:     |                                        |             |             |        |
| 9.5 ↑        | 10.3 *                                 | 9.6 ←       | 9.4 ↓       | 9.1 ↖  |
| 9.7 ↙        | 9.4 ↘                                  | 9.8 →       | 10.4 *      | 10.8 * |
| beste Teiler | 49.9 (20.)                             | 129.5 (19.) | 161.6 (12.) |        |
| Trefferlage  | 0.98 mm links, 0.33 mm tief            |             |             |        |
| Streuwert    | 2.24, horizontal: 2.20, vertikal: 2.29 |             |             |        |





|              |                                        |             |             |        |        |
|--------------|----------------------------------------|-------------|-------------|--------|--------|
| Serie 3:     | 7.7 →                                  | 8.5 →       | 9.1 ↓       | 8.8 ↑  | 9.5 ↘  |
|              | 8.3 ↗                                  | 10.0 →      | 9.3 ↑       | 10.0 ← | 10.8 * |
| beste Teiler | 43.1 (30.)                             | 228.3 (27.) | 240.0 (29.) |        |        |
| Trefferlage  | 2.27 mm rechts, 0.38 mm hoch           |             |             |        |        |
| Streuwert    | 3.21, horizontal: 3.39, vertikal: 3.02 |             |             |        |        |




|              |                                        |            |             |        |
|--------------|----------------------------------------|------------|-------------|--------|
| Serie 4:     |                                        |            |             |        |
| 9.1 ←        | 10.7 *                                 | 10.1 →     | 10.1 →      | 10.4 * |
| 10.6 *       | 8.8 →                                  | 7.6 ←      | 10.2 *      | 10.0 ↘ |
| beste Teiler | 75.8 (32.)                             | 89.1 (36.) | 148.6 (35.) |        |
| Trefferlage  | 0.37 mm links, 0.12 mm tief            |            |             |        |
| Streuwert    | 2.82, horizontal: 3.89, vertikal: 0.88 |            |             |        |

Unterschrift des Schützen


Ergebnis: **342** (362.1)  
 Serien: 86 85 88 83  
 Zähler: 7 14 14 4 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1020 (17), 997 (33), 831 (18)  
 beste Teiler 35.3 (31.) 75.0 (16.) 111.5 (3.)  
 Trefferlage 0.99 mm rechts, 0.68 mm tief  
 Streuwert 3.70, horizontal: 4.13, vertikal: 3.21




Serie 1:  
 8.6 ↘ 8.1 ↘ 10.5 \* 9.6 ← 7.8 →  
 9.4 ↘ 10.4 \* 7.7 ↘ 9.0 → 9.2 ↗  
 beste Teiler 111.5 (3.) 145.0 (7.) 339.0 (4.)  
 Trefferlage 2.14 mm rechts, 0.28 mm tief  
 Streuwert 3.64, horizontal: 3.80, vertikal: 3.47



Serie 2:  
 9.5 ↖ 9.0 ↓ 8.1 → 10.4 \* 9.4 ↘  
 10.7 \* 6.9 ↘ 7.6 ↗ 8.4 ↓ 9.7 ↘  
 beste Teiler 75.0 (16.) 142.3 (14.) 320.6 (20.)  
 Trefferlage 2.33 mm rechts, 1.70 mm tief  
 Streuwert 3.70, horizontal: 3.39, vertikal: 3.98





Serie 3:  
 9.5 → 9.9 ↖ 8.6 ↖ 8.8 ← 10.1 ↘  
 9.2 → 9.2 ↖ 10.1 ↘ 8.9 → 8.8 →  
 beste Teiler 204.2 (28.) 214.4 (25.) 260.9 (22.)  
 Trefferlage 0.50 mm rechts, 0.14 mm tief  
 Streuwert 3.23, horizontal: 4.21, vertikal: 1.75




Serie 4:  
 10.8 \* 8.9 ↘ 7.0 ↖ 9.6 ↓ 8.9 ↖  
 8.2 ↘ 8.5 ← 8.7 ↗ 8.9 → 9.5 ←  
 beste Teiler 35.3 (31.) 338.3 (34.) 352.4 (40.)  
 Trefferlage 0.99 mm links, 0.60 mm tief  
 Streuwert 4.12, horizontal: 4.68, vertikal: 3.46

Unterschrift des Schützen


**Ergebnis: 356 (376.2)**  
**Serien:** 88 89 90 89  
**Zähler:** 6 25 8 1 0 0 0 0 0 0  
**Innenzehner:** 5  
**weiteste:** 980 (1), 738 (16), 666 (22)  
**beste Teiler** 62.2 (19.) 66.8 (26.) 91.7 (8.)  
**Trefferlage** 0.05 mm links, 0.01 mm hoch  
**Streuwert** 3.06, horizontal: 3.18, vertikal: 2.94




**Serie 1:**  
 7.0 ↙ 10.3 \* 9.1 ← 9.4 ↑ 8.8 →  
 9.9 ↗ 8.7 ↘ 10.6 \* 9.1 → 9.9 ←  
**beste Teiler** 91.7 (8.) 152.8 (2.) 251.3 (6.)  
**Trefferlage** 0.08 mm links, 0.15 mm tief  
**Streuwert** 3.61, horizontal: 4.13, vertikal: 3.00



**Serie 2:**  
 9.9 ↙ 9.4 ↘ 8.8 ↗ 9.0 ↘ 9.2 ←  
 8.0 ↘ 9.8 ↓ 9.2 → 10.7 \* 9.8 ↓  
**beste Teiler** 62.2 (19.) 262.9 (11.) 279.9 (20.)  
**Trefferlage** 0.60 mm rechts, 2.47 mm tief  
**Streuwert** 2.60, horizontal: 3.28, vertikal: 1.66



**Serie 3:**  
 10.1 ↗ 8.3 ↘ 9.5 ↙ 9.4 ↗ 9.6 ↘  
 10.7 \* 8.5 ↗ 9.6 → 9.8 ↑ 9.7 ↗  
**beste Teiler** 66.8 (26.) 224.3 (21.) 293.4 (29.)  
**Trefferlage** 1.32 mm rechts, 0.96 mm hoch  
**Streuwert** 2.66, horizontal: 2.64, vertikal: 2.68





**Serie 4:**  
 8.8 ← 9.2 ↖ 9.9 ← 9.1 ↑ 9.4 ←  
 9.2 ↖ 9.8 ↙ 8.9 ↖ 10.5 \* 9.6 ↑  
**beste Teiler** 117.5 (39.) 263.4 (33.) 292.2 (37.)  
**Trefferlage** 2.04 mm links, 1.74 mm hoch  
**Streuwert** 2.16, horizontal: 1.44, vertikal: 2.69

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (385.9)  
 Serien: 90 92 91 92  
 Zähler: 11 23 6 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 665 (14), 651 (27), 637 (8)  
 beste Teiler 72.6 (39.) 100.6 (30.) 105.4 (10.)  
 Trefferlage 0.00 mm , 0.30 mm hoch  
 Streuwert 2.55, horizontal: 2.80, vertikal: 2.27



Serie 1:

9.3 ↗ 9.9 ↗ 8.7 → 9.9 ↖ 10.1 ↘  
 9.4 ↗ 10.0 → 8.4 → 8.8 ↖ 10.5 \*


beste Teiler 105.4 (10.) 216.2 (5.) 250.9 (7.)  
 Trefferlage 1.34 mm rechts, 1.17 mm hoch  
 Streuwert 2.67, horizontal: 3.33, vertikal: 1.77



Serie 2:

9.5 ↖ 9.9 ↘ 9.7 ↘ 8.3 ↗ 10.0 ↘  
 10.0 → 9.1 ↘ 9.9 ↗ 10.2 \* 9.7 →


beste Teiler 190.1 (19.) 229.3 (15.) 234.1 (16.)  
 Trefferlage 1.64 mm rechts, 0.03 mm tief  
 Streuwert 2.33, horizontal: 1.92, vertikal: 2.67



Serie 3:

10.4 \* 9.6 ↗ 8.9 ↗ 9.5 ↖ 10.5 \*  
 9.2 ↖ 8.3 ↖ 9.7 ↘ 9.6 ↖ 10.6 \*

beste Teiler 100.6 (30.) 106.7 (25.) 141.9 (21.)  
 Trefferlage 1.64 mm links, 0.13 mm hoch  
 Streuwert 2.47, horizontal: 2.59, vertikal: 2.35



Serie 4:



9.8 ↖ 9.4 ↖ 9.4 ↗ 9.8 ↖ 9.5 ↘  
 10.4 \* 9.9 ↗ 9.7 ↗ 10.7 \* 9.7 ↗

beste Teiler 72.6 (39.) 147.8 (36.) 271.7 (37.)  
 Trefferlage 1.33 mm links, 0.06 mm tief  
 Streuwert 1.98, horizontal: 1.58, vertikal: 2.32

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.8)  
 Serien: 85 90 91 92  
 Zähler: 10 19 10 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 844 (25), 722 (8), 635 (16)  
 beste Teiler 47.4 (28.) 73.0 (26.) 87.7 (31.)  
 Trefferlage 1.98 mm rechts, 0.98 mm tief  
 Streuwert 2.61, horizontal: 2.91, vertikal: 2.28



Serie 1:

8.5 ↗ 9.8 ← 9.5 ← 8.9 ↗ 8.5 ↗  
 9.6 ↓ 10.0 ↓ 8.1 ↓ 8.5 ↘ 8.7 ↗


beste Teiler 229.9 (7.) 279.0 (2.) 331.8 (6.)  
 Trefferlage 2.40 mm rechts, 1.89 mm tief  
 Streuwert 3.03, horizontal: 3.53, vertikal: 2.43



Serie 2:

9.9 → 10.0 ↑ 9.9 ↘ 9.8 ↓ 8.5 →  
 8.4 ↘ 9.0 ↘ 9.9 → 10.5 \* 9.6 →


beste Teiler 101.0 (19.) 246.2 (12.) 254.6 (13.)  
 Trefferlage 2.17 mm rechts, 0.15 mm tief  
 Streuwert 2.38, horizontal: 2.56, vertikal: 2.19



Serie 3:

9.9 ↓ 10.1 ↓ 9.2 ↑ 8.4 ↓ 7.6 →  
 10.7 \* 9.3 ← 10.8 \* 9.4 → 10.2 \*

beste Teiler 47.4 (28.) 73.0 (26.) 197.7 (30.)  
 Trefferlage 1.31 mm rechts, 1.10 mm tief  
 Streuwert 2.89, horizontal: 3.32, vertikal: 2.37



Serie 4:



10.6 \* 9.2 ↗ 9.0 ↗ 10.0 ↗ 9.0 ↘  
 9.7 ↑ 9.7 ↓ 8.7 ↗ 9.5 → 10.2 \*

beste Teiler 87.7 (31.) 195.0 (40.) 245.0 (34.)  
 Trefferlage 2.04 mm rechts, 0.78 mm tief  
 Streuwert 2.28, horizontal: 2.43, vertikal: 2.12

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (372.1)  
 Serien: 89 85 86 91  
 Zähler: 10 17 8 4 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1045 (13), 827 (11), 815 (38)  
 beste Teiler 41.5 (8.) 64.7 (33.) 74.0 (21.)  
 Trefferlage 0.82 mm rechts, 1.11 mm tief  
 Streuwert 3.22, horizontal: 3.74, vertikal: 2.59



Serie 1:

9.4 ↘ 10.4 \* 9.6 ↓ 9.5 ↖ 9.6 ↘  
 8.8 ↘ 10.1 → 10.8 \* 7.9 ← 8.6 ↓


beste Teiler 41.5 (8.) 143.4 (2.) 214.8 (7.)  
 Trefferlage 0.46 mm rechts, 1.41 mm tief  
 Streuwert 2.96, horizontal: 3.51, vertikal: 2.28



Serie 2:

7.6 ↘ 9.8 → 6.8 ↘ 9.4 ↖ 9.7 ↓  
 10.0 ↑ 9.8 ↙ 9.9 ← 8.6 ↘ 9.2 ↓


beste Teiler 247.5 (16.) 275.5 (18.) 278.4 (17.)  
 Trefferlage 0.46 mm rechts, 1.65 mm tief  
 Streuwert 3.76, horizontal: 3.84, vertikal: 3.68



Serie 3:

10.7 \* 8.6 → 9.6 ↘ 10.3 \* 7.7 →  
 8.6 ← 9.2 ↘ 9.3 → 8.7 ← 8.6 ↘

beste Teiler 74.0 (21.) 154.2 (24.) 334.4 (23.)  
 Trefferlage 0.80 mm rechts, 0.67 mm tief  
 Streuwert 3.63, horizontal: 4.83, vertikal: 1.72



Serie 4:



9.2 ← 10.0 → 10.7 \* 9.8 ↘ 8.8 →  
 10.5 \* 10.2 \* 7.7 ↘ 9.0 ↑ 9.4 ↓

beste Teiler 64.7 (33.) 117.9 (36.) 176.0 (37.)  
 Trefferlage 1.55 mm rechts, 0.73 mm tief  
 Streuwert 2.82, horizontal: 3.04, vertikal: 2.58

Unterschrift des Schützen




Ergebnis: **336** (354.9)  
 Serien: 85 87 81 83  
 Zähler: 3 19 10 7 1 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 1090 (23), 947 (30), 916 (40)  
 beste Teiler 165.5 (25.) 218.2 (27.) 226.2 (39.)  
 Trefferlage 1.07 mm links, 0.12 mm tief  
 Streuwert 3.96, horizontal: 4.36, vertikal: 3.52



Serie 1:

8.8 ↘ 8.9 ↓ 9.4 ↖ 9.4 ← 9.1 ↗  
 8.9 ↗ 8.0 ↑ 9.3 ↙ 8.9 ↖ 9.5 ↓


beste Teiler 357.9 (10.) 378.8 (3.) 396.4 (4.)  
 Trefferlage 0.35 mm links, 0.49 mm hoch  
 Streuwert 3.66, horizontal: 3.22, vertikal: 4.05



Serie 2:

9.9 ← 7.9 ↓ 8.0 ← 9.6 ↓ 9.7 ↑  
 9.6 ↖ 9.4 ← 9.3 ↑ 9.2 ↑ 9.1 ↑


beste Teiler 271.4 (11.) 305.0 (15.) 337.1 (16.)  
 Trefferlage 1.99 mm links, 0.47 mm hoch  
 Streuwert 3.21, horizontal: 2.58, vertikal: 3.74



Serie 3:

8.6 ← 8.4 → 6.6 ← 9.3 ↓ 10.3 \*  
 7.5 ↙ 10.1 ↓ 9.9 ↘ 7.7 ↗ 7.2 ↘

beste Teiler 165.5 (25.) 218.2 (27.) 261.2 (28.)  
 Trefferlage 0.46 mm links, 1.50 mm tief  
 Streuwert 4.88, horizontal: 5.84, vertikal: 3.68





Serie 4:

9.1 ↖ 9.2 → 7.9 ← 9.5 ↗ 8.9 →  
 9.0 ↗ 8.6 ← 7.9 ↙ 10.0 ↗ 7.3 ←


beste Teiler 226.2 (39.) 357.0 (34.) 446.7 (32.)  
 Trefferlage 1.49 mm links, 0.04 mm hoch  
 Streuwert 4.24, horizontal: 5.41, vertikal: 2.58

Unterschrift des Schützen


Ergebnis: **348** (366.5)  
 Serien: 89 85 87 87  
 Zähler: 12 11 12 3 2 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 1237 (22), 1219 (18), 841 (10)  
 beste Teiler 74.6 (32.) 86.2 (12.) 100.9 (26.)  
 Trefferlage 0.65 mm rechts, 0.71 mm hoch  
 Streuwert 3.73, horizontal: 4.45, vertikal: 2.84




Serie 1:  
 9.0 ← 10.5 \* 10.4 \* 9.1 ↗ 8.7 ←  
 10.3 \* 9.7 ↙ 8.4 ↑ 9.2 ↘ 7.6 →  
 beste Teiler 123.0 (2.) 130.0 (3.) 168.7 (6.)  
 Trefferlage 0.33 mm links, 0.48 mm hoch  
 Streuwert 3.50, horizontal: 4.13, vertikal: 2.71



Serie 2:  
 10.4 \* 10.6 \* 8.9 ← 10.3 \* 7.9 →  
 9.9 ↓ 7.6 ↘ 6.1 ↗ 8.5 ↘ 10.5 \*  
 beste Teiler 86.2 (12.) 110.3 (20.) 147.4 (11.)  
 Trefferlage 0.05 mm links, 1.26 mm hoch  
 Streuwert 4.34, horizontal: 5.21, vertikal: 3.25





Serie 3:  
 8.4 ↗ 6.0 → 9.4 ↘ 8.9 ↑ 10.2 \*  
 10.6 \* 9.6 ↙ 9.7 ↙ 10.2 \* 8.4 ←  
 beste Teiler 100.9 (26.) 177.0 (25.) 179.0 (29.)  
 Trefferlage 0.97 mm rechts, 0.02 mm hoch  
 Streuwert 4.04, horizontal: 4.76, vertikal: 3.17




Serie 4:  
 9.0 ↗ 10.7 \* 8.5 ↘ 8.5 ↗ 9.5 ↗  
 8.4 → 10.2 \* 8.3 ↘ 9.8 ↙ 8.6 ↗  
 beste Teiler 74.6 (32.) 194.0 (37.) 291.2 (39.)  
 Trefferlage 2.02 mm rechts, 1.07 mm hoch  
 Streuwert 3.25, horizontal: 3.89, vertikal: 2.44

Unterschrift des Schützen


**Ergebnis: 337 (357.2)**  
**Serien: 83 87 87 80**  
**Zähler: 7 12 14 5 2 0 0 0 0 0**  
**Innenzehner: 7**  
**weiteste: 1105 (37), 1022 (39), 841 (21)**  
**beste Teiler 51.9 (35.) 66.1 (29.) 70.0 (13.)**  
**Trefferlage 0.90 mm links, 0.68 mm hoch**  
**Streuwert 3.96, horizontal: 4.31, vertikal: 3.58**




**Serie 1:**  
 8.3 ↙ 10.3 \* 7.7 ↘ 9.3 ↙ 8.4 ↘  
 8.4 ↘ 8.3 ↑ 9.3 ↘ 9.0 ← 7.7 ↓  
**beste Teiler 159.3 (2.) 403.0 (8.) 406.9 (4.)**  
**Trefferlage 2.92 mm links, 0.66 mm hoch**  
**Streuwert 3.85, horizontal: 2.73, vertikal: 4.72**



**Serie 2:**  
 9.4 ↓ 9.0 ↘ 10.7 \* 9.5 → 8.9 →  
 8.8 ↘ 7.9 ↘ 8.1 ← 10.5 \* 9.9 ←  
**beste Teiler 70.0 (13.) 106.8 (19.) 270.3 (20.)**  
**Trefferlage 0.88 mm links, 0.10 mm hoch**  
**Streuwert 3.49, horizontal: 4.46, vertikal: 2.11**





**Serie 3:**  
 7.6 ← 9.6 ↓ 10.4 \* 9.5 ↘ 7.9 →  
 8.8 → 10.2 \* 8.5 ↘ 10.7 \* 9.3 ↑  
**beste Teiler 66.1 (29.) 127.5 (23.) 198.9 (27.)**  
**Trefferlage 0.36 mm rechts, 0.39 mm hoch**  
**Streuwert 3.67, horizontal: 4.38, vertikal: 2.78**




**Serie 4:**  
 8.5 ↙ 8.6 ← 8.5 ↑ 9.1 ↑ 10.7 \*  
 8.8 → 6.5 → 8.5 ← 6.9 ↘ 9.2 ↘  
**beste Teiler 51.9 (35.) 442.6 (40.) 473.7 (34.)**  
**Trefferlage 0.18 mm links, 1.58 mm hoch**  
**Streuwert 4.84, horizontal: 5.21, vertikal: 4.43**

Unterschrift des Schützen


**Ergebnis: 376 (390.0)**  
**Serien: 95 95 94 92**  
**Zähler: 23 11 5 1 0 0 0 0 0 0**  
**Innenzehner: 13**  
**weiteste: 792 (25), 709 (23), 556 (39)**  
**beste Teiler 93.0 (21.) 94.0 (38.) 98.3 (24.)**  
**Trefferlage 0.23 mm rechts, 0.35 mm hoch**  
**Streuwert 2.47, horizontal: 2.80, vertikal: 2.09**




**Serie 1:**  
 10.4 \* 9.5 ↘ 9.0 ↑ 10.4 \* 9.5 ↘  
 9.2 ← 9.0 ↘ 10.5 \* 10.4 \* 10.0 →  
**beste Teiler 121.0 (8.) 129.2 (9.) 133.2 (1.)**  
**Trefferlage 1.22 mm links, 1.34 mm hoch**  
**Streuwert 2.06, horizontal: 2.22, vertikal: 1.88**



**Serie 2:**  
 10.0 ↘ 10.0 ↘ 10.0 ↘ 10.0 ↘ 9.7 ↘  
 10.1 ↘ 8.9 ↑ 10.0 ↙ 8.9 → 10.4 \*  
**beste Teiler 131.0 (20.) 209.5 (16.) 226.9 (11.)**  
**Trefferlage 0.27 mm rechts, 0.81 mm hoch**  
**Streuwert 2.21, horizontal: 2.34, vertikal: 2.06**



**Serie 3:**  
 10.6 \* 10.5 \* 8.1 → 10.6 \* 7.8 →  
 10.1 → 10.3 \* 10.1 → 10.2 \* 9.7 →  
**beste Teiler 93.0 (21.) 98.3 (24.) 114.2 (22.)**  
**Trefferlage 2.13 mm rechts, 0.19 mm tief**  
**Streuwert 2.31, horizontal: 3.04, vertikal: 1.22**





**Serie 4:**  
 10.1 ← 9.5 ↗ 9.8 ↙ 10.2 \* 10.2 \*  
 9.1 ↘ 8.9 ↓ 10.6 \* 8.7 → 9.0 ↘  
**beste Teiler 94.0 (38.) 183.3 (35.) 193.8 (34.)**  
**Trefferlage 0.23 mm links, 0.52 mm tief**  
**Streuwert 2.72, horizontal: 2.78, vertikal: 2.66**


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.4)  
 Serien: 88 92 89 92  
 Zähler: 13 16 10 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 779 (2), 749 (10), 682 (23)  
 beste Teiler 40.4 (38.) 71.0 (32.) 83.8 (36.)  
 Trefferlage 1.05 mm rechts, 1.45 mm tief  
 Streuwert 2.74, horizontal: 3.44, vertikal: 1.78




Serie 1:  
 9.6 ↗ 7.8 ↗ 9.3 ↘ 10.0 ↓ 9.9 ←  
 10.5 \* 9.2 ↘ 9.2 ← 8.2 ↗ 8.0 ↗  
 beste Teiler 116.7 (6.) 226.4 (4.) 256.0 (5.)  
 Trefferlage 2.21 mm rechts, 1.85 mm tief  
 Streuwert 2.97, horizontal: 3.90, vertikal: 1.55



Serie 2:  
 10.5 \* 10.0 → 9.5 ← 9.8 → 8.8 ←  
 9.3 ↓ 9.3 ↓ 10.1 ← 9.6 ↓ 9.8 ↘  
 beste Teiler 115.2 (11.) 222.4 (18.) 235.0 (12.)  
 Trefferlage 0.23 mm links, 1.63 mm tief  
 Streuwert 2.21, horizontal: 2.68, vertikal: 1.60





Serie 3:  
 10.1 ↙ 8.4 ↗ 8.2 ↘ 9.1 ↙ 10.4 \*  
 8.4 → 9.8 ↘ 8.4 ↘ 10.0 ↘ 9.4 ↘  
 beste Teiler 150.5 (25.) 209.4 (21.) 243.5 (29.)  
 Trefferlage 2.30 mm rechts, 2.36 mm tief  
 Streuwert 2.54, horizontal: 3.17, vertikal: 1.70



Serie 4:  
 9.7 ↖ 10.7 \* 8.9 → 10.0 ↘ 8.3 →  
 10.6 \* 10.4 \* 10.8 \* 9.6 ↗ 8.8 ←  
 beste Teiler 40.4 (38.) 71.0 (32.) 83.8 (36.)  
 Trefferlage 0.05 mm links, 0.05 mm hoch  
 Streuwert 2.70, horizontal: 3.51, vertikal: 1.50


Unterschrift des Schützen

**Ergebnis: 382 (399.6)**  
**Serien: 95 97 93 97**  
**Zähler: 23 16 1 0 0 0 0 0 0 0**  
**Innenzehner: 14**  
**weiteste: 596 (29), 460 (8), 444 (38)**  
**beste Teiler 34.0 (39.) 44.8 (32.) 65.1 (20.)**  
**Trefferlage 0.14 mm rechts, 0.20 mm tief**  
**Streuwert 1.90, horizontal: 2.14, vertikal: 1.62**


**Serie 1:**


9.7 ↗ 10.4 \* 9.6 ← 10.1 ↘ 10.2 \*  
 10.0 → 10.3 \* 9.1 → 9.3 ← 9.9 ↙

**beste Teiler 133.8 (2.) 168.8 (7.) 177.9 (5.)**  
**Trefferlage 0.29 mm rechts, 0.54 mm tief**  
**Streuwert 2.12, horizontal: 2.73, vertikal: 1.23**


**Serie 2:**


10.0 ↑ 10.1 ← 10.1 ↓ 9.9 ↑ 10.3 \*  
 10.5 \* 9.3 ↓ 10.5 \* 9.6 ↑ 10.7 \*

**beste Teiler 65.1 (20.) 102.3 (16.) 108.0 (18.)**  
**Trefferlage 0.01 mm links, 0.21 mm hoch**  
**Streuwert 1.74, horizontal: 1.17, vertikal: 2.16**


**Serie 3:**

9.9 → 10.5 \* 10.2 \* 9.7 ↘ 10.1 ↓  
 10.1 ↙ 9.9 ↘ 9.8 ← 8.6 → 9.8 ←

**beste Teiler 114.3 (22.) 198.1 (23.) 205.4 (25.)**  
**Trefferlage 0.15 mm rechts, 0.64 mm tief**  
**Streuwert 2.18, horizontal: 2.71, vertikal: 1.47**




**Serie 4:**

10.0 ↓ 10.8 \* 9.9 ↑ 10.1 ↙ 10.3 \*  
 10.2 \* 9.8 → 9.2 ← 10.8 \* 10.3 \*


**beste Teiler 34.0 (39.) 44.8 (32.) 164.7 (40.)**  
**Trefferlage 0.12 mm rechts, 0.15 mm hoch**  
**Streuwert 1.73, horizontal: 1.93, vertikal: 1.51**

Unterschrift des Schützen


Ergebnis: **379** (395.2)  
 Serien: 96 96 94 93  
 Zähler: 22 15 3 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 673 (26), 669 (23), 519 (37)  
 beste Teiler 49.7 (12.) 54.9 (11.) 62.2 (22.)  
 Trefferlage 0.96 mm links, 0.12 mm hoch  
 Streuwert 2.14, horizontal: 2.29, vertikal: 1.97




Serie 1:  
 10.6 \* 10.1 ↘ 10.1 ↑ 9.7 ↖ 9.8 ←  
 10.5 \* 10.0 ↑ 9.8 ↖ 9.0 ↖ 10.0 ↑  
 beste Teiler 78.7 (1.) 110.4 (6.) 207.8 (2.)  
 Trefferlage 0.75 mm links, 1.31 mm hoch  
 Streuwert 1.66, horizontal: 1.50, vertikal: 1.81



Serie 2:  
 10.7 \* 10.8 \* 9.6 ↖ 10.1 ↓ 9.0 ↖  
 9.4 ↑ 10.7 \* 9.3 ← 10.3 \* 10.6 \*  
 beste Teiler 49.7 (12.) 54.9 (11.) 66.1 (17.)  
 Trefferlage 1.19 mm links, 0.36 mm hoch  
 Streuwert 1.87, horizontal: 1.78, vertikal: 1.95



Serie 3:  
 10.4 \* 10.7 \* 8.3 ← 10.3 \* 9.9 ↘  
 8.3 ↓ 10.1 ↗ 10.3 \* 9.0 ← 10.3 \*  
 beste Teiler 62.2 (22.) 140.6 (21.) 161.0 (28.)  
 Trefferlage 0.80 mm links, 1.00 mm tief  
 Streuwert 2.58, horizontal: 2.86, vertikal: 2.26





Serie 4:  
 10.3 \* 10.4 \* 9.7 ↙ 9.8 → 9.1 ←  
 10.1 ← 8.9 ← 9.4 ← 10.3 \* 9.5 →  
 beste Teiler 137.3 (32.) 163.4 (31.) 175.4 (39.)  
 Trefferlage 1.12 mm links, 0.17 mm tief  
 Streuwert 2.30, horizontal: 3.00, vertikal: 1.24

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (346.1)  
 Serien: 85 79 81 83  
 Zähler: 8 10 13 3 5 0 0 1 0 0  
 Innenzehner: 6  
 weiteste: 1973 (20), 1219 (32), 1095 (27)  
 beste Teiler 99.1 (36.) 104.9 (13.) 118.9 (14.)  
 Trefferlage 0.04 mm rechts, 1.65 mm hoch  
 Streuwert 4.77, horizontal: 5.33, vertikal: 4.13



Serie 1:

7.5 ↙ 10.0 ↗ 9.4 ↗ 8.5 ↘ 8.7 ↗  
 10.1 ↑ 9.2 ↘ 8.7 ← 9.8 → 7.9 →


beste Teiler 212.0 (6.) 227.0 (2.) 299.5 (9.)  
 Trefferlage 0.22 mm links, 1.50 mm hoch  
 Streuwert 3.83, horizontal: 4.86, vertikal: 2.40



Serie 2:

8.3 ↙ 8.2 ↘ 10.5 \* 10.5 \* 6.8 ↑  
 10.2 \* 10.2 \* 6.8 → 8.8 → 3.1 ↘


beste Teiler 104.9 (13.) 118.9 (14.) 189.0 (16.)  
 Trefferlage 0.83 mm links, 2.69 mm hoch  
 Streuwert 6.05, horizontal: 5.65, vertikal: 6.43



Serie 3:

8.7 ↗ 9.8 ← 9.3 ↗ 8.5 ↘ 8.6 ←  
 8.5 ↙ 6.6 ↘ 8.3 → 9.1 ↘ 8.8 ↘

beste Teiler 286.2 (22.) 413.6 (23.) 462.6 (29.)  
 Trefferlage 0.82 mm links, 1.74 mm hoch  
 Streuwert 4.39, horizontal: 4.61, vertikal: 4.17



Serie 4:

8.1 → 6.1 → 9.4 ↘ 7.1 ↘ 6.6 →  
 10.6 \* 9.0 ← 10.4 \* 9.8 ↙ 9.6 ↗



beste Teiler 99.1 (36.) 143.7 (38.) 280.0 (39.)  
 Trefferlage 2.06 mm rechts, 0.65 mm hoch  
 Streuwert 4.87, horizontal: 6.34, vertikal: 2.69

Unterschrift des Schützen






Ergebnis: **342** (358.7)  
 Serien: 85 82 84 91  
 Zähler: 10 14 6 8 2 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1185 (21), 1139 (29), 913 (24)  
 beste Teiler 65.3 (26.) 99.0 (23.) 156.0 (35.)  
 Trefferlage 1.72 mm rechts, 0.61 mm hoch  
 Streuwert 3.89, horizontal: 4.28, vertikal: 3.47



Serie 1:

7.8 → 9.6 ↑ 9.7 ↙ 10.2 \* 10.1 →  
 8.4 → 9.3 ↙ 7.6 → 7.4 → 9.5 ↗


beste Teiler 178.9 (4.) 201.0 (5.) 325.2 (3.)  
 Trefferlage 3.09 mm rechts, 0.16 mm tief  
 Streuwert 3.44, horizontal: 4.35, vertikal: 2.18



Serie 2:

8.0 → 9.8 ↖ 8.0 ↘ 9.5 ↘ 9.1 ↘  
 8.1 ↘ 9.8 ↑ 7.8 ↑ 7.7 → 8.8 ↑


beste Teiler 277.3 (17.) 292.2 (12.) 361.9 (14.)  
 Trefferlage 2.23 mm rechts, 1.26 mm hoch  
 Streuwert 4.10, horizontal: 3.82, vertikal: 4.36



Serie 3:

6.2 → 9.1 ↗ 10.6 \* 7.3 ↘ 9.5 ↗  
 10.7 \* 10.1 ↗ 7.7 ↙ 6.4 ↘ 10.2 \*

beste Teiler 65.3 (26.) 99.0 (23.) 197.9 (30.)  
 Trefferlage 0.70 mm rechts, 0.50 mm hoch  
 Streuwert 5.03, horizontal: 5.51, vertikal: 4.50





Serie 4:

10.1 ← 10.2 \* 10.0 ↘ 9.5 ↘ 10.3 \*  
 9.4 ↘ 9.7 ↘ 7.8 ↗ 8.3 ↘ 9.4 ↗


beste Teiler 156.0 (35.) 177.2 (32.) 203.0 (31.)  
 Trefferlage 0.88 mm rechts, 0.86 mm hoch  
 Streuwert 3.00, horizontal: 3.35, vertikal: 2.60

Unterschrift des Schützen


Ergebnis: **390** (405.4)  
 Serien: 98 97 97 98  
 Zähler: 30 10 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 470 (19), 411 (17), 380 (5)  
 beste Teiler 49.2 (8.) 52.3 (9.) 64.0 (10.)  
 Trefferlage 0.02 mm rechts, 0.18 mm hoch  
 Streuwert 1.61, horizontal: 1.90, vertikal: 1.25




Serie 1:  
 10.3 \* 10.3 \* 10.2 \* 10.1 ↗ 9.4 →  
 9.6 → 10.4 \* 10.8 \* 10.7 \* 10.7 \*  
 beste Teiler 49.2 (8.) 52.3 (9.) 64.0 (10.)  
 Trefferlage 0.48 mm rechts, 0.11 mm hoch  
 Streuwert 1.48, horizontal: 1.95, vertikal: 0.77



Serie 2:  
 9.6 ↖ 10.5 \* 10.2 \* 10.0 ↑ 10.4 \*  
 10.0 → 9.3 ↖ 10.4 \* 9.1 → 10.4 \*  
 beste Teiler 125.5 (12.) 130.7 (15.) 132.8 (18.)  
 Trefferlage 0.02 mm links, 0.92 mm hoch  
 Streuwert 1.88, horizontal: 2.42, vertikal: 1.09





Serie 3:  
 10.5 \* 9.5 ↖ 10.4 \* 10.4 \* 10.6 \*  
 10.6 \* 10.0 ↘ 9.8 ← 9.8 ↖ 10.0 ↙  
 beste Teiler 91.9 (25.) 99.5 (26.) 103.1 (21.)  
 Trefferlage 0.78 mm links, 0.17 mm hoch  
 Streuwert 1.53, horizontal: 1.44, vertikal: 1.61




Serie 4:  
 10.3 \* 9.9 → 9.9 ↗ 10.3 \* 10.2 \*  
 10.2 \* 10.2 \* 10.0 ↙ 10.2 \* 10.2 \*  
 beste Teiler 157.4 (34.) 160.2 (31.) 176.1 (39.)  
 Trefferlage 0.43 mm rechts, 0.48 mm tief  
 Streuwert 1.43, horizontal: 1.66, vertikal: 1.15

Unterschrift des Schützen


Ergebnis: **380** (398.2)  
 Serien: 94 98 94 94  
 Zähler: 24 12 4 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 693 (24), 644 (2), 560 (1)  
 beste Teiler 43.2 (25.) 48.0 (8.) 54.7 (27.)  
 Trefferlage 0.33 mm rechts, 0.58 mm hoch  
 Streuwert 2.07, horizontal: 2.61, vertikal: 1.32




Serie 1:  
 8.7 → 8.4 ↖ 10.2 \* 10.5 \* 10.1 ←  
 10.6 \* 9.9 → 10.8 \* 10.0 ↗ 9.1 →  
 beste Teiler 48.0 (8.) 96.7 (6.) 121.9 (4.)  
 Trefferlage 0.53 mm rechts, 0.97 mm hoch  
 Streuwert 2.44, horizontal: 3.20, vertikal: 1.27



Serie 2:  
 9.9 ↖ 10.1 → 10.5 \* 10.6 \* 10.5 \*  
 10.1 → 10.5 \* 9.8 ↖ 10.2 \* 10.1 ←  
 beste Teiler 91.0 (14.) 103.0 (13.) 112.7 (17.)  
 Trefferlage 0.27 mm links, 0.37 mm hoch  
 Streuwert 1.35, horizontal: 1.73, vertikal: 0.81



Serie 3:  
 9.7 ↗ 8.9 → 9.1 → 8.2 ↖ 10.8 \*  
 10.3 \* 10.7 \* 10.3 \* 10.2 \* 10.4 \*  
 beste Teiler 43.2 (25.) 54.7 (27.) 129.4 (30.)  
 Trefferlage 0.73 mm rechts, 0.10 mm hoch  
 Streuwert 2.48, horizontal: 3.25, vertikal: 1.32





Serie 4:  
 10.2 \* 9.8 ↗ 9.6 ↖ 9.8 ↗ 10.2 \*  
 9.6 → 10.7 \* 9.3 ↖ 10.4 \* 9.4 ↘  
 beste Teiler 71.5 (37.) 148.9 (39.) 188.8 (35.)  
 Trefferlage 0.32 mm rechts, 0.88 mm hoch  
 Streuwert 2.01, horizontal: 2.26, vertikal: 1.73

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (373.5)  
 Serien: 92 89 90 87  
 Zähler: 11 18 9 2 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 820 (12), 752 (34), 736 (24)  
 beste Teiler 62.1 (20.) 80.8 (3.) 88.8 (27.)  
 Trefferlage 0.01 mm links, 1.79 mm hoch  
 Streuwert 2.95, horizontal: 3.01, vertikal: 2.90



Serie 1:

9.9 ↑ 10.4 \* 10.6 \* 8.9 ↗ 10.1 ↘  
 9.4 ↗ 9.6 ↖ 9.0 → 8.4 ↑ 10.5 \*


beste Teiler 80.8 (3.) 113.9 (10.) 132.4 (2.)  
 Trefferlage 0.66 mm rechts, 1.54 mm hoch  
 Streuwert 2.38, horizontal: 2.41, vertikal: 2.35



Serie 2:

10.4 \* 7.7 ↖ 9.0 ↘ 9.0 ↑ 8.3 ↖  
 9.1 ↘ 10.2 \* 9.2 ↑ 8.2 ↘ 10.7 \*


beste Teiler 62.1 (20.) 129.1 (11.) 194.6 (17.)  
 Trefferlage 0.16 mm links, 2.36 mm hoch  
 Streuwert 3.31, horizontal: 3.13, vertikal: 3.49



Serie 3:

8.9 ↖ 9.7 ↗ 10.0 ↗ 8.0 → 8.7 ↗  
 10.4 \* 10.6 \* 9.3 ↖ 9.2 ↘ 9.4 ↑

beste Teiler 88.8 (27.) 139.4 (26.) 244.5 (23.)  
 Trefferlage 0.05 mm rechts, 2.07 mm hoch  
 Streuwert 2.79, horizontal: 3.18, vertikal: 2.34





Serie 4:

9.7 ↘ 8.3 ↗ 9.5 ↘ 7.9 ↖ 8.7 ↗  
 10.0 ↘ 9.3 ↘ 9.0 ↘ 9.2 ↘ 9.1 ←


beste Teiler 246.8 (36.) 309.5 (31.) 370.1 (33.)  
 Trefferlage 0.61 mm links, 1.17 mm hoch  
 Streuwert 3.52, horizontal: 3.54, vertikal: 3.51

Unterschrift des Schützen


Ergebnis: **330** (347.5)  
 Serien: 82 74 88 86  
 Zähler: 4 12 17 5 1 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 1301 (18), 1133 (13), 930 (20)  
 beste Teiler 163.8 (22.) 176.2 (26.) 221.0 (33.)  
 Trefferlage 0.20 mm links, 1.37 mm tief  
 Streuwert 4.28, horizontal: 5.34, vertikal: 2.87




Serie 1:  
 9.7 ↘ 9.9 ↙ 7.9 → 8.4 ↗ 8.4 ↖  
 8.3 ↘ 8.8 → 8.6 ↗ 8.1 ↘ 9.6 →  
 beste Teiler 253.7 (2.) 309.1 (1.) 326.1 (10.)  
 Trefferlage 1.48 mm rechts, 2.16 mm tief  
 Streuwert 3.74, horizontal: 4.18, vertikal: 3.24



Serie 2:  
 7.8 ↓ 9.2 ↘ 6.4 → 8.9 ↓ 8.4 ↖  
 8.9 ↖ 8.5 ↘ 5.7 ← 8.5 ↘ 7.2 ←  
 beste Teiler 433.0 (12.) 516.7 (14.) 520.0 (16.)  
 Trefferlage 0.83 mm links, 2.23 mm tief  
 Streuwert 5.66, horizontal: 7.46, vertikal: 2.91





Serie 3:  
 9.4 → 10.3 \* 9.2 ← 9.5 ↘ 8.6 ↘  
 10.2 \* 9.0 ↖ 9.0 ↖ 7.5 ↘ 8.4 ↖  
 beste Teiler 163.8 (22.) 176.2 (26.) 368.4 (24.)  
 Trefferlage 0.41 mm links, 1.46 mm tief  
 Streuwert 3.57, horizontal: 4.10, vertikal: 2.94




Serie 4:  
 8.5 → 8.0 ← 10.1 → 9.1 → 8.9 ↖  
 9.2 ↘ 9.8 ← 10.0 → 8.1 ↖ 7.5 ↖  
 beste Teiler 221.0 (33.) 241.8 (38.) 286.6 (37.)  
 Trefferlage 1.06 mm links, 0.36 mm hoch  
 Streuwert 4.01, horizontal: 5.38, vertikal: 1.81

Unterschrift des Schützen


Ergebnis: **367** (387.2)  
 Serien: 90 94 92 91  
 Zähler: 12 23 5 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 711 (6), 638 (38), 589 (21)  
 beste Teiler 44.4 (29.) 95.8 (17.) 119.5 (20.)  
 Trefferlage 1.19 mm links, 0.65 mm hoch  
 Streuwert 2.30, horizontal: 2.31, vertikal: 2.29




Serie 1:  
 8.8 ↖ 10.2 \* 9.7 ↖ 9.6 ↑ 10.2 \*  
 8.1 ↙ 9.9 ← 9.6 ↖ 9.9 → 9.5 ↑  
 beste Teiler 178.7 (5.) 195.4 (2.) 256.3 (9.)  
 Trefferlage 1.33 mm links, 0.80 mm hoch  
 Streuwert 2.60, horizontal: 2.81, vertikal: 2.36



Serie 2:  
 9.9 ↗ 10.0 ↓ 9.9 ← 9.6 ← 9.6 ↓  
 10.3 \* 10.6 \* 9.4 ↑ 9.4 ↙ 10.5 \*  
 beste Teiler 95.8 (17.) 119.5 (20.) 154.7 (16.)  
 Trefferlage 1.12 mm links, 0.30 mm tief  
 Streuwert 1.87, horizontal: 1.41, vertikal: 2.24





Serie 3:  
 8.6 ↖ 10.0 ← 10.0 ↗ 9.6 ↑ 8.7 ↑  
 9.9 ← 9.4 ↖ 9.7 ← 10.8 \* 10.4 \*  
 beste Teiler 44.4 (29.) 136.9 (30.) 226.0 (22.)  
 Trefferlage 1.98 mm links, 1.10 mm hoch  
 Streuwert 1.97, horizontal: 1.87, vertikal: 2.07



Serie 4:  
 10.5 \* 9.7 ↖ 10.0 ↘ 9.6 ↖ 9.4 ↙  
 9.1 → 9.8 ↘ 8.4 ↖ 9.2 ↗ 9.7 ↖  
 beste Teiler 125.9 (31.) 226.2 (33.) 280.2 (37.)  
 Trefferlage 0.33 mm links, 1.00 mm hoch  
 Streuwert 2.71, horizontal: 2.87, vertikal: 2.55


Unterschrift des Schützen

**Ergebnis: 323 (339.8)**  
**Serien:** 83 84 80 76  
**Zähler:** 3 14 10 9 4 0 0 0 0 0  
**Innenzehner:** 2  
**weiteste:** 1181 (12), 1120 (36), 1083 (15)  
**beste Teiler** 34.6 (13.) 156.4 (9.) 206.6 (18.)  
**Trefferlage** 0.86 mm rechts, 2.66 mm tief  
**Streuwert** 4.42, horizontal: 5.00, vertikal: 3.74


**Serie 1:**


9.2 ↖ 8.0 ↖ 9.2 ↘ 7.3 → 9.3 ↘  
 7.0 → 8.2 ↓ 7.0 ↘ 10.3 \* 9.8 ↘

**beste Teiler** 156.4 (9.) 290.8 (10.) 423.1 (5.)  
**Trefferlage** 2.68 mm rechts, 1.73 mm tief  
**Streuwert** 4.41, horizontal: 5.30, vertikal: 3.30


**Serie 2:**


8.5 ↘ 6.2 ↓ 10.8 \* 9.5 ↘ 6.6 ↖  
 9.4 ↓ 8.2 → 10.1 ↘ 9.1 ↘ 9.6 ↖

**beste Teiler** 34.6 (13.) 206.6 (18.) 346.3 (20.)  
**Trefferlage** 1.14 mm rechts, 3.56 mm tief  
**Streuwert** 3.85, horizontal: 3.86, vertikal: 3.84


**Serie 3:**

7.8 ↓ 7.9 ↖ 7.6 ↘ 7.6 ↓ 9.8 →  
 9.1 ↘ 8.6 → 9.4 ↖ 9.8 ↖ 8.9 ↖

**beste Teiler** 295.9 (29.) 298.0 (25.) 378.5 (28.)  
**Trefferlage** 0.23 mm rechts, 2.55 mm tief  
**Streuwert** 4.17, horizontal: 4.91, vertikal: 3.25


**Serie 4:**

8.0 ↖ 7.7 → 8.6 → 7.2 ↓ 6.8 ↖  
 6.5 ↖ 9.1 ↘ 9.4 ↖ 8.7 → 8.0 ↖



**beste Teiler** 379.9 (38.) 453.8 (37.) 573.3 (39.)  
**Trefferlage** 0.61 mm links, 2.83 mm tief  
**Streuwert** 5.35, horizontal: 5.89, vertikal: 4.75

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **374** (388.0)  
 Serien: 94 91 94 95  
 Zähler: 20 14 6 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 615 (4), 595 (24), 593 (15)  
 beste Teiler 37.1 (3.) 76.5 (22.) 131.2 (17.)  
 Trefferlage 0.17 mm rechts, 0.21 mm tief  
 Streuwert 2.51, horizontal: 2.72, vertikal: 2.27




Serie 1:  
 10.0 ↘ 9.0 ↘ 10.8 \* 8.5 ← 9.1 →  
 10.1 ↖ 10.1 ↑ 10.0 ↖ 9.5 ↘ 9.0 →  
 beste Teiler 37.1 (3.) 201.6 (7.) 206.9 (6.)  
 Trefferlage 0.48 mm rechts, 0.09 mm tief  
 Streuwert 2.76, horizontal: 3.33, vertikal: 2.05



Serie 2:  
 9.4 ↘ 9.8 ↖ 10.2 \* 8.7 ↘ 8.6 ↖  
 9.8 ↘ 10.4 \* 10.3 \* 10.3 \* 8.7 ↘  
 beste Teiler 131.2 (17.) 159.2 (18.) 168.0 (19.)  
 Trefferlage 0.45 mm rechts, 1.20 mm tief  
 Streuwert 2.63, horizontal: 2.96, vertikal: 2.25





Serie 3:  
 10.1 → 10.6 \* 10.4 \* 8.6 ↑ 9.4 ↘  
 9.2 ↘ 10.2 \* 9.1 ← 10.4 \* 9.6 →  
 beste Teiler 76.5 (22.) 138.0 (23.) 145.5 (29.)  
 Trefferlage 0.72 mm rechts, 0.10 mm hoch  
 Streuwert 2.46, horizontal: 2.36, vertikal: 2.56




Serie 4:  
 10.3 \* 10.2 \* 10.0 ↘ 10.2 \* 9.2 ↖  
 8.7 ↘ 10.3 \* 10.1 ↓ 9.4 ↘ 9.7 ↑  
 beste Teiler 157.6 (37.) 160.5 (31.) 187.8 (32.)  
 Trefferlage 0.95 mm links, 0.34 mm hoch  
 Streuwert 2.21, horizontal: 2.20, vertikal: 2.21

Unterschrift des Schützen


Ergebnis: **351** (365.1)  
 Serien: 94 83 83 91  
 Zähler: 12 15 7 4 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1231 (29), 1200 (14), 970 (23)  
 beste Teiler 48.9 (4.) 149.0 (39.) 160.4 (16.)  
 Trefferlage 1.03 mm links, 0.12 mm tief  
 Streuwert 3.79, horizontal: 4.42, vertikal: 3.04




Serie 1:  
 10.0 ↙ 10.1 ↖ 9.3 ↘ 10.8 \* 9.7 ↑  
 8.6 ↓ 10.1 ↑ 9.6 ↗ 9.9 ↑ 10.1 →  
 beste Teiler 48.9 (4.) 205.0 (7.) 213.3 (10.)  
 Trefferlage 0.54 mm rechts, 0.17 mm hoch  
 Streuwert 2.30, horizontal: 1.56, vertikal: 2.86



Serie 2:  
 7.9 ↙ 8.0 ↖ 9.8 ↓ 6.2 ↖ 9.5 ↖  
 10.3 \* 9.6 → 8.1 ↖ 8.4 ↘ 9.8 ↘  
 beste Teiler 160.4 (16.) 288.9 (13.) 299.0 (20.)  
 Trefferlage 3.95 mm links, 0.18 mm tief  
 Streuwert 3.64, horizontal: 4.53, vertikal: 2.44



Serie 3:  
 9.1 → 8.4 → 7.1 ↘ 9.3 ↗ 9.0 ↘  
 10.2 \* 7.1 → 9.8 ↗ 6.0 ↗ 9.3 ↗  
 beste Teiler 179.4 (26.) 297.1 (28.) 406.2 (30.)  
 Trefferlage 1.05 mm rechts, 0.75 mm tief  
 Streuwert 5.01, horizontal: 5.83, vertikal: 4.03





Serie 4:  
 9.6 ↖ 8.5 ↓ 10.1 ← 10.0 ↗ 8.3 ←  
 10.1 ↖ 9.6 → 10.0 ← 10.4 \* 7.4 ↘  
 beste Teiler 149.0 (39.) 208.2 (33.) 218.2 (36.)  
 Trefferlage 1.80 mm links, 0.28 mm hoch  
 Streuwert 3.09, horizontal: 3.19, vertikal: 2.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (392.6)  
 Serien: 94 91 94 92  
 Zähler: 15 21 4 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 609 (2), 559 (29), 524 (30)  
 beste Teiler 73.0 (5.) 94.2 (35.) 115.3 (10.)  
 Trefferlage 0.81 mm links, 0.01 mm tief  
 Streuwert 2.16, horizontal: 2.23, vertikal: 2.10




Serie 1:  
 9.7 ↗ 8.5 ↘ 10.1 ↓ 10.3 \* 10.7 \*  
 9.9 ← 10.4 \* 9.3 ← 9.5 ↑ 10.5 \*  
 beste Teiler 73.0 (5.) 115.3 (10.) 141.0 (7.)  
 Trefferlage 0.48 mm links, 0.06 mm tief  
 Streuwert 2.27, horizontal: 2.16, vertikal: 2.36



Serie 2:  
 9.3 ↖ 9.8 ← 9.5 ← 10.2 \* 9.6 ↘  
 8.9 → 9.8 ← 10.5 \* 9.6 ↑ 9.9 ↗  
 beste Teiler 120.0 (18.) 190.2 (14.) 263.5 (20.)  
 Trefferlage 0.57 mm links, 0.33 mm hoch  
 Streuwert 2.40, horizontal: 2.75, vertikal: 1.98



Serie 3:  
 10.3 \* 9.7 ← 10.1 → 10.2 \* 10.4 \*  
 10.1 → 9.8 ↑ 10.5 \* 8.7 ↘ 8.9 ←  
 beste Teiler 121.2 (28.) 136.4 (25.) 165.4 (21.)  
 Trefferlage 0.92 mm links, 0.15 mm hoch  
 Streuwert 2.21, horizontal: 2.63, vertikal: 1.68





Serie 4:  
 10.3 \* 9.8 ↖ 9.3 ↓ 9.5 ↘ 10.6 \*  
 9.6 ← 9.9 ↓ 9.8 ↓ 9.3 ↑ 9.8 ↖  
 beste Teiler 94.2 (35.) 167.0 (31.) 275.2 (37.)  
 Trefferlage 1.27 mm links, 0.48 mm tief  
 Streuwert 2.03, horizontal: 1.36, vertikal: 2.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (408.6)  
 Serien: 98 95 98 98  
 Zähler: 30 9 1 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 695 (20), 320 (37), 319 (2)  
 beste Teiler 15.1 (33.) 28.7 (21.) 29.4 (40.)  
 Trefferlage 0.16 mm rechts, 0.26 mm tief  
 Streuwert 1.54, horizontal: 1.68, vertikal: 1.39




Serie 1:  
 10.2 \* 9.7 ↘ 10.3 \* 10.7 \* 10.2 \*  
 10.6 \* 10.1 ↗ 10.6 \* 9.9 ↘ 10.2 \*  
 beste Teiler 75.1 (4.) 83.0 (6.) 98.7 (8.)  
 Trefferlage 0.00 mm , 0.63 mm tief  
 Streuwert 1.35, horizontal: 1.38, vertikal: 1.33



Serie 2:  
 10.2 \* 9.8 ↗ 10.3 \* 9.9 ↗ 10.0 →  
 10.2 \* 9.7 ↘ 10.0 ↘ 10.8 \* 8.2 →  
 beste Teiler 31.2 (19.) 153.6 (13.) 177.8 (11.)  
 Trefferlage 0.79 mm rechts, 0.65 mm hoch  
 Streuwert 2.12, horizontal: 2.66, vertikal: 1.39



Serie 3:  
 10.8 \* 9.8 ↓ 10.3 \* 10.1 ↓ 9.9 ↗  
 10.5 \* 10.7 \* 10.3 \* 10.6 \* 10.5 \*  
 beste Teiler 28.7 (21.) 59.2 (27.) 90.6 (29.)  
 Trefferlage 0.45 mm rechts, 0.93 mm tief  
 Streuwert 0.96, horizontal: 0.89, vertikal: 1.03





Serie 4:  
 10.1 ↘ 10.5 \* 10.9 \* 10.5 \* 9.8 ←  
 10.2 \* 9.7 ↓ 10.2 \* 10.8 \* 10.8 \*  
 beste Teiler 15.1 (33.) 29.4 (40.) 42.4 (39.)  
 Trefferlage 0.59 mm links, 0.14 mm tief  
 Streuwert 1.28, horizontal: 1.12, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (389.8)  
 Serien: 95 96 92 92  
 Zähler: 23 10 6 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 777 (23), 748 (36), 702 (10)  
 beste Teiler 41.6 (11.) 59.3 (13.) 70.8 (6.)  
 Trefferlage 0.47 mm links, 0.05 mm hoch  
 Streuwert 2.58, horizontal: 3.34, vertikal: 1.47




Serie 1:  
 10.6 \* 10.0 ↖ 10.1 ↖ 10.4 \* 10.2 \*  
 10.7 \* 9.6 ↙ 10.0 ➤ 8.6 ➔ 8.1 ←  
 beste Teiler 70.8 (6.) 97.3 (1.) 149.0 (4.)  
 Trefferlage 0.22 mm links, 0.01 mm hoch  
 Streuwert 2.58, horizontal: 3.34, vertikal: 1.48



Serie 2:  
 10.8 \* 10.2 \* 10.7 \* 9.3 ↗ 9.0 ←  
 10.0 ➤ 9.8 ← 9.4 ↗ 10.2 \* 10.1 ↙  
 beste Teiler 41.6 (11.) 59.3 (13.) 191.0 (19.)  
 Trefferlage 0.34 mm links, 0.04 mm tief  
 Streuwert 2.13, horizontal: 2.54, vertikal: 1.62





Serie 3:  
 9.5 ↖ 10.5 \* 7.8 ← 10.2 \* 10.3 \*  
 9.8 ↖ 9.5 ➤ 8.7 ➔ 10.2 \* 10.1 ↙  
 beste Teiler 107.7 (22.) 170.5 (25.) 198.0 (29.)  
 Trefferlage 0.68 mm links, 0.19 mm tief  
 Streuwert 2.77, horizontal: 3.70, vertikal: 1.30




Serie 4:  
 10.6 \* 10.0 ↖ 10.5 \* 8.8 ➤ 10.3 \*  
 8.0 ← 9.1 ➤ 10.4 \* 9.5 ↗ 8.2 ←  
 beste Teiler 97.6 (31.) 118.1 (33.) 149.5 (38.)  
 Trefferlage 0.62 mm links, 0.43 mm hoch  
 Streuwert 3.13, horizontal: 4.13, vertikal: 1.61

Unterschrift des Schützen


**Ergebnis: 361 (378.7)**  
**Serien:** 92 91 88 90  
**Zähler:** 11 20 8 1 0 0 0 0 0 0  
**Innenzehner:** 6  
**weiteste:** 897 (23), 674 (29), 625 (38)  
**beste Teiler** 63.2 (19.) 96.3 (3.) 136.0 (5.)  
**Trefferlage** 0.75 mm links, 0.30 mm hoch  
**Streuwert** 2.89, horizontal: 2.80, vertikal: 2.97




**Serie 1:**  
 9.2 ↑ 8.7 ← 10.6 \* 9.3 ↑ 10.4 \*  
 10.1 ↘ 8.6 ↑ 10.1 ↘ 9.4 ↘ 9.9 ↘  
**beste Teiler** 96.3 (3.) 136.0 (5.) 208.3 (8.)  
**Trefferlage** 1.01 mm links, 1.61 mm hoch  
**Streuwert** 2.33, horizontal: 2.21, vertikal: 2.44



**Serie 2:**  
 10.0 ↘ 9.5 ↓ 9.6 ↓ 9.6 ↑ 9.4 ↑  
 9.2 ↗ 8.5 ↑ 9.7 ↗ 10.7 \* 9.9 ↘  
**beste Teiler** 63.2 (19.) 228.3 (11.) 272.2 (20.)  
**Trefferlage** 0.60 mm rechts, 0.66 mm hoch  
**Streuwert** 2.62, horizontal: 1.58, vertikal: 3.35





**Serie 3:**  
 9.1 ↗ 9.9 ↘ 7.4 ← 9.1 ← 10.1 ↘  
 8.8 ↘ 9.3 → 10.3 \* 8.3 ↓ 9.1 ←  
**beste Teiler** 161.6 (28.) 210.8 (25.) 251.5 (22.)  
**Trefferlage** 1.82 mm links, 0.27 mm tief  
**Streuwert** 3.47, horizontal: 4.00, vertikal: 2.85




**Serie 4:**  
 8.8 ↓ 10.3 \* 9.4 ↓ 9.7 ↘ 9.8 ↘  
 10.2 \* 10.0 ↘ 8.5 ↗ 8.5 ↘ 9.7 ↘  
**beste Teiler** 158.9 (32.) 194.7 (36.) 237.2 (37.)  
**Trefferlage** 0.77 mm links, 0.80 mm tief  
**Streuwert** 2.86, horizontal: 2.69, vertikal: 3.03

Unterschrift des Schützen


Ergebnis: **381** (394.9)  
 Serien: 96 98 94 93  
 Zähler: 24 13 3 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 713 (8), 669 (39), 535 (29)  
 beste Teiler 12.2 (18.) 76.2 (11.) 111.8 (20.)  
 Trefferlage 0.01 mm rechts, 0.01 mm tief  
 Streuwert 2.22, horizontal: 2.62, vertikal: 1.74




Serie 1:  
 10.2 \* 10.0 ↑ 10.5 \* 10.0 ↙ 10.1 ↓  
 10.2 \* 9.1 ← 8.1 → 10.0 ↘ 9.8 ↙  
 beste Teiler 116.9 (3.) 178.4 (6.) 197.6 (1.)  
 Trefferlage 0.17 mm links, 0.08 mm tief  
 Streuwert 2.49, horizontal: 3.04, vertikal: 1.77



Serie 2:  
 10.6 \* 10.0 ↘ 10.2 \* 9.7 ↑ 10.3 \*  
 10.5 \* 10.1 ↙ 10.9 \* 9.2 ↙ 10.5 \*  
 beste Teiler 12.2 (18.) 76.2 (11.) 111.8 (20.)  
 Trefferlage 0.54 mm links, 0.00 mm  
 Streuwert 1.60, horizontal: 1.72, vertikal: 1.47



Serie 3:  
 9.1 ↘ 9.7 ↙ 10.1 ↗ 10.0 → 10.4 \*  
 9.5 ↘ 10.1 → 9.3 ↘ 8.8 → 10.3 \*  
 beste Teiler 145.4 (25.) 170.0 (30.) 218.0 (23.)  
 Trefferlage 0.39 mm rechts, 0.31 mm hoch  
 Streuwert 2.47, horizontal: 2.87, vertikal: 1.99





Serie 4:  
 10.4 \* 9.6 ↘ 10.4 \* 9.5 ↘ 9.8 ↗  
 10.0 ↓ 9.8 ↙ 10.4 \* 8.3 → 9.4 ←  
 beste Teiler 128.6 (38.) 130.0 (33.) 131.0 (31.)  
 Trefferlage 0.37 mm rechts, 0.29 mm tief  
 Streuwert 2.48, horizontal: 2.94, vertikal: 1.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.6)  
 Serien: 96 94 86 91  
 Zähler: 16 16 7 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 800 (29), 693 (25), 604 (33)  
 beste Teiler 38.3 (6.) 56.2 (8.) 77.6 (22.)  
 Trefferlage 1.95 mm links, 0.84 mm hoch  
 Streuwert 2.30, horizontal: 2.94, vertikal: 1.40




Serie 1:  
 8.6 ← 9.9 ↘ 10.2 \* 9.5 ↘ 10.0 ←  
 10.8 \* 10.3 \* 10.7 \* 10.4 \* 10.0 ↘  
 beste Teiler 38.3 (6.) 56.2 (8.) 132.8 (9.)  
 Trefferlage 1.51 mm links, 0.79 mm hoch  
 Streuwert 1.56, horizontal: 2.04, vertikal: 0.83



Serie 2:  
 10.0 → 8.8 ← 9.5 ↘ 9.2 ← 10.4 \*  
 9.6 → 10.2 \* 10.2 \* 10.0 ↘ 9.4 ←  
 beste Teiler 138.4 (15.) 192.5 (18.) 195.9 (17.)  
 Trefferlage 1.49 mm links, 0.36 mm hoch  
 Streuwert 2.19, horizontal: 2.92, vertikal: 1.02



Serie 3:  
 9.0 ↗ 10.6 \* 8.8 ↘ 8.9 ↘ 8.2 ←  
 9.4 ↗ 9.5 ↑ 9.7 ↗ 7.8 ← 9.2 ↘  
 beste Teiler 77.6 (22.) 315.7 (28.) 360.2 (27.)  
 Trefferlage 2.70 mm links, 1.70 mm hoch  
 Streuwert 2.87, horizontal: 3.51, vertikal: 2.05





Serie 4:  
 9.9 ↗ 9.0 ↘ 8.5 ← 9.4 → 8.7 ←  
 10.3 \* 10.1 ← 9.0 ↘ 10.4 \* 9.5 ←  
 beste Teiler 144.3 (39.) 151.0 (36.) 212.1 (37.)  
 Trefferlage 2.09 mm links, 0.52 mm hoch  
 Streuwert 2.53, horizontal: 3.37, vertikal: 1.20


Unterschrift des Schützen




Ergebnis: **367** (385.9)  
 Serien: 88 92 94 93  
 Zähler: 16 16 7 1 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 853 (10), 726 (2), 708 (6)  
 beste Teiler 20.8 (18.) 20.8 (26.) 33.2 (35.)  
 Trefferlage 0.31 mm rechts, 0.92 mm hoch  
 Streuwert 2.69, horizontal: 2.86, vertikal: 2.50




Serie 1:  
 9.9 ↘ 8.0 ↑ 8.4 ↘ 10.3 \* 9.0 →  
 8.1 → 10.4 \* 9.6 → 10.1 ↘ 7.5 ↑  
 beste Teiler 126.6 (7.) 168.1 (4.) 203.9 (9.)  
 Trefferlage 0.64 mm rechts, 2.04 mm hoch  
 Streuwert 3.50, horizontal: 3.63, vertikal: 3.36



Serie 2:  
 8.7 → 10.1 ↑ 9.8 ↑ 10.5 \* 10.4 \*  
 9.9 ↓ 9.5 ↘ 10.9 \* 9.7 → 8.3 →  
 beste Teiler 20.8 (18.) 104.2 (14.) 134.7 (15.)  
 Trefferlage 1.10 mm rechts, 0.63 mm hoch  
 Streuwert 2.45, horizontal: 3.05, vertikal: 1.64





Serie 3:  
 10.4 \* 9.2 ↑ 9.7 ↗ 9.7 → 9.2 ↑  
 10.9 \* 8.7 ↘ 10.5 \* 10.1 ↘ 10.8 \*  
 beste Teiler 20.8 (26.) 43.8 (30.) 120.5 (28.)  
 Trefferlage 0.31 mm rechts, 1.11 mm hoch  
 Streuwert 2.14, horizontal: 1.84, vertikal: 2.41



Serie 4:  
 10.3 \* 9.5 ↘ 9.3 ↘ 9.4 ↙ 10.8 \*  
 10.2 \* 8.6 ← 9.9 ↗ 10.3 \* 9.3 ↘  
 beste Teiler 33.2 (35.) 158.8 (31.) 167.9 (39.)  
 Trefferlage 0.82 mm links, 0.07 mm tief  
 Streuwert 2.45, horizontal: 2.69, vertikal: 2.18

Unterschrift des Schützen


Ergebnis: **327** (346.9)  
 Serien: 78 82 87 80  
 Zähler: 3 17 12 6 0 0 1 0 1 0  
 Innenzehner: 3  
 weiteste: 2034 (6), 1739 (38), 894 (26)  
 beste Teiler 21.6 (14.) 181.1 (27.) 184.3 (25.)  
 Trefferlage 0.51 mm rechts, 0.02 mm hoch  
 Streuwert 4.87, horizontal: 4.99, vertikal: 4.75



Serie 1:

9.7 → 8.7 ← 9.4 ↓ 9.2 ↘ 8.5 ↑  
 2.8 ↘ 7.9 ↗ 9.3 ↓ 8.0 ↘ 9.5 ←


beste Teiler 302.0 (1.) 368.5 (10.) 400.0 (3.)  
 Trefferlage 2.36 mm rechts, 1.57 mm tief  
 Streuwert 5.72, horizontal: 5.65, vertikal: 5.79



Serie 2:

9.7 → 8.6 ← 9.9 ↘ 10.9 \* 7.5 ←  
 8.7 ↘ 7.5 ↗ 8.8 ↗ 8.6 → 8.0 ↘


beste Teiler 21.6 (14.) 266.6 (13.) 315.4 (11.)  
 Trefferlage 0.45 mm rechts, 0.02 mm tief  
 Streuwert 4.44, horizontal: 5.45, vertikal: 3.11



Serie 3:

9.2 ↑ 9.5 ↑ 9.9 ↑ 9.5 ↓ 10.2 \*  
 7.4 ↘ 10.2 \* 7.5 ↘ 9.9 ↑ 8.0 ↘

beste Teiler 181.1 (27.) 184.3 (25.) 251.3 (23.)  
 Trefferlage 0.58 mm rechts, 0.68 mm hoch  
 Streuwert 3.87, horizontal: 3.72, vertikal: 4.01



Serie 4:



9.9 ← 8.6 ↘ 8.4 ↘ 9.4 ↘ 9.3 →  
 9.1 ↘ 9.5 ↓ 4.0 ↘ 8.7 ↑ 7.5 ↘

beste Teiler 264.0 (31.) 360.1 (37.) 400.5 (34.)  
 Trefferlage 1.32 mm links, 1.01 mm hoch  
 Streuwert 5.42, horizontal: 4.98, vertikal: 5.82

Unterschrift des Schützen


Meyton Elektronik

**Ergebnis: 337 (355.6)**  
**Serien:** 87 91 82 77  
**Zähler:** 11 10 8 7 4 0 0 0 0 0  
**Innenzehner:** 10  
**weiteste:** 1187 (40), 1173 (27), 1127 (24)  
**beste Teiler** 91.9 (26.) 93.2 (31.) 137.1 (9.)  
**Trefferlage** 0.47 mm links, 0.42 mm tief  
**Streuwert** 4.34, horizontal: 4.93, vertikal: 3.66


**Serie 1:**


9.3 → 8.8 ↖ 8.8 ← 9.9 ↗ 9.9 ↗  
 9.6 ↖ 7.3 ↓ 10.4 \* 10.4 \* 8.6 ←

**beste Teiler** 137.1 (9.) 140.5 (8.) 259.2 (5.)  
**Trefferlage** 1.39 mm links, 0.29 mm tief  
**Streuwert** 3.39, horizontal: 3.39, vertikal: 3.40


**Serie 2:**


8.0 ↖ 9.4 ↖ 10.2 \* 10.0 ↘ 8.6 ↗  
 9.3 ↘ 7.5 → 10.3 \* 10.2 \* 10.3 \*

**beste Teiler** 162.1 (18.) 174.1 (20.) 180.4 (19.)  
**Trefferlage** 1.14 mm rechts, 0.29 mm tief  
**Streuwert** 3.32, horizontal: 3.81, vertikal: 2.75


**Serie 3:**

8.2 ↑ 9.7 ↓ 9.2 ↖ 6.4 ← 9.6 →  
 10.6 \* 6.3 ↘ 7.7 ← 10.3 \* 8.5 ←

**beste Teiler** 91.9 (26.) 175.1 (29.) 301.6 (22.)  
**Trefferlage** 1.59 mm links, 0.17 mm tief  
**Streuwert** 4.92, horizontal: 5.93, vertikal: 3.65




**Serie 4:**

10.6 \* 10.2 \* 7.9 ↖ 6.6 ↘ 7.8 ↗  
 9.0 ↗ 7.9 ↘ 8.9 ← 7.2 ↘ 6.2 ↖


**beste Teiler** 93.2 (31.) 196.3 (32.) 480.0 (36.)  
**Trefferlage** 0.06 mm links, 0.95 mm tief  
**Streuwert** 5.65, horizontal: 6.22, vertikal: 5.01

Unterschrift des Schützen


Ergebnis: **366** (386.1)  
 Serien: 91 91 92 92  
 Zähler: 15 16 9 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 745 (38), 646 (3), 617 (10)  
 beste Teiler 28.6 (6.) 30.2 (40.) 32.7 (34.)  
 Trefferlage 0.33 mm rechts, 1.31 mm hoch  
 Streuwert 2.49, horizontal: 2.86, vertikal: 2.05




Serie 1:  
 8.8 ↗ 9.2 ↘ 8.4 ← 9.9 → 9.6 ↘  
 10.8 \* 10.2 \* 10.2 \* 10.1 ← 8.5 ↑  
 beste Teiler 28.6 (6.) 187.2 (8.) 188.8 (7.)  
 Trefferlage 0.34 mm rechts, 1.52 mm hoch  
 Streuwert 2.72, horizontal: 3.06, vertikal: 2.34



Serie 2:  
 10.3 \* 10.2 \* 9.4 ↘ 9.8 ↖ 8.9 →  
 8.9 ↗ 9.8 ↑ 10.1 ↑ 8.7 ↘ 10.8 \*  
 beste Teiler 40.3 (20.) 172.7 (11.) 194.4 (12.)  
 Trefferlage 0.85 mm rechts, 0.69 mm hoch  
 Streuwert 2.57, horizontal: 3.02, vertikal: 2.03





Serie 3:  
 9.8 → 10.5 \* 10.4 \* 9.8 ← 9.9 ↗  
 9.0 ↑ 10.0 ↘ 9.9 ← 9.1 ↗ 8.6 ↘  
 beste Teiler 102.4 (22.) 147.8 (23.) 245.3 (27.)  
 Trefferlage 0.45 mm links, 1.92 mm hoch  
 Streuwert 2.10, horizontal: 2.43, vertikal: 1.72




Serie 4:  
 9.3 ↘ 9.5 ↘ 10.0 ↑ 10.8 \* 9.6 →  
 10.1 ↘ 8.9 ↘ 8.0 ↗ 9.5 → 10.8 \*  
 beste Teiler 30.2 (40.) 32.7 (34.) 205.7 (36.)  
 Trefferlage 0.61 mm rechts, 1.13 mm hoch  
 Streuwert 2.72, horizontal: 3.17, vertikal: 2.18

Unterschrift des Schützen


Ergebnis: **358** (379.8)  
 Serien: 91 90 89 88  
 Zähler: 12 18 6 4 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 837 (22), 816 (33), 779 (19)  
 beste Teiler 24.0 (7.) 53.9 (10.) 73.6 (34.)  
 Trefferlage 0.01 mm rechts, 0.75 mm tief  
 Streuwert 2.99, horizontal: 3.32, vertikal: 2.62




Serie 1:  
 10.0 ↘ 9.5 ↑ 9.8 ↘ 8.0 ← 9.4 ↓  
 9.8 ↙ 10.9 \* 8.5 ← 9.2 ↘ 10.7 \*  
 beste Teiler 24.0 (7.) 53.9 (10.) 242.2 (1.)  
 Trefferlage 1.60 mm links, 0.12 mm tief  
 Streuwert 2.75, horizontal: 3.12, vertikal: 2.33



Serie 2:  
 10.3 \* 9.3 ← 9.8 ↘ 9.9 ↘ 10.4 \*  
 10.5 \* 8.6 → 10.0 ↑ 7.8 ↘ 8.4 ←  
 beste Teiler 121.0 (16.) 149.4 (15.) 154.3 (11.)  
 Trefferlage 0.36 mm links, 0.25 mm tief  
 Streuwert 3.15, horizontal: 3.94, vertikal: 2.07



Serie 3:  
 9.7 ↓ 7.6 ↘ 10.4 \* 8.9 ↘ 9.6 ↗  
 9.7 ↓ 9.8 ← 9.5 ← 10.6 \* 9.9 ↓  
 beste Teiler 100.4 (29.) 150.2 (23.) 252.1 (30.)  
 Trefferlage 0.59 mm rechts, 1.45 mm tief  
 Streuwert 2.72, horizontal: 3.14, vertikal: 2.21





Serie 4:  
 10.5 \* 8.9 ↓ 7.7 ↑ 10.7 \* 9.5 →  
 9.5 ↓ 9.4 ↘ 7.9 ↘ 10.1 ↘ 9.1 ↘  
 beste Teiler 73.6 (34.) 101.5 (31.) 214.8 (39.)  
 Trefferlage 1.45 mm rechts, 1.20 mm tief  
 Streuwert 3.20, horizontal: 2.59, vertikal: 3.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.2)  
 Serien: 92 87 93 94  
 Zähler: 17 12 11 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 715 (20), 685 (31), 629 (30)  
 beste Teiler 96.1 (35.) 114.5 (24.) 116.4 (28.)  
 Trefferlage 0.28 mm rechts, 0.51 mm tief  
 Streuwert 2.76, horizontal: 3.42, vertikal: 1.90




Serie 1:  
 8.7 → 8.8 ↖ 10.1 ↓ 9.8 ← 9.5 →  
 10.2 \* 10.0 ↘ 9.5 ↗ 10.1 ↓ 9.2 ←  
 beste Teiler 179.5 (6.) 211.7 (3.) 225.3 (9.)  
 Trefferlage 0.24 mm rechts, 0.38 mm tief  
 Streuwert 2.72, horizontal: 3.46, vertikal: 1.68



Serie 2:  
 8.8 ↘ 8.6 ← 8.9 ← 10.2 \* 9.0 ←  
 9.6 ↘ 10.0 ↘ 9.3 ↑ 8.8 ↖ 8.1 ↘  
 beste Teiler 178.6 (14.) 232.0 (17.) 326.3 (16.)  
 Trefferlage 0.53 mm links, 0.46 mm tief  
 Streuwert 3.53, horizontal: 4.28, vertikal: 2.58



Serie 3:  
 10.2 \* 9.6 ← 9.6 ↓ 10.5 \* 10.3 \*  
 10.0 ↖ 8.8 ↘ 10.5 \* 9.5 ↘ 8.4 →  
 beste Teiler 114.5 (24.) 116.4 (28.) 155.7 (25.)  
 Trefferlage 0.82 mm rechts, 0.59 mm tief  
 Streuwert 2.46, horizontal: 2.96, vertikal: 1.82





Serie 4:  
 8.2 ↘ 9.6 ↘ 9.1 ← 10.5 \* 10.6 \*  
 10.1 ↗ 8.8 → 10.0 ↘ 10.4 \* 10.3 \*  
 beste Teiler 96.1 (35.) 125.3 (34.) 130.2 (39.)  
 Trefferlage 0.58 mm rechts, 0.64 mm tief  
 Streuwert 2.56, horizontal: 3.21, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 340 (359.7)**  
**Serien: 89 82 83 86**  
**Zähler: 6 20 7 4 1 2 0 0 0 0**  
**Innenzehner: 5**  
**weiteste: 1277 (39), 1252 (12), 1079 (14)**  
**beste Teiler 32.5 (16.) 101.0 (4.) 118.5 (38.)**  
**Trefferlage 0.70 mm links, 0.22 mm tief**  
**Streuwert 4.05, horizontal: 4.92, vertikal: 2.93**




**Serie 1:**  
7.5 ↘ 9.7 ↑ 9.5 ↗ 10.5 \* 10.1 ↗  
9.5 ↙ 10.3 \* 9.7 ↑ 9.3 ↖ 7.9 ↓  
**beste Teiler 101.0 (4.) 159.0 (7.) 212.5 (5.)**  
**Trefferlage 1.05 mm links, 0.44 mm hoch**  
**Streuwert 3.26, horizontal: 3.07, vertikal: 3.44**



**Serie 2:**  
9.4 ↑ 5.9 ↙ 9.8 ↓ 6.6 ← 9.8 ←  
10.8 \* 9.3 ← 9.3 ↑ 8.0 → 8.5 ↘  
**beste Teiler 32.5 (16.) 279.0 (13.) 298.6 (15.)**  
**Trefferlage 1.84 mm links, 1.08 mm tief**  
**Streuwert 4.63, horizontal: 5.47, vertikal: 3.60**





**Serie 3:**  
9.7 ↗ 7.1 ← 9.6 ↘ 9.7 ↙ 7.4 →  
8.5 ← 8.5 → 9.5 ↙ 9.9 → 8.8 ↘  
**beste Teiler 266.9 (29.) 317.5 (21.) 324.7 (24.)**  
**Trefferlage 0.82 mm links, 1.15 mm hoch**  
**Streuwert 4.13, horizontal: 5.57, vertikal: 1.75**



**Serie 4:**  
8.5 → 9.0 ↓ 8.6 ← 10.2 \* 9.2 ↓  
9.5 ← 9.1 → 10.5 \* 5.8 → 9.2 ←  
**beste Teiler 118.5 (38.) 178.1 (34.) 358.8 (36.)**  
**Trefferlage 0.89 mm rechts, 1.41 mm tief**  
**Streuwert 4.14, horizontal: 5.46, vertikal: 2.11**


Unterschrift des Schützen

**Ergebnis: 329 (344.5)**  
**Serien: 80 86 83 80**  
**Zähler: 1 18 13 6 1 1 0 0 0 0**  
**Innenzehner: 0**  
**weiteste: 1378 (9), 1234 (39), 933 (7)**  
**beste Teiler 249.3 (17.) 275.2 (38.) 291.2 (8.)**  
**Trefferlage 0.63 mm rechts, 2.38 mm tief**  
**Streuwert 4.20, horizontal: 5.19, vertikal: 2.88**


**Serie 1:**


8.2 ↖                      8.7 ↘                      9.2 ↗                      8.5 →                      8.2 ↘  
 9.2 ↖                      7.2 ↖                      9.8 ↘                      5.4 ↘                      9.3 ↘

**beste Teiler 291.2 (8.) 407.3 (10.) 431.0 (3.)**  
**Trefferlage 0.89 mm rechts, 2.56 mm tief**  
**Streuwert 4.90, horizontal: 6.38, vertikal: 2.68**


**Serie 2:**


8.1 ↘                      8.9 ↘                      9.1 ↗                      9.6 ↗                      8.6 ↘  
 8.4 ↖                      10.0 ↘                      9.6 ↘                      8.9 ↖                      9.0 ↑

**beste Teiler 249.3 (17.) 341.8 (14.) 349.4 (18.)**  
**Trefferlage 0.44 mm rechts, 2.08 mm tief**  
**Streuwert 3.42, horizontal: 3.51, vertikal: 3.33**


**Serie 3:**

7.3 →                      7.2 ↖                      9.3 ↗                      9.4 ←                      9.2 ↘  
 8.4 ↓                      9.3 ↗                      7.8 →                      9.1 ↘                      9.8 ↓

**beste Teiler 296.8 (30.) 397.1 (24.) 413.9 (23.)**  
**Trefferlage 0.61 mm rechts, 1.50 mm tief**  
**Streuwert 4.38, horizontal: 5.41, vertikal: 3.02**


**Serie 4:**



9.0 ↘                      7.7 →                      7.5 ↓                      8.1 ↖                      8.4 ←  
 9.3 ↓                      9.3 ↘                      9.9 ↖                      6.0 →                      8.6 ↓

**beste Teiler 275.2 (38.) 413.8 (37.) 414.5 (36.)**  
**Trefferlage 0.57 mm rechts, 3.40 mm tief**  
**Streuwert 4.51, horizontal: 5.86, vertikal: 2.53**


Unterschrift des Schützen




Ergebnis: **380** (399.3)  
 Serien: 92 96 95 97  
 Zähler: 21 18 1 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 552 (28), 499 (12), 460 (39)  
 beste Teiler 37.6 (19.) 45.1 (32.) 48.7 (35.)  
 Trefferlage 0.36 mm rechts, 0.75 mm hoch  
 Streuwert 1.90, horizontal: 2.08, vertikal: 1.70




Serie 1:  
 9.9 ↑ 9.5 ↓ 10.6 \* 9.2 ← 9.6 ↗  
 9.3 → 9.7 ↘ 9.7 ↑ 10.2 \* 9.1 ↘  
 beste Teiler 95.1 (3.) 183.3 (9.) 261.1 (1.)  
 Trefferlage 0.81 mm rechts, 0.68 mm hoch  
 Streuwert 2.35, horizontal: 2.61, vertikal: 2.06



Serie 2:  
 10.3 \* 9.0 ↗ 10.7 \* 10.4 \* 9.8 ↘  
 10.4 \* 10.4 \* 9.7 ↘ 10.8 \* 9.8 ↗  
 beste Teiler 37.6 (19.) 53.1 (13.) 135.9 (16.)  
 Trefferlage 0.37 mm rechts, 1.14 mm hoch  
 Streuwert 1.58, horizontal: 2.09, vertikal: 0.79





Serie 3:  
 9.2 ↘ 10.4 \* 9.8 ↗ 10.3 \* 10.7 \*  
 10.7 \* 10.3 \* 8.7 → 9.6 ↑ 10.3 \*  
 beste Teiler 57.5 (26.) 63.0 (25.) 149.0 (22.)  
 Trefferlage 0.58 mm rechts, 0.79 mm hoch  
 Streuwert 1.96, horizontal: 2.10, vertikal: 1.81



Serie 4:  
 10.5 \* 10.8 \* 9.4 ↘ 10.2 \* 10.8 \*  
 9.8 ↘ 10.4 \* 10.0 ↑ 9.1 ↓ 10.2 \*  
 beste Teiler 45.1 (32.) 48.7 (35.) 109.6 (31.)  
 Trefferlage 0.33 mm links, 0.41 mm hoch  
 Streuwert 1.80, horizontal: 1.51, vertikal: 2.05


Unterschrift des Schützen

**Ergebnis: 378 (394.2)**  
**Serien: 89 94 98 97**  
**Zähler: 24 11 4 1 0 0 0 0 0 0**  
**Innenzehner: 16**  
**weiteste: 787 (1), 748 (7), 655 (31)**  
**beste Teiler 48.2 (34.) 85.0 (17.) 85.7 (40.)**  
**Trefferlage 0.26 mm links, 1.42 mm hoch**  
**Streuwert 2.11, horizontal: 1.90, vertikal: 2.30**


**Serie 1:**


7.8 ↘      9.4 ↘      10.2 \*      10.2 \*      9.9 ↑  
 10.4 \*      8.0 ↘      9.1 ↗      8.9 ↘      9.0 ↗

**beste Teiler 135.2 (6.) 183.5 (4.) 198.3 (3.)**  
**Trefferlage 0.72 mm links, 3.16 mm hoch**  
**Streuwert 2.53, horizontal: 2.76, vertikal: 2.29**


**Serie 2:**


9.8 ↗      8.6 ↘      9.6 ↘      10.4 \*      9.6 ↗  
 9.9 ↓      10.6 \*      10.0 ↓      10.1 ↗      10.1 →

**beste Teiler 85.0 (17.) 149.2 (14.) 212.8 (20.)**  
**Trefferlage 0.21 mm rechts, 1.10 mm hoch**  
**Streuwert 2.09, horizontal: 1.56, vertikal: 2.51**


**Serie 3:**

10.5 \*      9.7 ↗      10.1 →      9.3 ↑      10.0 ↘  
 10.3 \*      10.3 \*      10.4 \*      10.1 ↘      10.1 ↘

**beste Teiler 119.8 (21.) 149.5 (28.) 153.5 (27.)**  
**Trefferlage 0.11 mm links, 0.90 mm hoch**  
**Streuwert 1.61, horizontal: 1.51, vertikal: 1.71**


**Serie 4:**



8.3 ↘      10.5 \*      10.4 \*      10.8 \*      9.9 →  
 10.5 \*      10.1 ↓      10.4 \*      10.3 \*      10.6 \*

**beste Teiler 48.2 (34.) 85.7 (40.) 104.0 (36.)**  
**Trefferlage 0.43 mm links, 0.54 mm hoch**  
**Streuwert 1.83, horizontal: 1.65, vertikal: 1.98**


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 386 (405.1)**  
**Serien:** 97 98 98 93  
**Zähler:** 26 14 0 0 0 0 0 0 0 0  
**Innenzehner:** 21  
**weiteste:** 453 (33), 378 (39), 372 (31)  
**beste Teiler** 24.0 (15.) 64.6 (14.) 71.5 (12.)  
**Trefferlage** 0.09 mm rechts, 0.08 mm hoch  
**Streuwert** 1.64, horizontal: 1.88, vertikal: 1.36




**Serie 1:**  
 10.5 \*                      10.5 \*                      9.8 ↗                      10.4 \*                      10.5 \*  
 10.7 \*                      9.7 ↗                      10.5 \*                      9.5 ←                      10.4 \*  
**beste Teiler** 72.1 (6.) 113.7 (5.) 116.1 (1.)  
**Trefferlage** 0.16 mm rechts, 0.26 mm hoch  
**Streuwert** 1.45, horizontal: 1.64, vertikal: 1.24



**Serie 2:**  
 9.9 →                      10.7 \*                      10.2 \*                      10.7 \*                      10.9 \*  
 10.2 \*                      10.0 ↓                      10.2 \*                      9.8 ↓                      10.5 \*  
**beste Teiler** 24.0 (15.) 64.6 (14.) 71.5 (12.)  
**Trefferlage** 0.58 mm rechts, 0.36 mm tief  
**Streuwert** 1.23, horizontal: 1.19, vertikal: 1.28



**Serie 3:**  
 10.1 ↘                      10.0 ↙                      10.2 \*                      10.2 \*                      10.0 ←  
 9.9 ←                      10.6 \*                      9.9 ↑                      10.3 \*                      10.3 \*  
**beste Teiler** 100.7 (27.) 169.8 (30.) 175.4 (29.)  
**Trefferlage** 0.87 mm links, 0.14 mm tief  
**Streuwert** 1.42, horizontal: 1.53, vertikal: 1.30





**Serie 4:**  
 9.5 ←                      9.6 ←                      9.1 →                      9.8 ↑                      10.5 \*  
 9.7 →                      10.0 ↘                      9.7 ↘                      9.4 ↗                      10.7 \*  
**beste Teiler** 74.6 (40.) 107.2 (35.) 245.6 (37.)  
**Trefferlage** 0.51 mm rechts, 0.59 mm hoch  
**Streuwert** 2.23, horizontal: 2.71, vertikal: 1.61

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (364.6)  
 Serien: 89 88 85 84  
 Zähler: 7 19 10 1 3 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1134 (23), 1042 (33), 1003 (21)  
 beste Teiler 27.2 (31.) 67.2 (4.) 129.2 (36.)  
 Trefferlage 0.91 mm links, 0.04 mm hoch  
 Streuwert 3.69, horizontal: 4.31, vertikal: 2.93



Serie 1:

9.3 ↘ 9.8 ↙ 10.0 ↗ 10.7 \* 9.7 ↖  
 9.0 ↘ 7.3 ↙ 8.1 ↖ 9.5 ↖ 9.7 ↑


beste Teiler 67.2 (4.) 247.3 (3.) 279.2 (2.)  
 Trefferlage 1.63 mm links, 1.15 mm hoch  
 Streuwert 3.20, horizontal: 3.17, vertikal: 3.23



Serie 2:

9.1 ↘ 9.3 ↓ 9.4 ↓ 9.6 ↘ 9.5 ↖  
 9.5 ↘ 8.9 → 10.2 \* 8.9 ↖ 8.3 ↖


beste Teiler 177.0 (18.) 349.8 (14.) 369.8 (16.)  
 Trefferlage 0.79 mm links, 0.31 mm tief  
 Streuwert 3.23, horizontal: 3.18, vertikal: 3.28



Serie 3:

6.9 ↙ 10.1 ↖ 6.4 → 9.0 ↘ 8.6 ↙  
 9.3 ↙ 9.2 ↖ 10.1 ↙ 9.5 ↑ 9.6 ↘

beste Teiler 213.3 (28.) 223.4 (22.) 340.1 (30.)  
 Trefferlage 0.82 mm links, 0.61 mm tief  
 Streuwert 4.41, horizontal: 5.81, vertikal: 2.27





Serie 4:

10.8 \* 8.4 → 6.8 ← 9.0 ↗ 8.8 →  
 10.4 \* 8.9 ↙ 9.9 ↖ 8.3 ↑ 8.8 ↘

beste Teiler 27.2 (31.) 129.2 (36.) 273.7 (38.)  
 Trefferlage 0.40 mm links, 0.04 mm tief  
 Streuwert 4.16, horizontal: 5.09, vertikal: 2.95

Unterschrift des Schützen


Ergebnis: **365** (381.5)  
 Serien: 90 88 92 95  
 Zähler: 17 16 3 3 1 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1132 (20), 774 (1), 773 (6)  
 beste Teiler 90.7 (5.) 104.3 (38.) 133.1 (23.)  
 Trefferlage 1.41 mm links, 0.10 mm tief  
 Streuwert 2.83, horizontal: 3.53, vertikal: 1.88



Serie 1:

|       |       |        |       |        |
|-------|-------|--------|-------|--------|
| 7.9 ← | 9.0 ← | 10.0 ↙ | 9.7 ↙ | 10.6 * |
| 7.9 ↖ | 9.3 ← | 10.1 ↑ | 9.9 ↙ | 10.1 ↘ |


beste Teiler 90.7 (5.) 212.0 (10.) 212.2 (8.)  
 Trefferlage 3.13 mm links, 0.03 mm hoch  
 Streuwert 2.30, horizontal: 2.82, vertikal: 1.63



Serie 2:

|        |       |        |       |       |
|--------|-------|--------|-------|-------|
| 9.8 ↘  | 8.9 ↖ | 10.4 * | 9.5 → | 9.7 ↓ |
| 10.4 * | 9.3 ↙ | 9.0 ↖  | 9.5 ↖ | 6.4 ← |


beste Teiler 140.2 (16.) 140.6 (13.) 286.9 (11.)  
 Trefferlage 2.32 mm links, 0.21 mm hoch  
 Streuwert 3.24, horizontal: 3.95, vertikal: 2.31



Serie 3:

|        |       |        |       |        |
|--------|-------|--------|-------|--------|
| 9.0 ↑  | 9.5 → | 10.4 * | 8.5 ← | 9.1 ↘  |
| 10.4 * | 9.1 ↙ | 9.9 ↙  | 9.8 ↙ | 10.1 ↓ |

beste Teiler 133.1 (23.) 140.2 (26.) 210.1 (30.)  
 Trefferlage 0.24 mm links, 0.82 mm tief  
 Streuwert 2.69, horizontal: 3.06, vertikal: 2.27





Serie 4:

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 10.4 * | 10.2 * | 10.4 * | 7.9 →  | 10.1 → |
| 8.3 ←  | 10.1 → | 10.5 * | 10.3 * | 10.1 ↖ |


beste Teiler 104.3 (38.) 135.1 (33.) 142.7 (31.)  
 Trefferlage 0.06 mm rechts, 0.15 mm hoch  
 Streuwert 2.67, horizontal: 3.57, vertikal: 1.21

Unterschrift des Schützen


Ergebnis: **357** (372.5)  
 Serien: 89 91 93 84  
 Zähler: 11 18 8 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 902 (9), 895 (35), 814 (40)  
 beste Teiler 15.2 (11.) 122.0 (30.) 174.0 (3.)  
 Trefferlage 1.04 mm rechts, 0.60 mm hoch  
 Streuwert 3.21, horizontal: 3.94, vertikal: 2.26




Serie 1:  
 9.8 → 10.2 \* 10.3 \* 10.0 ↘ 9.5 ↗  
 10.0 ↗ 8.7 ↖ 8.6 ↘ 7.3 → 8.0 ↑  
 beste Teiler 174.0 (3.) 178.0 (2.) 229.2 (6.)  
 Trefferlage 2.04 mm rechts, 0.64 mm hoch  
 Streuwert 3.27, horizontal: 3.78, vertikal: 2.67



Serie 2:  
 10.9 \* 9.5 ↙ 9.8 ↘ 8.4 → 9.6 ↖  
 9.8 → 9.5 ← 9.4 ↑ 9.0 ↗ 10.1 ←  
 beste Teiler 15.2 (11.) 225.0 (20.) 289.9 (16.)  
 Trefferlage 0.15 mm links, 0.14 mm hoch  
 Streuwert 2.80, horizontal: 3.26, vertikal: 2.27





Serie 3:  
 9.5 ↗ 9.4 → 9.1 → 9.4 ↖ 9.8 →  
 9.0 ↘ 9.6 ↑ 10.2 \* 10.1 → 10.5 \*  
 beste Teiler 122.0 (30.) 184.0 (28.) 205.8 (29.)  
 Trefferlage 1.32 mm rechts, 1.10 mm hoch  
 Streuwert 2.22, horizontal: 2.61, vertikal: 1.75




Serie 4:  
 9.9 → 8.0 → 9.4 → 8.6 → 7.4 →  
 10.1 ↖ 8.3 ← 8.0 ↘ 10.1 ↘ 7.7 ←  
 beste Teiler 205.2 (39.) 215.0 (36.) 259.8 (31.)  
 Trefferlage 0.96 mm rechts, 0.54 mm hoch  
 Streuwert 4.42, horizontal: 5.73, vertikal: 2.50

Unterschrift des Schützen


**Ergebnis: 351 (366.3)**  
**Serien:** 91 86 89 85  
**Zähler:** 10 18 7 4 0 1 0 0 0 0  
**Innenzehner:** 7  
**weiteste:** 1315 (11), 947 (3), 940 (38)  
**beste Teiler** 65.0 (15.) 104.4 (7.) 109.0 (14.)  
**Trefferlage** 0.05 mm links, 1.03 mm hoch  
**Streuwert** 3.66, horizontal: 3.77, vertikal: 3.54




**Serie 1:**  
 8.0 → 9.3 ↑ 7.2 ← 9.0 ↖ 10.4 \*  
 10.0 ↘ 10.5 \* 9.0 ↘ 9.8 ↘ 10.1 →  
**beste Teiler** 104.4 (7.) 136.6 (5.) 213.4 (10.)  
**Trefferlage** 0.35 mm rechts, 0.41 mm hoch  
**Streuwert** 3.56, horizontal: 4.32, vertikal: 2.58



**Serie 2:**  
 5.7 ↖ 9.4 ↗ 9.8 ↘ 10.5 \* 10.7 \*  
 8.0 → 9.8 → 9.6 ↑ 7.8 ↖ 10.3 \*  
**beste Teiler** 65.0 (15.) 109.0 (14.) 169.6 (20.)  
**Trefferlage** 0.18 mm rechts, 1.94 mm hoch  
**Streuwert** 4.07, horizontal: 4.30, vertikal: 3.82



**Serie 3:**  
 8.7 ↑ 8.2 ↖ 9.3 → 9.5 ↘ 9.4 →  
 10.0 ↗ 10.4 \* 9.0 ↑ 8.8 ↓ 9.2 ←  
**beste Teiler** 145.9 (27.) 246.4 (26.) 352.9 (24.)  
**Trefferlage** 0.17 mm rechts, 0.94 mm hoch  
**Streuwert** 3.27, horizontal: 3.14, vertikal: 3.40





**Serie 4:**  
 9.7 ↖ 9.1 ↑ 8.9 → 10.2 \* 9.0 ↖  
 9.0 ↓ 7.9 ↙ 7.2 ↑ 9.9 ↑ 8.0 ←  
**beste Teiler** 199.2 (34.) 260.4 (39.) 318.7 (31.)  
**Trefferlage** 0.91 mm links, 0.84 mm hoch  
**Streuwert** 4.10, horizontal: 3.68, vertikal: 4.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309** (324.8)  
 Serien: 76 79 78 76  
 Zähler: 7 11 5 10 2 2 1 1 0 1  
 Innenzehner: 4  
 weiteste: 2430 (36), 1946 (26), 1589 (2)  
 beste Teiler 107.7 (30.) 136.0 (33.) 182.2 (25.)  
 Trefferlage 0.35 mm links, 1.16 mm tief  
 Streuwert 6.11, horizontal: 7.28, vertikal: 4.65




Serie 1:  
 9.8 ↘ 4.6 ↖ 5.2 → 8.0 ✓ 8.5 ↓  
 9.0 ↘ 7.4 ↘ 8.0 → 9.3 ↖ 9.3 →  
 beste Teiler 284.3 (1.) 406.0 (10.) 413.0 (9.)  
 Trefferlage 1.45 mm rechts, 1.12 mm tief  
 Streuwert 6.31, horizontal: 7.81, vertikal: 4.32



Serie 2:  
 10.0 → 6.4 ↘ 7.3 ↖ 6.8 ↓ 7.6 ↖  
 7.9 ↓ 7.9 ↓ 9.1 → 10.1 ↑ 10.2 \*  
 beste Teiler 192.7 (20.) 221.5 (19.) 230.7 (11.)  
 Trefferlage 0.32 mm rechts, 1.69 mm tief  
 Streuwert 5.35, horizontal: 5.56, vertikal: 5.12



Serie 3:  
 10.0 ↖ 9.5 ↘ 9.6 ↓ 5.7 ↖ 10.2 \*  
 3.2 ↖ 8.5 ✓ 7.8 → 7.0 ↘ 10.5 \*  
 beste Teiler 107.7 (30.) 182.2 (25.) 241.8 (21.)  
 Trefferlage 2.10 mm links, 0.47 mm tief  
 Streuwert 6.38, horizontal: 8.08, vertikal: 4.01





Serie 4:  
 7.9 ↓ 9.2 ↓ 10.4 \* 9.1 ↘ 8.8 ↘  
 1.2 ↖ 7.4 ↓ 9.6 ↖ 7.7 → 9.1 ✓  
 beste Teiler 136.0 (33.) 333.7 (38.) 431.5 (32.)  
 Trefferlage 1.06 mm links, 1.37 mm tief  
 Streuwert 6.94, horizontal: 8.03, vertikal: 5.65


Unterschrift des Schützen




Ergebnis: **383** (405.4)  
 Serien: 94 95 98 96  
 Zähler: 23 17 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 485 (13), 408 (38), 386 (15)  
 beste Teiler 8.6 (29.) 49.8 (21.) 60.2 (31.)  
 Trefferlage 0.26 mm rechts, 0.10 mm hoch  
 Streuwert 1.67, horizontal: 1.93, vertikal: 1.36




Serie 1:  
 9.6 → 9.7 ↖ 9.8 ↑ 10.6 \* 9.8 ↙  
 10.6 \* 10.7 \* 10.2 \* 9.7 ↘ 9.9 →  
 beste Teiler 75.1 (7.) 94.7 (4.) 97.7 (6.)  
 Trefferlage 0.00 mm , 0.20 mm hoch  
 Streuwert 1.81, horizontal: 2.27, vertikal: 1.19



Serie 2:  
 9.9 ↑ 10.5 \* 9.0 ← 10.3 \* 9.4 ↖  
 10.6 \* 10.5 \* 10.7 \* 9.7 ↑ 9.8 ↗  
 beste Teiler 68.4 (18.) 98.4 (16.) 116.1 (12.)  
 Trefferlage 0.62 mm links, 0.74 mm hoch  
 Streuwert 1.84, horizontal: 2.18, vertikal: 1.41



Serie 3:  
 10.8 \* 9.9 → 10.0 ↗ 10.6 \* 9.7 ↓  
 10.0 ↘ 10.5 \* 10.4 \* 10.9 \* 10.4 \*  
 beste Teiler 8.6 (29.) 49.8 (21.) 99.1 (24.)  
 Trefferlage 0.73 mm rechts, 0.41 mm tief  
 Streuwert 1.28, horizontal: 1.38, vertikal: 1.18





Serie 4:  
 10.7 \* 9.7 ↙ 10.5 \* 10.6 \* 10.0 ↗  
 9.8 → 10.4 \* 9.3 ↗ 10.6 \* 9.6 ↓  
 beste Teiler 60.2 (31.) 76.1 (34.) 81.2 (39.)  
 Trefferlage 0.95 mm rechts, 0.11 mm tief  
 Streuwert 1.59, horizontal: 1.62, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.3)  
 Serien: 89 94 97 91  
 Zähler: 17 17 6 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 731 (35), 565 (9), 546 (10)  
 beste Teiler 42.0 (18.) 56.7 (37.) 63.5 (28.)  
 Trefferlage 0.62 mm links, 0.91 mm tief  
 Streuwert 2.31, horizontal: 2.80, vertikal: 1.69




Serie 1:  
 9.8 ↓ 9.7 ↖ 9.6 ↓ 10.6 \* 9.6 ↓  
 9.2 ↖ 9.1 ← 9.2 ↘ 8.7 ↓ 8.8 ↘  
 beste Teiler 98.8 (4.) 281.4 (1.) 307.5 (2.)  
 Trefferlage 0.50 mm links, 2.07 mm tief  
 Streuwert 2.54, horizontal: 2.94, vertikal: 2.07



Serie 2:  
 8.9 ↖ 9.0 ← 9.4 ↖ 10.0 ← 10.4 \*  
 9.1 ← 10.5 \* 10.8 \* 10.1 ↗ 9.6 ↘  
 beste Teiler 42.0 (18.) 121.8 (17.) 129.3 (15.)  
 Trefferlage 1.60 mm links, 0.28 mm tief  
 Streuwert 2.19, horizontal: 2.86, vertikal: 1.19





Serie 3:  
 9.4 ↖ 10.3 \* 10.1 ↘ 10.3 \* 10.3 \*  
 10.0 ← 10.0 ↖ 10.7 \* 8.9 ↘ 10.7 \*  
 beste Teiler 63.5 (28.) 70.8 (30.) 153.4 (25.)  
 Trefferlage 0.06 mm rechts, 0.29 mm tief  
 Streuwert 1.89, horizontal: 2.09, vertikal: 1.65




Serie 4:  
 10.6 \* 9.8 ↓ 9.9 ↗ 9.6 ↗ 8.0 ←  
 9.8 ↘ 10.7 \* 9.8 ↘ 10.4 \* 8.9 ←  
 beste Teiler 56.7 (37.) 85.0 (31.) 144.0 (39.)  
 Trefferlage 0.47 mm links, 1.00 mm tief  
 Streuwert 2.52, horizontal: 3.34, vertikal: 1.27

Unterschrift des Schützen


**Ergebnis: 367 (387.8)**  
**Serien:** 91 94 93 89  
**Zähler:** 19 11 8 2 0 0 0 0 0 0  
**Innenzehner:** 16  
**weiteste:** 804 (32), 792 (18), 655 (37)  
**beste Teiler** 53.6 (20.) 66.8 (19.) 111.0 (13.)  
**Trefferlage** 0.68 mm links, 0.22 mm tief  
**Streuwert** 2.61, horizontal: 3.46, vertikal: 1.30




**Serie 1:**  
 8.7 ← 8.4 → 9.5 ← 10.2 \* 8.6 ←  
 8.8 ← 10.5 \* 10.4 \* 10.4 \* 10.4 \*  
**beste Teiler** 122.1 (7.) 126.0 (8.) 127.0 (10.)  
**Trefferlage** 1.45 mm links, 0.20 mm hoch  
**Streuwert** 2.81, horizontal: 3.81, vertikal: 1.11



**Serie 2:**  
 9.6 ← 9.8 ↗ 10.5 \* 10.4 \* 10.0 ←  
 10.3 \* 9.6 ↘ 7.8 → 10.7 \* 10.7 \*  
**beste Teiler** 53.6 (20.) 66.8 (19.) 111.0 (13.)  
**Trefferlage** 0.73 mm rechts, 0.02 mm hoch  
**Streuwert** 2.36, horizontal: 3.09, vertikal: 1.27



**Serie 3:**  
 9.9 ↘ 9.8 ↖ 10.1 ↖ 8.9 ← 10.2 \*  
 10.2 \* 9.5 → 10.3 \* 10.4 \* 8.9 ←  
**beste Teiler** 141.2 (29.) 173.0 (28.) 200.0 (25.)  
**Trefferlage** 0.67 mm links, 0.21 mm tief  
**Streuwert** 2.29, horizontal: 2.85, vertikal: 1.55





**Serie 4:**  
 10.3 \* 7.7 ← 10.1 ← 9.7 ↘ 9.8 ↗  
 9.6 ← 8.3 ← 10.2 \* 8.9 → 9.7 ↓  
**beste Teiler** 169.3 (31.) 199.2 (38.) 210.2 (33.)  
**Trefferlage** 1.36 mm links, 0.93 mm tief  
**Streuwert** 2.97, horizontal: 4.05, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 372 (389.9)**  
**Serien: 92 93 93 94**  
**Zähler: 17 18 5 0 0 0 0 0 0 0**  
**Innenzehner: 12**  
**weiteste: 681 (33), 645 (7), 642 (29)**  
**beste Teiler 71.8 (28.) 86.3 (1.) 106.2 (32.)**  
**Trefferlage 0.50 mm rechts, 0.27 mm tief**  
**Streuwert 2.40, horizontal: 2.71, vertikal: 2.04**




**Serie 1:**  
 10.6 \* 9.9 ↑ 9.8 ↘ 10.1 ↖ 8.9 →  
 10.2 \* 8.4 ↘ 10.2 \* 9.5 ← 9.9 ↙  
**beste Teiler 86.3 (1.) 183.5 (8.) 188.5 (6.)**  
**Trefferlage 0.69 mm rechts, 0.06 mm tief**  
**Streuwert 2.50, horizontal: 2.98, vertikal: 1.90**



**Serie 2:**  
 10.3 \* 9.9 ↗ 10.1 ↑ 9.5 → 9.7 ↘  
 9.6 ↘ 10.5 \* 9.7 ↘ 9.2 ↘ 9.7 ↘  
**beste Teiler 122.0 (17.) 151.4 (11.) 216.8 (13.)**  
**Trefferlage 1.64 mm rechts, 0.55 mm tief**  
**Streuwert 1.78, horizontal: 1.59, vertikal: 1.94**



**Serie 3:**  
 9.8 ↖ 9.4 ↗ 10.2 \* 10.0 ↑ 10.1 ↖  
 8.5 ↙ 10.3 \* 10.7 \* 8.4 → 9.3 ↘  
**beste Teiler 71.8 (28.) 167.6 (27.) 193.0 (23.)**  
**Trefferlage 0.38 mm links, 0.58 mm hoch**  
**Streuwert 2.72, horizontal: 3.11, vertikal: 2.27**





**Serie 4:**  
 10.1 ↖ 10.5 \* 8.2 ↘ 9.6 ← 9.5 →  
 10.5 \* 9.0 ↙ 9.5 ↘ 10.2 \* 10.4 \*  
**beste Teiler 106.2 (32.) 115.3 (36.) 137.5 (40.)**  
**Trefferlage 0.08 mm rechts, 1.06 mm tief**  
**Streuwert 2.46, horizontal: 2.85, vertikal: 1.98**

Unterschrift des Schützen


Meyton Elektronik

**Ergebnis: 370 (389.7)**  
**Serien: 91 96 90 93**  
**Zähler: 16 21 2 0 0 1 0 0 0 0**  
**Innenzehner: 10**  
**weiteste: 1320 (21), 664 (34), 546 (8)**  
**beste Teiler 53.1 (23.) 84.8 (31.) 102.7 (20.)**  
**Trefferlage 0.37 mm rechts, 0.37 mm hoch**  
**Streuwert 2.56, horizontal: 3.16, vertikal: 1.77**


**Serie 1:**


9.7 ↗ 10.1 ↗ 9.7 ↘ 9.9 ↖ 9.7 ↖  
 9.8 ↗ 10.0 ↗ 8.8 ← 9.9 → 9.3 ↘

**beste Teiler 221.8 (2.) 238.2 (7.) 259.6 (9.)**  
**Trefferlage 0.12 mm rechts, 0.47 mm hoch**  
**Streuwert 2.44, horizontal: 3.03, vertikal: 1.65**


**Serie 2:**


9.8 ↗ 10.0 ↘ 10.2 \* 10.1 → 10.1 ↘  
 9.4 ↗ 9.6 ← 9.4 ↖ 10.3 \* 10.5 \*

**beste Teiler 102.7 (20.) 163.0 (19.) 199.3 (13.)**  
**Trefferlage 0.21 mm rechts, 0.01 mm tief**  
**Streuwert 1.99, horizontal: 2.14, vertikal: 1.82**


**Serie 3:**

5.7 → 9.9 ↖ 10.7 \* 10.0 → 9.7 ↖  
 9.5 ↗ 10.2 \* 9.5 ↘ 9.6 ↑ 10.3 \*

**beste Teiler 53.1 (23.) 154.0 (30.) 188.4 (27.)**  
**Trefferlage 1.25 mm rechts, 0.65 mm hoch**  
**Streuwert 3.50, horizontal: 4.68, vertikal: 1.62**


**Serie 4:**



10.6 \* 9.7 ↑ 9.3 ← 8.3 ↘ 9.9 ↓  
 10.2 \* 9.9 ↖ 10.2 \* 10.3 \* 9.9 ↖

**beste Teiler 84.8 (31.) 161.4 (39.) 178.1 (36.)**  
**Trefferlage 0.08 mm links, 0.38 mm hoch**  
**Streuwert 2.37, horizontal: 2.55, vertikal: 2.16**


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (379.0)  
 Serien: 93 88 90 88  
 Zähler: 13 15 10 2 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 966 (35), 769 (24), 717 (20)  
 beste Teiler 33.2 (31.) 36.2 (30.) 38.0 (7.)  
 Trefferlage 1.58 mm rechts, 0.92 mm tief  
 Streuwert 2.83, horizontal: 3.43, vertikal: 2.07




Serie 1:  
 9.1 ↙ 8.4 ↙ 10.6 \* 9.8 → 10.0 ↘  
 8.7 ↓ 10.8 \* 10.4 \* 10.6 \* 9.2 →  
 beste Teiler 38.0 (7.) 76.9 (3.) 77.0 (9.)  
 Trefferlage 0.18 mm rechts, 1.63 mm tief  
 Streuwert 2.39, horizontal: 2.59, vertikal: 2.17



Serie 2:  
 9.1 → 8.3 → 9.8 ← 9.3 ↙ 10.4 \*  
 9.1 ↘ 9.5 ↓ 8.9 → 9.9 ← 8.1 ↗  
 beste Teiler 131.7 (15.) 274.7 (19.) 278.1 (13.)  
 Trefferlage 1.81 mm rechts, 0.84 mm tief  
 Streuwert 3.12, horizontal: 3.78, vertikal: 2.28



Serie 3:  
 9.9 ← 9.1 ↓ 10.6 \* 7.9 ↘ 10.4 \*  
 9.5 ↓ 8.5 ↗ 9.9 → 9.3 → 10.8 \*  
 beste Teiler 36.2 (30.) 83.0 (23.) 137.7 (25.)  
 Trefferlage 1.84 mm rechts, 0.84 mm tief  
 Streuwert 2.59, horizontal: 2.54, vertikal: 2.64





Serie 4:  
 10.8 \* 8.8 → 8.9 ← 10.5 \* 7.1 →  
 8.6 ↗ 10.7 \* 10.3 \* 9.0 → 8.4 →  
 beste Teiler 33.2 (31.) 66.8 (37.) 122.0 (34.)  
 Trefferlage 2.49 mm rechts, 0.39 mm tief  
 Streuwert 3.26, horizontal: 4.50, vertikal: 0.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **220** (239.1)  
 Serien: 54 54 73 39  
 Zähler: 0 7 5 4 8 3 2 4 2 2  
 Innenzehner: 0  
 weiteste: 2894 (36), 2740 (35), 2530 (20)  
 beste Teiler 257.3 (22.) 284.6 (8.) 294.9 (26.)  
 Trefferlage 6.17 mm links, 3.50 mm hoch  
 Streuwert 8.91, horizontal: 10.24, vertikal: 7.35




Serie 1:  
 4.0 ↘ 9.7 ↙ 2.6 ← 6.5 ← 7.8 ↘  
 8.3 ↘ 4.9 ↘ 9.8 → 2.4 ↘ 3.7 ↘  
 beste Teiler 284.6 (8.) 302.6 (2.) 672.2 (6.)  
 Trefferlage 10.35 mm links, 4.18 mm hoch  
 Streuwert 6.45, horizontal: 7.64, vertikal: 4.98



Serie 2:  
 5.9 ← 5.8 ↘ 9.3 ↑ 9.3 ← 3.9 ↘  
 6.5 ↘ 8.2 ↘ 6.9 → 3.8 ↘ 0.0 ↘  
 beste Teiler 414.0 (13.) 418.9 (14.) 678.8 (17.)  
 Trefferlage 3.88 mm links, 4.37 mm hoch  
 Streuwert 9.32, horizontal: 10.53, vertikal: 7.94





Serie 3:  
 8.7 ↑ 9.9 ← 6.0 ↘ 8.4 ← 7.2 ↘  
 9.8 ↘ 6.2 → 6.7 ↘ 7.9 ↓ 7.0 ↓  
 beste Teiler 257.3 (22.) 294.9 (26.) 551.5 (21.)  
 Trefferlage 2.70 mm links, 1.16 mm hoch  
 Streuwert 6.01, horizontal: 6.13, vertikal: 5.89




Serie 4:  
 1.6 → 5.0 ↘ 6.1 ↓ 3.8 ↑ 0.0 ↘  
 0.0 ← 1.6 ← 9.5 ↘ 6.0 ↘ 8.4 ↘  
 beste Teiler 367.7 (38.) 645.6 (40.) 1201.6 (33.)  
 Trefferlage 7.77 mm links, 4.31 mm hoch  
 Streuwert 12.43, horizontal: 14.35, vertikal: 10.15

Unterschrift des Schützen


**Ergebnis: 217 (234.0)**  
**Serien: 55 58 50 54**  
**Zähler: 0 2 4 8 7 6 6 3 2 2**  
**Innenzehner: 0**  
**weiteste: 2378 (27), 2362 (9), 2195 (40)**  
**beste Teiler 334.1 (1.) 335.6 (38.) 576.2 (34.)**  
**Trefferlage 1.11 mm links, 3.60 mm tief**  
**Streuwert 9.44, horizontal: 11.18, vertikal: 7.30**




**Serie 1:**  
 9.6 ↗ 3.1 ↘ 7.1 ↘ 2.6 ← 6.7 ↘  
 6.7 ↘ 8.1 ↘ 5.1 ↘ 1.5 ↘ 8.3 ↘  
**beste Teiler 334.1 (1.) 664.8 (10.) 707.6 (7.)**  
**Trefferlage 2.24 mm links, 3.09 mm tief**  
**Streuwert 10.17, horizontal: 11.58, vertikal: 8.53**



**Serie 2:**  
 5.6 ↘ 6.5 ↘ 4.4 ← 6.2 ↑ 4.5 ↘  
 7.2 ↘ 7.5 ↘ 7.0 ↓ 7.0 ↘ 5.4 ↓  
**beste Teiler 864.4 (17.) 929.2 (16.) 981.5 (18.)**  
**Trefferlage 6.48 mm links, 3.80 mm tief**  
**Streuwert 7.27, horizontal: 5.85, vertikal: 8.45**



**Serie 3:**  
 5.8 ↘ 7.0 ↘ 4.0 ↗ 6.8 → 8.1 →  
 7.9 ↘ 1.4 ↘ 6.4 ↘ 3.9 ↘ 3.5 ←  
**beste Teiler 718.0 (25.) 762.0 (26.) 999.9 (22.)**  
**Trefferlage 4.16 mm rechts, 3.39 mm tief**  
**Streuwert 10.14, horizontal: 13.34, vertikal: 5.26**





**Serie 4:**  
 5.2 ↓ 4.8 ← 4.8 ↘ 8.6 ← 6.1 ↘  
 7.5 ↘ 4.6 ↘ 9.6 ↘ 5.7 ← 2.2 ↘  
**beste Teiler 335.6 (38.) 576.2 (34.) 870.1 (36.)**  
**Trefferlage 0.11 mm rechts, 4.12 mm tief**  
**Streuwert 9.68, horizontal: 11.36, vertikal: 7.63**

Unterschrift des Schützen




**Ergebnis: 353 (369.6)**  
**Serien:** 89 85 90 89  
**Zähler:** 8 18 13 1 0 0 0 0 0 0  
**Innenzehner:** 6  
**weiteste:** 915 (8), 736 (13), 691 (33)  
**beste Teiler** 36.8 (21.) 108.0 (19.) 162.7 (25.)  
**Trefferlage** 0.18 mm links, 0.12 mm hoch  
**Streuwert** 3.34, horizontal: 3.50, vertikal: 3.17


**Serie 1:**


10.3 \*      10.0 ↗      10.0 →      9.5 ↖      9.3 ↖  
 8.3 ↙      8.7 ←      7.3 ←      9.2 ↘      9.4 →

**beste Teiler** 168.8 (1.) 243.3 (3.) 249.3 (2.)  
**Trefferlage** 1.87 mm links, 0.26 mm hoch  
**Streuwert** 3.36, horizontal: 3.93, vertikal: 2.66


**Serie 2:**


8.5 ↗      9.3 →      8.0 →      9.4 ↗      8.5 ↗  
 8.9 ↑      8.6 ↓      9.7 ↙      10.5 \*      8.8 ←

**beste Teiler** 108.0 (19.) 316.2 (18.) 382.8 (14.)  
**Trefferlage** 1.59 mm rechts, 0.85 mm hoch  
**Streuwert** 3.58, horizontal: 3.50, vertikal: 3.65


**Serie 3:**

10.8 \*      9.2 ←      8.7 ↘      10.2 \*      10.3 \*  
 9.6 ↘      9.3 ↖      9.3 →      8.4 ↙      8.4 ↖

**beste Teiler** 36.8 (21.) 162.7 (25.) 189.8 (24.)  
**Trefferlage** 0.67 mm links, 0.43 mm tief  
**Streuwert** 3.12, horizontal: 3.09, vertikal: 3.15




**Serie 4:**

8.9 ↗      9.2 ↓      8.2 ↑      9.0 ↘      9.8 →  
 9.6 ↓      9.2 ←      10.2 \*      9.7 →      9.4 ←


**beste Teiler** 199.6 (38.) 298.2 (35.) 307.0 (39.)  
**Trefferlage** 0.23 mm rechts, 0.19 mm tief  
**Streuwert** 3.21, horizontal: 2.92, vertikal: 3.47

Unterschrift des Schützen


**Ergebnis: 362 (380.4)**  
**Serien: 94 91 89 88**  
**Zähler: 14 15 10 1 0 0 0 0 0 0**  
**Innenzehner: 10**  
**weiteste: 777 (33), 699 (29), 677 (22)**  
**beste Teiler 106.7 (5.) 159.0 (4.) 161.0 (10.)**  
**Trefferlage 0.02 mm links, 0.71 mm tief**  
**Streuwert 2.81, horizontal: 3.46, vertikal: 1.97**




**Serie 1:**  
 9.4 ↙ 8.8 ← 10.3 \* 10.3 \* 10.5 \*  
 9.9 ↘ 9.5 → 10.1 ↑ 9.3 ↓ 10.3 \*  
**beste Teiler 106.7 (5.) 159.0 (4.) 161.0 (10.)**  
**Trefferlage 0.72 mm links, 0.44 mm tief**  
**Streuwert 2.22, horizontal: 2.44, vertikal: 1.99**



**Serie 2:**  
 9.3 ↘ 10.2 \* 8.5 ↘ 9.0 ↘ 10.0 ←  
 9.8 → 9.5 → 10.2 \* 9.4 ↘ 8.8 ←  
**beste Teiler 185.9 (18.) 192.2 (12.) 247.9 (15.)**  
**Trefferlage 1.54 mm rechts, 1.05 mm tief**  
**Streuwert 2.62, horizontal: 3.49, vertikal: 1.24**



**Serie 3:**  
 10.2 \* 8.2 ← 10.0 ↓ 10.0 ↘ 8.9 ←  
 9.9 ↙ 9.9 ↓ 9.2 ↑ 8.2 ← 8.9 →  
**beste Teiler 179.0 (21.) 248.2 (24.) 250.4 (23.)**  
**Trefferlage 1.38 mm links, 0.87 mm tief**  
**Streuwert 3.06, horizontal: 3.65, vertikal: 2.31**





**Serie 4:**  
 8.9 ← 9.9 ↘ 7.8 ↗ 9.7 ↓ 9.4 →  
 10.2 \* 8.8 ↘ 10.2 \* 8.8 ← 10.2 \*  
**beste Teiler 178.1 (38.) 182.1 (36.) 189.2 (40.)**  
**Trefferlage 0.46 mm rechts, 0.48 mm tief**  
**Streuwert 3.20, horizontal: 3.84, vertikal: 2.40**

Unterschrift des Schützen




**Ergebnis: 343 (359.7)**  
**Serien:** 90 84 85 84  
**Zähler:** 7 16 13 1 3 0 0 0 0 0  
**Innenzehner:** 5  
**weiteste:** 1243 (35), 1033 (29), 1020 (19)  
**beste Teiler** 68.4 (30.) 122.7 (16.) 144.1 (36.)  
**Trefferlage** 0.63 mm rechts, 0.72 mm tief  
**Streuwert** 3.91, horizontal: 4.14, vertikal: 3.66


**Serie 1:**


8.6 ↙ 9.6 → 8.8 ↙ 10.4 \* 9.4 ↙  
 10.3 \* 9.6 ↘ 10.0 ↗ 9.0 → 8.2 ↗

**beste Teiler** 145.7 (4.) 162.8 (6.) 237.7 (8.)  
**Trefferlage** 0.14 mm rechts, 0.18 mm tief  
**Streuwert** 3.20, horizontal: 4.17, vertikal: 1.75


**Serie 2:**


9.0 ↘ 8.3 ↑ 8.3 → 9.5 ↘ 9.4 ↘  
 10.5 \* 8.9 ↘ 8.4 ↘ 6.9 ↗ 9.8 ↘

**beste Teiler** 122.7 (16.) 279.2 (20.) 358.3 (14.)  
**Trefferlage** 2.43 mm rechts, 0.46 mm tief  
**Streuwert** 3.83, horizontal: 2.81, vertikal: 4.62


**Serie 3:**

9.2 ↙ 9.1 ↗ 8.6 ↓ 9.2 ↓ 8.9 ↑  
 9.7 ↘ 9.0 → 8.8 ↓ 6.8 ↘ 10.7 \*

**beste Teiler** 68.4 (30.) 302.8 (26.) 426.9 (21.)  
**Trefferlage** 0.96 mm rechts, 1.03 mm tief  
**Streuwert** 3.88, horizontal: 3.86, vertikal: 3.89


**Serie 4:**



9.2 ↘ 8.3 ↙ 10.0 → 9.9 ↑ 6.0 ↙  
 10.4 \* 8.9 ↙ 8.1 ← 9.0 ↑ 7.0 →

**beste Teiler** 144.1 (36.) 232.0 (33.) 263.0 (34.)  
**Trefferlage** 0.99 mm links, 1.22 mm tief  
**Streuwert** 4.75, horizontal: 5.22, vertikal: 4.22

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.5)  
 Serien: 86 89 86 87  
 Zähler: 11 15 8 4 1 1 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1277 (5), 1017 (24), 990 (7)  
 beste Teiler 104.8 (3.) 138.4 (38.) 140.3 (9.)  
 Trefferlage 0.33 mm links, 0.15 mm hoch  
 Streuwert 3.87, horizontal: 3.82, vertikal: 3.93



Serie 1:

7.4 ↘ 10.0 ← 10.5 \* 9.8 ↘ 5.8 ↑  
 8.0 ↗ 7.0 ↙ 10.1 ← 10.4 \* 10.3 \*


beste Teiler 104.8 (3.) 140.3 (9.) 155.7 (10.)  
 Trefferlage 2.07 mm links, 2.27 mm hoch  
 Streuwert 4.23, horizontal: 3.27, vertikal: 5.01



Serie 2:

9.5 ↘ 9.0 ↑ 9.8 ↗ 8.1 ↘ 10.0 ↑  
 8.2 ↘ 9.5 ↘ 8.6 ← 9.3 ← 10.0 ←


beste Teiler 226.3 (20.) 236.7 (15.) 281.4 (13.)  
 Trefferlage 0.29 mm rechts, 0.60 mm tief  
 Streuwert 3.46, horizontal: 3.36, vertikal: 3.55



Serie 3:

9.2 → 9.6 ↘ 8.1 ← 6.9 ↗ 9.6 ↓  
 10.3 \* 9.5 ↓ 9.5 ↗ 9.6 ↑ 8.6 ↘

beste Teiler 173.9 (26.) 328.0 (29.) 340.4 (22.)  
 Trefferlage 1.40 mm rechts, 0.35 mm tief  
 Streuwert 3.72, horizontal: 4.09, vertikal: 3.31



Serie 4:



9.7 ↘ 10.2 \* 7.3 ↘ 9.2 ↑ 7.8 ←  
 9.2 ↙ 10.1 ↑ 10.4 \* 8.7 ← 8.7 ↓

beste Teiler 138.4 (38.) 195.1 (32.) 206.3 (37.)  
 Trefferlage 0.97 mm links, 0.67 mm tief  
 Streuwert 3.76, horizontal: 4.11, vertikal: 3.38


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 347 (363.3)**  
**Serien:** 87 89 89 82  
**Zähler:** 9 13 14 4 0 0 0 0 0 0  
**Innenzehner:** 5  
**weiteste:** 928 (39), 926 (29), 869 (21)  
**beste Teiler** 30.3 (17.) 74.0 (26.) 115.7 (19.)  
**Trefferlage** 1.67 mm rechts, 0.30 mm hoch  
**Streuwert** 3.52, horizontal: 3.86, vertikal: 3.15




**Serie 1:**  
 8.0 ↖ 10.1 ↘ 8.9 ↗ 9.1 ↗ 8.6 ←  
 8.9 → 9.2 ↘ 10.2 \* 9.4 ↘ 8.9 ↓  
**beste Teiler** 198.5 (8.) 214.2 (2.) 400.6 (9.)  
**Trefferlage** 0.23 mm links, 0.91 mm hoch  
**Streuwert** 3.54, horizontal: 4.08, vertikal: 2.90



**Serie 2:**  
 9.0 → 9.0 ↘ 8.7 → 8.4 ↘ 8.0 ↓  
 10.0 ↓ 10.8 \* 9.5 → 10.5 \* 8.8 ↘  
**beste Teiler** 30.3 (17.) 115.7 (19.) 235.7 (16.)  
**Trefferlage** 2.27 mm rechts, 1.10 mm tief  
**Streuwert** 2.95, horizontal: 2.75, vertikal: 3.15



**Serie 3:**  
 7.5 → 9.8 ↘ 10.1 ↗ 10.1 ↘ 8.5 ↘  
 10.7 \* 9.5 → 10.2 \* 7.2 ↘ 9.2 →  
**beste Teiler** 74.0 (26.) 194.0 (28.) 218.4 (24.)  
**Trefferlage** 2.06 mm rechts, 0.39 mm tief  
**Streuwert** 3.43, horizontal: 3.99, vertikal: 2.77





**Serie 4:**  
 8.3 ↑ 8.9 ← 9.6 ↘ 9.1 → 9.8 ↑  
 9.0 → 7.6 → 8.6 → 7.2 ↗ 8.4 →  
**beste Teiler** 297.2 (35.) 348.8 (33.) 475.6 (34.)  
**Trefferlage** 2.59 mm rechts, 1.81 mm hoch  
**Streuwert** 3.89, horizontal: 4.35, vertikal: 3.37

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (382.7)  
 Serien: 91 91 87 93  
 Zähler: 14 16 8 2 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 936 (1), 765 (23), 638 (28)  
 beste Teiler 70.1 (40.) 107.4 (33.) 112.6 (11.)  
 Trefferlage 0.20 mm rechts, 0.21 mm hoch  
 Streuwert 2.82, horizontal: 2.83, vertikal: 2.81



Serie 1:

7.2 ↘ 10.0 ↘ 9.9 ↘ 9.7 ↗ 10.0 →  
 9.8 ↗ 9.3 → 10.0 ← 8.6 ← 10.3 \*


beste Teiler 170.1 (10.) 231.1 (5.) 238.5 (2.)  
 Trefferlage 0.40 mm rechts, 0.21 mm hoch  
 Streuwert 3.20, horizontal: 3.58, vertikal: 2.78



Serie 2:

10.5 \* 8.6 ↑ 8.9 ↘ 8.9 → 10.1 ↗  
 9.8 ↓ 9.7 → 9.7 ↑ 10.2 \* 10.2 \*


beste Teiler 112.6 (11.) 186.3 (19.) 192.7 (20.)  
 Trefferlage 1.48 mm rechts, 0.37 mm hoch  
 Streuwert 2.40, horizontal: 1.86, vertikal: 2.85



Serie 3:

10.3 \* 9.8 ↑ 7.9 ↘ 9.7 ↘ 8.7 →  
 8.7 ↘ 9.9 ↑ 8.4 ↗ 9.9 ← 10.0 ↓

beste Teiler 161.1 (21.) 234.6 (30.) 261.8 (27.)  
 Trefferlage 0.57 mm links, 0.27 mm hoch  
 Streuwert 3.34, horizontal: 3.08, vertikal: 3.58



Serie 4:

9.6 ← 9.8 ↘ 10.5 \* 9.3 ↑ 9.7 ↗  
 10.3 \* 8.6 ← 9.5 ↓ 10.0 ↗ 10.7 \*

beste Teiler 70.1 (40.) 107.4 (33.) 152.1 (36.)  
 Trefferlage 0.48 mm links, 0.01 mm tief  
 Streuwert 2.38, horizontal: 2.43, vertikal: 2.32

Unterschrift des Schützen

Meyton Elektronik