





Ergebnis: **303.7** (290)
 Serien: 101.8 102.4 99.5
 Zähler: 21 8 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1649 (25), 1150 (22), 1133 (23)
 beste Teiler 56.0 (13.) 154.1 (17.) 250.7 (20.)
 Trefferlage 1.15 mm rechts, 0.49 mm tief
 Streuwert 5.27, horizontal: 4.85, vertikal: 5.66



Serie 1:
 10.3 * 10.6 * 10.1 ↖ 9.9 ↓ 9.9 ↓
 10.4 * 10.4 * 10.0 ↗ 9.6 ↓ 10.6 *
 beste Teiler 277.8 (10.) 303.8 (2.) 407.9 (7.)
 Trefferlage 1.00 mm rechts, 1.45 mm tief
 Streuwert 4.81, horizontal: 3.02, vertikal: 6.09





Serie 2:
 9.6 ↘ 10.1 ↖ 10.9 * 9.9 ↘ 10.4 *
 10.1 ↘ 10.8 * 9.7 ↑ 10.3 * 10.6 *
 beste Teiler 56.0 (13.) 154.1 (17.) 250.7 (20.)
 Trefferlage 2.70 mm rechts, 0.44 mm tief
 Streuwert 4.42, horizontal: 3.96, vertikal: 4.84




Serie 3:
 10.3 * 9.5 ↓ 9.5 ← 10.2 ↗ 8.9 ↗
 10.6 * 10.3 * 10.1 ↖ 10.0 ↙ 10.1 ↓
 beste Teiler 312.4 (26.) 482.1 (21.) 529.8 (27.)
 Trefferlage 0.23 mm links, 0.41 mm hoch
 Streuwert 6.59, horizontal: 6.79, vertikal: 6.39

Unterschrift des Schützen


Ergebnis: **292.6** (281)
 Serien: 96.4 98.5 97.7
 Zähler: 15 12 2 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2560 (5), 2106 (24), 2023 (23)
 beste Teiler 109.6 (30.) 281.6 (8.) 342.8 (27.)
 Trefferlage 2.45 mm links, 0.50 mm tief
 Streuwert 7.84, horizontal: 9.27, vertikal: 6.07



Serie 1:
 9.0 ↖ 10.2 ↗ 9.7 ↙ 9.2 ↖ 7.8 →
 10.2 ↘ 9.6 ↖ 10.6 * 9.9 ↖ 10.2 ↖
 beste Teiler 281.6 (8.) 578.5 (10.) 593.3 (2.)
 Trefferlage 2.77 mm links, 0.06 mm tief
 Streuwert 8.89, horizontal: 11.90, vertikal: 4.08





Serie 2:
 9.0 ↙ 9.9 ↗ 10.2 ↘ 10.3 * 9.7 ↙
 10.1 ↘ 9.3 ↖ 10.2 ↓ 10.4 * 9.4 ↘
 beste Teiler 422.4 (19.) 523.2 (14.) 564.9 (18.)
 Trefferlage 3.05 mm links, 1.46 mm tief
 Streuwert 6.66, horizontal: 7.24, vertikal: 6.03




Serie 3:
 9.6 ↙ 10.2 ↘ 8.4 ↗ 8.3 ↘ 10.2 ↙
 9.1 ↙ 10.5 * 10.3 * 10.3 * 10.8 *
 beste Teiler 109.6 (30.) 342.8 (27.) 504.2 (29.)
 Trefferlage 1.54 mm links, 0.01 mm hoch
 Streuwert 8.54, horizontal: 9.04, vertikal: 8.01

Unterschrift des Schützen


Ergebnis: **303.3** (290)
 Serien: 100.7 102.0 100.6
 Zähler: 21 8 1 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1638 (22), 1599 (3), 1134 (18)
 beste Teiler 89.6 (6.) 177.4 (26.) 319.6 (16.)
 Trefferlage 0.81 mm rechts, 0.87 mm hoch
 Streuwert 5.37, horizontal: 5.43, vertikal: 5.31



Serie 1:
 10.1 ↖ 9.6 ↖ 9.0 ↘ 10.2 ← 10.4 *
 10.8 * 10.2 ← 10.2 ↖ 9.9 ↗ 10.3 *
 beste Teiler 89.6 (6.) 405.2 (5.) 504.0 (10.)
 Trefferlage 0.57 mm links, 1.28 mm hoch
 Streuwert 5.88, horizontal: 6.96, vertikal: 4.55





Serie 2:
 10.2 ↖ 10.1 → 10.4 * 10.4 * 9.7 ↑
 10.6 * 10.3 * 9.5 ↓ 10.5 * 10.3 *
 beste Teiler 319.6 (16.) 335.2 (19.) 406.3 (14.)
 Trefferlage 1.50 mm rechts, 0.46 mm tief
 Streuwert 4.63, horizontal: 3.07, vertikal: 5.79




Serie 3:
 10.1 ↖ 8.9 → 10.5 * 9.7 ↑ 9.8 ↑
 10.7 * 10.5 * 10.2 ← 10.3 ↑ 9.9 ↓
 beste Teiler 177.4 (26.) 330.7 (23.) 346.6 (27.)
 Trefferlage 1.50 mm rechts, 1.80 mm hoch
 Streuwert 5.81, horizontal: 5.83, vertikal: 5.80

Unterschrift des Schützen


Ergebnis: **283.1** (269)
 Serien: 93.3 95.5 94.3
 Zähler: 8 14 7 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2552 (4), 2373 (21), 2288 (30)
 beste Teiler 291.6 (24.) 324.7 (10.) 487.7 (29.)
 Trefferlage 0.47 mm rechts, 1.92 mm tief
 Streuwert 9.70, horizontal: 10.65, vertikal: 8.64



Serie 1:
 9.9 ↘ 9.7 ↑ 9.5 ↖ 7.8 → 9.2 ↓
 8.8 ↘ 9.3 ↘ 8.4 ↘ 10.2 ↘ 10.5 *
 beste Teiler 324.7 (10.) 640.2 (9.) 824.6 (1.)
 Trefferlage 4.29 mm rechts, 1.62 mm tief
 Streuwert 10.27, horizontal: 10.83, vertikal: 9.67





Serie 2:
 8.5 ← 10.2 ↙ 10.2 ↘ 8.3 → 9.8 ↘
 9.9 ↙ 9.7 ← 9.5 ↓ 9.4 ↙ 10.0 ←
 beste Teiler 601.0 (13.) 604.6 (12.) 793.8 (20.)
 Trefferlage 3.56 mm links, 3.90 mm tief
 Streuwert 8.28, horizontal: 10.74, vertikal: 4.67




Serie 3:
 8.0 ↘ 9.7 ↙ 9.6 ↖ 10.6 * 10.3 *
 9.8 ↙ 8.8 ↘ 9.1 ↗ 10.3 * 8.1 ↑
 beste Teiler 291.6 (24.) 487.7 (29.) 516.9 (25.)
 Trefferlage 0.69 mm rechts, 0.23 mm tief
 Streuwert 10.41, horizontal: 9.94, vertikal: 10.85

 Unterschrift des Schützen


Ergebnis: **280.7** (267)
 Serien: 93.4 95.6 91.7
 Zähler: 6 16 7 1 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2594 (27), 2255 (30), 2130 (19)
 beste Teiler 526.7 (7.) 581.3 (20.) 625.2 (11.)
 Trefferlage 1.05 mm links, 5.91 mm tief
 Streuwert 8.89, horizontal: 8.36, vertikal: 9.38



Serie 1:
 9.1 ↖ 9.2 ← 9.2 ↓ 9.3 ← 8.7 ↓
 9.7 ↑ 10.3 * 8.9 ↑ 9.3 ↘ 9.7 ↘
 beste Teiler 526.7 (7.) 1000.4 (10.) 1030.7 (6.)
 Trefferlage 2.73 mm links, 1.24 mm tief
 Streuwert 9.72, horizontal: 8.26, vertikal: 10.98



Serie 2:
 10.2 ↗ 9.5 ↓ 9.9 ← 9.5 ↓ 9.8 ↘
 9.3 ↓ 10.0 ↓ 8.9 ↓ 8.3 ← 10.2 ↓
 beste Teiler 581.3 (20.) 625.2 (11.) 753.1 (17.)
 Trefferlage 3.33 mm links, 8.77 mm tief
 Streuwert 5.68, horizontal: 6.87, vertikal: 4.16





Serie 3:
 9.9 → 9.0 ↘ 9.7 ← 9.6 ← 10.1 ↗
 8.8 ↘ 7.7 ↓ 10.0 ↓ 8.8 → 8.1 ↓
 beste Teiler 652.5 (25.) 788.1 (28.) 842.0 (21.)
 Trefferlage 2.89 mm rechts, 7.71 mm tief
 Streuwert 9.81, horizontal: 9.14, vertikal: 10.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.4** (284)
 Serien: 99.1 96.0 101.3
 Zähler: 16 12 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2168 (18), 1681 (14), 1504 (17)
 beste Teiler 167.8 (24.) 314.3 (16.) 454.3 (28.)
 Trefferlage 2.12 mm links, 3.07 mm tief
 Streuwert 6.24, horizontal: 7.04, vertikal: 5.31



Serie 1:
 10.2 ↓ 10.3 * 9.3 ↓ 9.9 ↓ 10.0 ←
 9.9 → 10.2 ↓ 9.7 ← 9.6 ↘ 10.0 →
 beste Teiler 506.8 (2.) 567.3 (1.) 568.3 (7.)
 Trefferlage 1.02 mm rechts, 3.89 mm tief
 Streuwert 5.68, horizontal: 6.33, vertikal: 4.95





Serie 2:
 9.7 ↓ 9.8 → 9.7 ↘ 8.8 ↓ 9.7 ←
 10.6 * 9.1 ← 8.2 ← 10.4 * 10.0 →
 beste Teiler 314.3 (16.) 480.2 (19.) 748.7 (20.)
 Trefferlage 3.10 mm links, 3.76 mm tief
 Streuwert 8.25, horizontal: 9.85, vertikal: 6.24




Serie 3:
 9.9 ↓ 9.9 ↙ 10.0 ↓ 10.7 * 10.1 ←
 10.2 ← 10.0 ↘ 10.4 * 10.1 ← 10.0 ←
 beste Teiler 167.8 (24.) 454.3 (28.) 598.3 (26.)
 Trefferlage 4.30 mm links, 1.55 mm tief
 Streuwert 3.80, horizontal: 2.28, vertikal: 4.86

Unterschrift des Schützen


Ergebnis: **313.8** (300)
 Serien: 104.8 104.8 104.2
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 740 (16), 700 (14), 688 (23)
 beste Teiler 99.8 (15.) 142.0 (29.) 150.0 (22.)
 Trefferlage 0.42 mm rechts, 0.80 mm tief
 Streuwert 2.98, horizontal: 3.42, vertikal: 2.48



Serie 1:
 10.4 * 10.4 * 10.6 * 10.5 * 10.5 *
 10.5 * 10.6 * 10.6 * 10.4 * 10.3 *
 beste Teiler 264.0 (7.) 283.9 (3.) 304.5 (8.)
 Trefferlage 0.82 mm rechts, 0.01 mm hoch
 Streuwert 2.72, horizontal: 3.06, vertikal: 2.33





Serie 2:
 10.6 * 10.2 ↘ 10.7 * 10.1 → 10.8 *
 10.0 ↓ 10.3 * 10.8 * 10.7 * 10.6 *
 beste Teiler 99.8 (15.) 154.4 (18.) 169.0 (13.)
 Trefferlage 1.17 mm rechts, 1.26 mm tief
 Streuwert 2.98, horizontal: 2.80, vertikal: 3.15




Serie 3:
 10.2 ↖ 10.8 * 10.1 → 10.5 * 10.5 *
 10.2 ← 10.3 * 10.5 * 10.8 * 10.3 *
 beste Teiler 142.0 (29.) 150.0 (22.) 332.0 (25.)
 Trefferlage 0.73 mm links, 1.16 mm tief
 Streuwert 3.27, horizontal: 4.26, vertikal: 1.81

Unterschrift des Schützen


Ergebnis: **306.1** (294)
 Serien: 101.4 101.8 102.9
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1163 (13), 1035 (7), 954 (1)
 beste Teiler 104.9 (14.) 153.2 (6.) 172.2 (30.)
 Trefferlage 1.75 mm rechts, 0.12 mm hoch
 Streuwert 4.52, horizontal: 4.23, vertikal: 4.80



Serie 1:
 9.8 ↘ 9.9 ↘ 10.0 → 10.3 * 10.3 *
 10.8 * 9.7 ↑ 10.3 * 10.3 * 10.0 ↖
 beste Teiler 153.2 (6.) 493.2 (4.) 496.2 (9.)
 Trefferlage 0.01 mm rechts, 1.18 mm hoch
 Streuwert 5.18, horizontal: 5.53, vertikal: 4.79



Serie 2:
 10.2 ↙ 9.9 ↑ 9.5 ↘ 10.8 * 10.0 ↘
 10.2 ↓ 10.0 → 10.4 * 10.4 * 10.4 *
 beste Teiler 104.9 (14.) 444.0 (20.) 465.6 (19.)
 Trefferlage 2.23 mm rechts, 1.10 mm tief
 Streuwert 4.65, horizontal: 3.94, vertikal: 5.25





Serie 3:
 10.0 ↑ 10.2 ↗ 10.2 ↘ 10.5 * 9.9 →
 10.5 * 10.4 * 10.1 ↓ 10.4 * 10.7 *
 beste Teiler 172.2 (30.) 397.2 (24.) 399.7 (26.)
 Trefferlage 3.01 mm rechts, 0.30 mm hoch
 Streuwert 3.65, horizontal: 2.45, vertikal: 4.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **304.2** (292)
 Serien: 103.0 100.8 100.4
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1325 (18), 1301 (27), 1129 (20)
 beste Teiler 137.8 (17.) 169.9 (2.) 173.2 (10.)
 Trefferlage 0.08 mm links, 0.75 mm hoch
 Streuwert 5.16, horizontal: 5.67, vertikal: 4.61



Serie 1:
 10.5 * 10.7 * 10.1 ↗ 10.1 ↑ 9.6 ←
 10.4 * 10.5 * 10.3 ↖ 10.1 ↓ 10.7 *
 beste Teiler 169.9 (2.) 173.2 (10.) 361.4 (7.)
 Trefferlage 1.18 mm links, 0.50 mm hoch
 Streuwert 4.31, horizontal: 4.67, vertikal: 3.92





Serie 2:
 9.9 ← 9.7 ↘ 10.2 ↗ 10.7 * 10.2 ↑
 10.3 * 10.8 * 9.3 ↖ 10.2 ↗ 9.5 ↖
 beste Teiler 137.8 (17.) 193.0 (14.) 497.9 (16.)
 Trefferlage 0.96 mm links, 1.33 mm hoch
 Streuwert 5.66, horizontal: 6.25, vertikal: 5.01




Serie 3:
 10.2 ↖ 10.1 ↘ 9.7 ↓ 10.2 → 10.0 ↗
 10.5 * 9.3 ↗ 9.9 → 10.0 ← 10.5 *
 beste Teiler 378.5 (30.) 400.2 (26.) 564.6 (24.)
 Trefferlage 1.90 mm rechts, 0.42 mm hoch
 Streuwert 5.63, horizontal: 6.00, vertikal: 5.23

 Unterschrift des Schützen


Ergebnis: **303.0** (290)
 Serien: 100.5 102.2 100.3
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1308 (30), 1304 (12), 1160 (3)
 beste Teiler 167.3 (23.) 197.4 (14.) 202.2 (28.)
 Trefferlage 0.21 mm links, 1.40 mm hoch
 Streuwert 5.34, horizontal: 5.93, vertikal: 4.67



Serie 1:
 9.8 ↖ 10.6 * 9.5 → 10.2 ↓ 10.1 ↑
 10.2 ↘ 10.0 ↑ 10.5 * 9.6 ↙ 10.0 ←
 beste Teiler 263.2 (2.) 341.2 (8.) 603.6 (4.)
 Trefferlage 0.78 mm links, 2.22 mm hoch
 Streuwert 5.44, horizontal: 6.16, vertikal: 4.60





Serie 2:
 9.9 ↖ 9.3 ← 10.1 ↙ 10.7 * 10.5 *
 10.0 → 10.5 * 10.7 * 10.0 ↑ 10.5 *
 beste Teiler 197.4 (14.) 203.2 (18.) 321.5 (20.)
 Trefferlage 1.38 mm links, 1.80 mm hoch
 Streuwert 4.70, horizontal: 5.31, vertikal: 4.01




Serie 3:
 9.7 ↙ 10.1 ↓ 10.7 * 9.7 → 10.1 ↗
 9.8 ↘ 10.5 * 10.7 * 9.7 → 9.3 ↗
 beste Teiler 167.3 (23.) 202.2 (28.) 359.4 (27.)
 Trefferlage 1.52 mm rechts, 0.17 mm hoch
 Streuwert 6.01, horizontal: 6.47, vertikal: 5.51

Unterschrift des Schützen


Ergebnis: **290.6** (278)
 Serien: 94.8 97.6 98.2
 Zähler: 10 18 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1829 (28), 1694 (5), 1566 (10)
 beste Teiler 235.0 (30.) 294.3 (25.) 464.9 (20.)
 Trefferlage 0.56 mm rechts, 0.76 mm hoch
 Streuwert 7.83, horizontal: 6.97, vertikal: 8.60



Serie 1:
 9.4 ↙ 9.3 ↗ 9.6 ↘ 9.9 ← 8.8 →
 9.0 ↗ 10.0 ↗ 10.2 ↗ 9.6 ↘ 9.0 ↑
 beste Teiler 619.9 (8.) 747.1 (7.) 827.7 (4.)
 Trefferlage 3.92 mm rechts, 2.20 mm hoch
 Streuwert 8.49, horizontal: 8.71, vertikal: 8.26





Serie 2:
 10.2 ↘ 9.1 ↖ 10.0 ↓ 9.5 ↓ 9.8 ↖
 10.1 ↖ 9.3 ↓ 9.4 ↑ 9.8 ↓ 10.4 *
 beste Teiler 464.9 (20.) 616.4 (11.) 668.1 (16.)
 Trefferlage 2.06 mm links, 1.35 mm tief
 Streuwert 7.36, horizontal: 5.06, vertikal: 9.10




Serie 3:
 10.2 ← 9.6 ↙ 9.6 ↗ 9.6 ↓ 10.6 *
 10.1 ↘ 9.4 ↗ 8.7 ↑ 9.7 ↖ 10.7 *
 beste Teiler 235.0 (30.) 294.3 (25.) 583.2 (21.)
 Trefferlage 0.16 mm links, 1.45 mm hoch
 Streuwert 7.55, horizontal: 5.85, vertikal: 8.93

Unterschrift des Schützen


Ergebnis: **283.8** (271)
 Serien: 94.5 91.9 97.4
 Zähler: 8 17 4 0 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3371 (15), 2300 (10), 1951 (12)
 beste Teiler 201.5 (29.) 274.3 (3.) 524.9 (4.)
 Trefferlage 3.83 mm rechts, 6.71 mm tief
 Streuwert 7.97, horizontal: 9.47, vertikal: 6.12



Serie 1:
 9.6 ↙ 9.2 ↘ 10.6 * 10.3 * 9.9 ↘
 9.2 ↓ 9.1 ↘ 9.2 ↘ 9.3 ↘ 8.1 ↙
 beste Teiler 274.3 (3.) 524.9 (4.) 857.7 (5.)
 Trefferlage 2.85 mm rechts, 8.96 mm tief
 Streuwert 6.81, horizontal: 8.26, vertikal: 4.95





Serie 2:
 10.3 ↙ 8.5 ↙ 9.8 ↙ 8.7 ↘ 6.7 →
 8.9 ↓ 9.4 ↓ 9.0 ↓ 10.3 → 10.3 ↑
 beste Teiler 540.9 (11.) 544.4 (20.) 552.6 (19.)
 Trefferlage 2.96 mm rechts, 7.06 mm tief
 Streuwert 10.82, horizontal: 13.32, vertikal: 7.53




Serie 3:
 9.8 → 9.5 → 9.1 ↘ 9.5 → 9.7 ↓
 10.0 ↙ 10.2 → 9.1 ↘ 10.7 * 9.8 →
 beste Teiler 201.5 (29.) 629.4 (27.) 741.8 (26.)
 Trefferlage 5.69 mm rechts, 4.13 mm tief
 Streuwert 5.64, horizontal: 6.11, vertikal: 5.12

Unterschrift des Schützen


Ergebnis: **294.8** (280)
 Serien: 98.9 96.4 99.5
 Zähler: 11 18 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1642 (20), 1492 (29), 1483 (19)
 beste Teiler 131.1 (7.) 188.0 (27.) 319.4 (21.)
 Trefferlage 1.04 mm rechts, 1.53 mm tief
 Streuwert 7.00, horizontal: 8.25, vertikal: 5.47



Serie 1:
 9.8 ↙ 10.0 → 9.6 ← 9.2 ↘ 9.8 ↓
 10.5 * 10.8 * 10.0 ↘ 9.3 ↖ 9.9 ↓
 beste Teiler 131.1 (7.) 358.2 (6.) 737.6 (2.)
 Trefferlage 2.65 mm links, 1.54 mm tief
 Streuwert 6.56, horizontal: 6.86, vertikal: 6.25





Serie 2:
 9.8 ↙ 9.8 ↗ 9.2 → 10.2 ↙ 9.7 →
 9.9 ← 10.1 ↑ 9.7 ← 9.1 → 8.9 ↙
 beste Teiler 634.5 (14.) 699.8 (17.) 840.7 (16.)
 Trefferlage 0.58 mm rechts, 1.24 mm tief
 Streuwert 8.21, horizontal: 10.10, vertikal: 5.72




Serie 3:
 10.6 * 10.3 * 9.8 ↗ 9.8 → 9.1 ↘
 10.3 ↘ 10.7 * 9.4 → 9.1 ↘ 10.4 *
 beste Teiler 188.0 (27.) 319.4 (21.) 409.7 (30.)
 Trefferlage 5.18 mm rechts, 1.81 mm tief
 Streuwert 5.48, horizontal: 5.97, vertikal: 4.95

 Unterschrift des Schützen


Ergebnis: **302.7** (294)
 Serien: 100.8 100.1 101.8
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1553 (9), 1502 (19), 1354 (16)
 beste Teiler 148.9 (3.) 324.8 (12.) 333.0 (4.)
 Trefferlage 1.11 mm rechts, 0.73 mm hoch
 Streuwert 5.46, horizontal: 5.19, vertikal: 5.72



Serie 1:
 9.4 ↘ 10.0 → 10.8 * 10.5 * 10.5 *
 10.1 → 10.5 * 10.1 ↓ 9.0 ↓ 9.9 ↗
 beste Teiler 148.9 (3.) 333.0 (4.) 365.5 (7.)
 Trefferlage 3.15 mm rechts, 1.51 mm tief
 Streuwert 5.40, horizontal: 3.85, vertikal: 6.59





Serie 2:
 10.0 ↖ 10.5 * 10.1 ↙ 10.4 * 10.0 ↖
 9.3 ↘ 10.5 * 10.0 ↖ 9.1 ↖ 10.2 ↓
 beste Teiler 324.8 (12.) 358.1 (17.) 448.8 (14.)
 Trefferlage 1.86 mm links, 0.91 mm hoch
 Streuwert 6.11, horizontal: 6.49, vertikal: 5.71




Serie 3:
 10.5 * 10.2 ↖ 10.3 → 10.3 ↗ 10.3 →
 10.0 ↖ 10.0 ↗ 9.9 ↑ 10.0 ↓ 10.3 ↗
 beste Teiler 333.0 (21.) 536.1 (30.) 551.0 (23.)
 Trefferlage 2.06 mm rechts, 2.81 mm hoch
 Streuwert 4.09, horizontal: 3.79, vertikal: 4.36

Unterschrift des Schützen


Ergebnis: **297.0** (279)
 Serien: 94.3 100.0 102.7
 Zähler: 10 19 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1983 (8), 1374 (2), 1334 (1)
 beste Teiler 92.6 (22.) 137.1 (25.) 206.1 (29.)
 Trefferlage 2.32 mm links, 0.82 mm hoch
 Streuwert 6.56, horizontal: 8.18, vertikal: 4.37



Serie 1:
 9.3 ↖ 9.2 ↖ 9.4 → 9.9 ↓ 9.8 ↖
 9.6 ↙ 9.4 ↖ 8.5 ← 9.4 ← 9.8 →
 beste Teiler 837.8 (4.) 944.5 (5.) 947.1 (10.)
 Trefferlage 6.76 mm links, 1.41 mm hoch
 Streuwert 7.83, horizontal: 10.05, vertikal: 4.67





Serie 2:
 10.2 ↙ 10.3 * 9.8 ↖ 9.7 ← 10.7 *
 9.5 ↗ 9.8 ↗ 9.7 ↗ 10.6 * 9.7 →
 beste Teiler 218.1 (15.) 290.0 (19.) 529.0 (12.)
 Trefferlage 0.13 mm rechts, 2.57 mm hoch
 Streuwert 5.81, horizontal: 7.10, vertikal: 4.12




Serie 3:
 10.6 * 10.8 * 9.9 ↗ 10.5 * 10.8 *
 10.2 ↙ 9.7 ↘ 9.7 ↙ 10.7 * 9.8 ↙
 beste Teiler 92.6 (22.) 137.1 (25.) 206.1 (29.)
 Trefferlage 0.35 mm links, 1.51 mm tief
 Streuwert 4.71, horizontal: 5.61, vertikal: 3.59

Unterschrift des Schützen


Ergebnis: **297.0** (286)
 Serien: 97.9 99.3 99.8
 Zähler: 18 10 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1771 (29), 1603 (3), 1572 (11)
 beste Teiler 79.9 (24.) 269.9 (27.) 319.3 (10.)
 Trefferlage 0.45 mm rechts, 2.24 mm hoch
 Streuwert 6.57, horizontal: 7.41, vertikal: 5.60



Serie 1:
 9.5 ↘ 9.3 ↗ 8.9 ↗ 10.0 ↖ 10.4 *
 10.0 ← 9.6 ← 9.6 → 10.0 → 10.6 *
 beste Teiler 319.3 (10.) 455.9 (5.) 724.0 (4.)
 Trefferlage 1.05 mm rechts, 3.13 mm hoch
 Streuwert 6.98, horizontal: 8.61, vertikal: 4.85





Serie 2:
 9.0 ↗ 9.7 ↗ 10.1 ↘ 10.2 ↗ 10.2 ↖
 10.3 ↓ 10.3 * 10.4 * 9.4 ↘ 9.7 →
 beste Teiler 416.4 (18.) 511.1 (17.) 538.7 (16.)
 Trefferlage 1.85 mm rechts, 3.27 mm hoch
 Streuwert 6.00, horizontal: 5.99, vertikal: 6.00




Serie 3:
 10.3 ↖ 9.5 ↖ 10.0 ↗ 10.9 * 10.4 *
 10.1 ↗ 10.6 * 10.2 ↖ 8.7 ← 9.1 ↓
 beste Teiler 79.9 (24.) 269.9 (27.) 431.2 (25.)
 Trefferlage 1.53 mm links, 0.31 mm hoch
 Streuwert 6.90, horizontal: 7.73, vertikal: 5.94

Unterschrift des Schützen


Ergebnis: **282.0** (266)
 Serien: 94.2 92.0 95.8
 Zähler: 8 13 6 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2799 (6), 2702 (15), 2597 (28)
 beste Teiler 89.8 (21.) 159.5 (27.) 217.3 (4.)
 Trefferlage 1.50 mm rechts, 1.83 mm tief
 Streuwert 10.23, horizontal: 10.04, vertikal: 10.41



Serie 1:
 9.4 ← 10.0 ← 9.7 ↓ 10.7 * 10.0 →
 7.5 ↘ 8.9 → 8.9 ↑ 9.5 ← 9.6 ↙
 beste Teiler 217.3 (4.) 749.9 (5.) 795.9 (2.)
 Trefferlage 0.21 mm links, 2.54 mm tief
 Streuwert 10.22, horizontal: 10.73, vertikal: 9.69



Serie 2:
 8.8 ↘ 10.5 * 9.4 ↓ 9.2 ↗ 7.6 ↖
 8.3 ↘ 10.6 * 9.9 → 8.3 ↖ 9.4 →
 beste Teiler 300.1 (17.) 323.2 (12.) 813.2 (18.)
 Trefferlage 2.24 mm rechts, 1.36 mm hoch
 Streuwert 11.68, horizontal: 11.30, vertikal: 12.04





Serie 3:
 10.8 * 9.6 ↙ 9.9 ↖ 9.3 ↗ 10.5 *
 8.6 ↓ 10.8 * 7.7 ↘ 9.3 → 9.3 ↘
 beste Teiler 89.8 (21.) 159.5 (27.) 337.4 (25.)
 Trefferlage 2.48 mm rechts, 4.31 mm tief
 Streuwert 9.18, horizontal: 8.77, vertikal: 9.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **298.3** (285)
 Serien: 98.5 100.4 99.4
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2188 (25), 1410 (19), 1331 (18)
 beste Teiler 120.4 (22.) 302.0 (21.) 307.4 (12.)
 Trefferlage 0.75 mm rechts, 0.85 mm tief
 Streuwert 6.50, horizontal: 7.55, vertikal: 5.23



Serie 1:
 10.2 ↗ 9.8 ↗ 10.0 ↘ 9.6 ← 9.7 ←
 10.0 ↘ 10.2 ↗ 9.8 ↙ 9.9 → 9.3 →
 beste Teiler 593.8 (7.) 618.3 (1.) 736.0 (3.)
 Trefferlage 2.15 mm rechts, 1.04 mm tief
 Streuwert 6.45, horizontal: 7.81, vertikal: 4.70





Serie 2:
 9.3 ↙ 10.6 * 10.5 * 10.0 ← 10.2 ↗
 10.4 * 10.5 * 9.3 ↘ 9.2 ↓ 10.4 *
 beste Teiler 307.4 (12.) 321.8 (13.) 354.3 (17.)
 Trefferlage 2.70 mm links, 2.75 mm tief
 Streuwert 5.59, horizontal: 4.80, vertikal: 6.28




Serie 3:
 10.6 * 10.8 * 9.7 ↗ 9.9 ↑ 8.2 →
 10.2 ↘ 9.8 ↘ 10.5 * 9.4 ← 10.3 *
 beste Teiler 120.4 (22.) 302.0 (21.) 368.9 (28.)
 Trefferlage 2.82 mm rechts, 1.25 mm hoch
 Streuwert 6.97, horizontal: 8.91, vertikal: 4.20

Unterschrift des Schützen


Ergebnis: **290.5** (278)
 Serien: 96.6 97.8 96.1
 Zähler: 12 14 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2239 (24), 2041 (9), 1822 (30)
 beste Teiler 280.8 (20.) 327.2 (22.) 402.1 (10.)
 Trefferlage 1.42 mm links, 0.61 mm tief
 Streuwert 8.06, horizontal: 8.50, vertikal: 7.59



Serie 1:
 9.4 ← 9.6 → 10.1 ↖ 10.1 ↑ 9.4 ↓
 9.8 ↖ 10.4 * 9.0 ← 8.4 → 10.4 *
 beste Teiler 402.1 (10.) 428.2 (7.) 658.8 (3.)
 Trefferlage 1.32 mm links, 0.93 mm tief
 Streuwert 8.44, horizontal: 10.56, vertikal: 5.56





Serie 2:
 10.1 ↘ 9.1 ← 9.5 ↓ 10.2 ↘ 9.5 →
 9.7 ↗ 10.0 ↓ 8.8 ↘ 10.3 ↗ 10.6 *
 beste Teiler 280.8 (20.) 552.3 (19.) 590.6 (14.)
 Trefferlage 0.47 mm links, 4.11 mm tief
 Streuwert 7.07, horizontal: 7.44, vertikal: 6.68




Serie 3:
 9.8 ↘ 10.5 * 9.4 ↖ 8.2 ↖ 10.4 *
 9.5 ↖ 9.6 ↓ 9.9 ↑ 10.1 ← 8.7 →
 beste Teiler 327.2 (22.) 434.6 (25.) 657.1 (29.)
 Trefferlage 2.47 mm links, 3.21 mm hoch
 Streuwert 8.48, horizontal: 7.99, vertikal: 8.95

Unterschrift des Schützen


Ergebnis: **256.4** (244)
 Serien: 86.9 80.9 88.6
 Zähler: 4 6 12 6 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3512 (20), 3505 (24), 3063 (16)
 beste Teiler 337.0 (30.) 651.4 (26.) 678.4 (12.)
 Trefferlage 7.31 mm links, 3.00 mm hoch
 Streuwert 13.80, horizontal: 14.82, vertikal: 12.69



Serie 1:
 8.4 → 9.0 ← 8.2 ↙ 8.9 ↘ 7.7 ←
 9.1 ← 8.4 ↘ 8.9 ↑ 9.0 ↖ 9.3 ↗
 beste Teiler 1317.4 (10.) 1444.0 (6.) 1523.6 (2.)
 Trefferlage 6.44 mm links, 2.65 mm hoch
 Streuwert 12.68, horizontal: 14.31, vertikal: 10.80



Serie 2:
 9.6 ← 10.1 ← 8.1 ↘ 7.6 ↘ 8.6 ↘
 7.1 ↖ 7.7 ← 7.6 ← 7.9 ↑ 6.6 ↑
 beste Teiler 678.4 (12.) 1102.3 (11.) 1904.9 (15.)
 Trefferlage 5.36 mm links, 2.06 mm hoch
 Streuwert 17.69, horizontal: 17.78, vertikal: 17.60





Serie 3:
 9.1 ↙ 8.6 ↘ 8.8 ↗ 6.6 ↖ 8.9 ←
 10.1 ↘ 8.0 ← 8.0 ↖ 10.0 ↑ 10.5 *
 beste Teiler 337.0 (30.) 651.4 (26.) 800.9 (29.)
 Trefferlage 10.13 mm links, 4.29 mm hoch
 Streuwert 11.47, horizontal: 13.15, vertikal: 9.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **301.8** (289)
 Serien: 99.2 100.9 101.7
 Zähler: 20 9 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1722 (9), 1433 (16), 1379 (17)
 beste Teiler 218.8 (11.) 259.2 (7.) 296.4 (30.)
 Trefferlage 0.11 mm rechts, 1.29 mm tief
 Streuwert 5.78, horizontal: 6.58, vertikal: 4.86



Serie 1:
 9.7 ↙ 9.9 ↗ 10.4 * 10.2 ↓ 10.2 ↖
 10.5 * 10.6 * 9.7 ↘ 8.8 ↘ 9.2 ↗
 beste Teiler 259.2 (7.) 323.3 (6.) 471.4 (3.)
 Trefferlage 0.88 mm rechts, 2.38 mm tief
 Streuwert 6.74, horizontal: 6.73, vertikal: 6.75





Serie 2:
 10.7 * 10.5 * 10.0 ← 10.4 * 9.7 →
 9.2 ← 9.2 ← 10.5 * 10.4 * 10.3 *
 beste Teiler 218.8 (11.) 329.2 (12.) 378.0 (18.)
 Trefferlage 2.11 mm links, 0.78 mm tief
 Streuwert 5.73, horizontal: 7.85, vertikal: 1.99




Serie 3:
 10.4 * 10.0 ← 10.1 ↗ 9.8 → 10.3 *
 10.4 * 9.4 ↓ 10.5 * 10.2 ↘ 10.6 *
 beste Teiler 296.4 (30.) 359.9 (28.) 402.5 (21.)
 Trefferlage 1.58 mm rechts, 0.70 mm tief
 Streuwert 4.92, horizontal: 4.90, vertikal: 4.95

Unterschrift des Schützen


Ergebnis: **290.6** (276)
 Serien: 95.3 97.8 97.5
 Zähler: 10 16 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2021 (15), 2000 (3), 1866 (20)
 beste Teiler 263.4 (16.) 327.2 (11.) 415.8 (10.)
 Trefferlage 0.04 mm links, 1.33 mm tief
 Streuwert 8.00, horizontal: 7.14, vertikal: 8.79



Serie 1:
 9.6 ↙ 9.0 ↘ 8.5 ↓ 9.9 ↓ 9.4 ↓
 10.3 * 9.8 ↓ 9.5 ↓ 8.9 ↑ 10.4 *
 beste Teiler 415.8 (10.) 525.5 (6.) 869.5 (4.)
 Trefferlage 2.10 mm rechts, 5.84 mm tief
 Streuwert 7.89, horizontal: 5.79, vertikal: 9.54





Serie 2:
 10.5 * 9.3 → 10.4 * 9.9 ← 8.4 ↙
 10.6 * 9.6 ↗ 10.1 ↓ 10.4 * 8.6 ↘
 beste Teiler 263.4 (16.) 327.2 (11.) 430.6 (19.)
 Trefferlage 1.61 mm links, 0.59 mm hoch
 Streuwert 8.13, horizontal: 9.16, vertikal: 6.95




Serie 3:
 10.3 * 9.7 ↗ 9.2 ↑ 9.2 ↑ 9.9 ←
 9.1 ↘ 9.9 ↙ 9.8 ↓ 10.2 ↖ 10.2 →
 beste Teiler 482.7 (21.) 586.8 (29.) 599.5 (30.)
 Trefferlage 0.61 mm links, 1.23 mm hoch
 Streuwert 7.55, horizontal: 6.20, vertikal: 8.68

Unterschrift des Schützen


Ergebnis: **261.0** (249)
 Serien: 88.9 85.5 86.6
 Zähler: 3 11 8 8 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3026 (28), 2987 (30), 2775 (20)
 beste Teiler 448.5 (25.) 669.0 (23.) 778.1 (4.)
 Trefferlage 0.94 mm links, 15.51 mm hoch
 Streuwert 8.32, horizontal: 9.21, vertikal: 7.32



Serie 1:
 8.7 ↗ 9.0 ↗ 9.7 ↗ 10.0 ↖ 9.7 ↖
 9.3 ↘ 7.6 ↘ 8.2 ↖ 7.6 ↖ 9.1 ↖
 beste Teiler 778.1 (4.) 965.4 (5.) 980.4 (3.)
 Trefferlage 3.31 mm links, 13.29 mm hoch
 Streuwert 8.40, horizontal: 10.34, vertikal: 5.86





Serie 2:
 7.8 ↗ 9.8 ↗ 8.2 ↑ 9.1 ↑ 8.0 ↑
 9.0 ↘ 7.8 ↗ 9.5 ← 8.8 ↑ 7.5 ↑
 beste Teiler 928.4 (12.) 1162.2 (18.) 1491.5 (14.)
 Trefferlage 0.99 mm rechts, 16.76 mm hoch
 Streuwert 8.23, horizontal: 8.59, vertikal: 7.86




Serie 3:
 8.8 ↑ 8.0 ↖ 10.1 ↑ 7.8 ↗ 10.4 *
 9.2 ↗ 9.1 ↘ 7.2 ↘ 8.8 ↑ 7.2 ↑
 beste Teiler 448.5 (25.) 669.0 (23.) 1388.1 (26.)
 Trefferlage 0.50 mm links, 16.48 mm hoch
 Streuwert 8.67, horizontal: 9.04, vertikal: 8.28

Unterschrift des Schützen


Ergebnis: **287.0** (274)
 Serien: 97.1 97.0 92.9
 Zähler: 8 18 4 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2056 (26), 1916 (24), 1731 (9)
 beste Teiler 281.5 (2.) 451.9 (19.) 454.3 (4.)
 Trefferlage 0.45 mm links, 0.09 mm hoch
 Streuwert 8.56, horizontal: 9.31, vertikal: 7.73



Serie 1:
 9.6 ↑ 10.6 * 10.2 ↗ 10.4 * 9.0 ↘
 9.6 ← 9.5 ↙ 9.3 ↙ 8.8 → 10.1 ↘
 beste Teiler 281.5 (2.) 454.3 (4.) 608.2 (3.)
 Trefferlage 2.51 mm links, 2.26 mm tief
 Streuwert 7.70, horizontal: 7.81, vertikal: 7.58





Serie 2:
 10.1 ↖ 9.9 ↗ 9.0 ↓ 9.7 ↑ 9.2 →
 10.0 → 9.7 ↘ 9.3 → 10.4 * 9.7 ↑
 beste Teiler 451.9 (19.) 683.6 (11.) 774.0 (16.)
 Trefferlage 4.54 mm rechts, 0.53 mm hoch
 Streuwert 7.14, horizontal: 6.34, vertikal: 7.86




Serie 3:
 9.5 → 8.8 ↖ 9.8 ↗ 8.6 ↖ 9.3 ↖
 8.4 ← 9.7 → 9.2 ← 9.4 ↘ 10.2 ↑
 beste Teiler 567.3 (30.) 905.7 (23.) 978.6 (27.)
 Trefferlage 3.40 mm links, 1.99 mm hoch
 Streuwert 9.98, horizontal: 11.67, vertikal: 7.94

Unterschrift des Schützen


Ergebnis: **298.4** (281)
 Serien: 98.5 100.3 99.6
 Zähler: 13 15 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2389 (10), 1636 (5), 1494 (26)
 beste Teiler 94.3 (4.) 186.6 (6.) 230.7 (25.)
 Trefferlage 3.16 mm rechts, 2.01 mm tief
 Streuwert 6.29, horizontal: 7.40, vertikal: 4.92



Serie 1:
 9.4 → 10.6 * 9.9 ← 10.8 * 8.9 ↘
 10.7 * 9.6 ↓ 10.5 * 10.1 ↗ 8.0 →
 beste Teiler 94.3 (4.) 186.6 (6.) 309.0 (2.)
 Trefferlage 5.03 mm rechts, 2.00 mm tief
 Streuwert 7.31, horizontal: 9.21, vertikal: 4.69





Serie 2:
 10.6 * 10.6 * 10.4 * 9.8 → 10.4 *
 9.5 ↓ 9.9 ← 9.6 ↗ 9.7 → 9.8 ↘
 beste Teiler 303.6 (12.) 310.4 (11.) 439.9 (15.)
 Trefferlage 3.19 mm rechts, 1.94 mm tief
 Streuwert 5.40, horizontal: 6.10, vertikal: 4.60




Serie 3:
 9.9 ↓ 10.5 * 10.0 → 9.9 ← 10.7 *
 9.1 ↓ 9.8 ↘ 9.9 → 10.6 * 9.2 ↖
 beste Teiler 230.7 (25.) 310.2 (29.) 325.5 (22.)
 Trefferlage 1.24 mm rechts, 2.08 mm tief
 Streuwert 6.38, horizontal: 6.82, vertikal: 5.91

Unterschrift des Schützen


Ergebnis: **276.0** (260)
 Serien: 93.5 88.3 94.2
 Zähler: 2 18 8 2 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2539 (12), 2468 (20), 2291 (26)
 beste Teiler 389.6 (6.) 779.7 (25.) 806.5 (29.)
 Trefferlage 4.69 mm rechts, 1.37 mm tief
 Streuwert 10.16, horizontal: 9.31, vertikal: 10.94



Serie 1:
 9.4 ↘ 9.3 ↘ 8.8 ↘ 9.1 ↓ 8.9 ↓
 10.5 * 9.8 ↑ 9.3 ↘ 9.6 ↗ 8.8 ↓
 beste Teiler 389.6 (6.) 885.8 (7.) 1103.1 (9.)
 Trefferlage 5.26 mm rechts, 7.99 mm tief
 Streuwert 7.02, horizontal: 6.66, vertikal: 7.36





Serie 2:
 8.5 ↑ 7.8 ↑ 9.1 ← 8.9 ↗ 9.1 ←
 9.9 ← 9.5 ↓ 9.4 ↗ 8.2 → 7.9 ↑
 beste Teiler 828.8 (16.) 1170.1 (17.) 1202.6 (18.)
 Trefferlage 2.96 mm rechts, 6.75 mm hoch
 Streuwert 12.13, horizontal: 11.73, vertikal: 12.52




Serie 3:
 9.9 → 9.2 ← 9.7 → 9.0 ↓ 10.0 ↖
 8.1 ↘ 9.8 ↓ 9.8 → 9.9 → 8.8 →
 beste Teiler 779.7 (25.) 806.5 (29.) 823.4 (21.)
 Trefferlage 5.86 mm rechts, 2.87 mm tief
 Streuwert 8.43, horizontal: 9.59, vertikal: 7.08

Unterschrift des Schützen

Ergebnis: **303.1** (288)
 Serien: 100.9 99.5 102.7
 Zähler: 19 10 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1847 (11), 1297 (10), 1160 (15)
 beste Teiler 206.0 (5.) 244.4 (14.) 279.2 (21.)
 Trefferlage 0.48 mm links, 0.18 mm tief
 Streuwert 5.59, horizontal: 6.39, vertikal: 4.64



Serie 1:
 9.8 ← 10.1 ↑ 10.1 ↑ 10.6 * 10.7 *
 10.5 * 9.6 ↘ 10.0 ← 10.2 ↑ 9.3 ←
 beste Teiler 206.0 (5.) 283.2 (4.) 358.2 (6.)
 Trefferlage 1.66 mm links, 0.36 mm hoch
 Streuwert 5.56, horizontal: 6.13, vertikal: 4.92





Serie 2:
 8.6 ← 10.5 * 9.6 ↑ 10.6 * 9.5 ↘
 10.4 * 10.4 * 10.3 ↑ 9.7 ↙ 9.9 →
 beste Teiler 244.4 (14.) 342.6 (12.) 409.6 (17.)
 Trefferlage 1.12 mm links, 1.26 mm tief
 Streuwert 6.73, horizontal: 7.32, vertikal: 6.08




Serie 3:
 10.6 * 10.5 * 10.2 ↗ 9.8 → 10.6 *
 10.6 * 9.6 → 10.5 * 9.9 ← 10.4 *
 beste Teiler 279.2 (21.) 302.3 (26.) 306.2 (25.)
 Trefferlage 1.33 mm rechts, 0.34 mm hoch
 Streuwert 4.54, horizontal: 5.90, vertikal: 2.52

Unterschrift des Schützen


Ergebnis: **291.7** (280)
 Serien: 95.5 96.9 99.3
 Zähler: 15 11 3 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2414 (14), 2232 (7), 1874 (4)
 beste Teiler 344.2 (19.) 372.0 (12.) 381.8 (26.)
 Trefferlage 3.63 mm links, 0.13 mm hoch
 Streuwert 7.62, horizontal: 7.91, vertikal: 7.31



Serie 1:
 8.7 ↖ 10.3 * 9.3 ← 8.6 ↘ 10.0 ↖
 10.2 ↘ 8.2 ↓ 10.0 → 10.2 ↓ 10.0 ↙
 beste Teiler 504.3 (2.) 580.5 (6.) 639.8 (9.)
 Trefferlage 4.12 mm links, 0.51 mm tief
 Streuwert 8.97, horizontal: 8.55, vertikal: 9.38





Serie 2:
 10.3 → 10.5 * 9.5 ← 7.9 ← 9.8 ↑
 9.2 ↓ 9.7 ← 10.3 * 10.5 * 9.2 ←
 beste Teiler 344.2 (19.) 372.0 (12.) 507.1 (18.)
 Trefferlage 4.82 mm links, 0.50 mm tief
 Streuwert 7.98, horizontal: 9.71, vertikal: 5.75




Serie 3:
 10.0 ↓ 9.9 ↙ 10.3 * 10.0 ← 9.7 ↓
 10.5 * 9.3 ↑ 9.4 ↘ 10.3 ↑ 9.9 →
 beste Teiler 381.8 (26.) 519.2 (23.) 557.3 (29.)
 Trefferlage 1.95 mm links, 1.42 mm hoch
 Streuwert 6.23, horizontal: 5.42, vertikal: 6.96

Unterschrift des Schützen


Ergebnis: **268.5** (255)
 Serien: 90.5 88.7 89.3
 Zähler: 5 10 10 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3166 (5), 2935 (9), 2660 (25)
 beste Teiler 424.9 (6.) 471.5 (8.) 631.1 (2.)
 Trefferlage 2.32 mm rechts, 0.95 mm tief
 Streuwert 12.51, horizontal: 14.85, vertikal: 9.62



Serie 1:
 9.4 ← 10.2 ← 9.0 ↑ 9.7 ↘ 7.0 →
 10.4 * 7.9 ↘ 10.4 * 7.3 ← 9.2 ↘
 beste Teiler 424.9 (6.) 471.5 (8.) 631.1 (2.)
 Trefferlage 0.99 mm rechts, 4.56 mm tief
 Streuwert 12.90, horizontal: 15.87, vertikal: 8.99



Serie 2:
 8.3 → 8.4 → 8.1 → 8.5 ↙ 8.9 ↖
 8.6 → 10.2 ↓ 8.5 → 9.7 ← 9.5 ←
 beste Teiler 639.2 (17.) 1025.4 (19.) 1173.7 (20.)
 Trefferlage 4.79 mm rechts, 1.42 mm tief
 Streuwert 12.50, horizontal: 16.73, vertikal: 5.70





Serie 3:
 7.9 → 10.0 ↖ 9.4 ↑ 9.8 ↘ 7.6 ↘
 8.9 ← 9.0 ↖ 8.2 ↗ 8.9 ↑ 9.6 ↖
 beste Teiler 786.3 (22.) 954.5 (24.) 1043.9 (30.)
 Trefferlage 1.18 mm rechts, 3.11 mm hoch
 Streuwert 12.65, horizontal: 12.99, vertikal: 12.31


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284.2** (269)
 Serien: 96.2 91.5 96.5
 Zähler: 9 12 8 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2917 (3), 2198 (15), 1996 (20)
 beste Teiler 232.1 (5.) 254.0 (10.) 514.8 (26.)
 Trefferlage 2.60 mm rechts, 0.63 mm hoch
 Streuwert 9.44, horizontal: 11.72, vertikal: 6.38



Serie 1:
 10.2 ↗ 10.0 ↘ 7.3 → 9.9 ↘ 10.7 *
 10.1 ↖ 8.6 ↘ 8.9 ← 9.9 ↗ 10.6 *
 beste Teiler 232.1 (5.) 254.0 (10.) 592.2 (1.)
 Trefferlage 3.64 mm rechts, 0.01 mm tief
 Streuwert 9.51, horizontal: 12.22, vertikal: 5.60





Serie 2:
 8.7 → 9.8 ↗ 9.2 ↗ 9.5 ↖ 8.2 ↖
 9.5 ↗ 9.4 ← 9.6 ↗ 9.1 → 8.5 →
 beste Teiler 957.4 (12.) 1080.9 (18.) 1173.4 (16.)
 Trefferlage 4.63 mm rechts, 3.05 mm hoch
 Streuwert 10.40, horizontal: 12.58, vertikal: 7.61




Serie 3:
 8.5 → 8.8 ↘ 9.9 ↖ 10.0 ↘ 10.1 ↖
 10.3 * 9.8 ↖ 8.9 ← 10.3 → 9.9 ←
 beste Teiler 514.8 (26.) 542.5 (29.) 666.1 (25.)
 Trefferlage 0.46 mm links, 1.14 mm tief
 Streuwert 8.66, horizontal: 10.90, vertikal: 5.59

Unterschrift des Schützen


Ergebnis: **287.4** (276)
 Serien: 93.7 99.1 94.6
 Zähler: 11 14 5 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2385 (4), 2252 (26), 1982 (6)
 beste Teiler 21.0 (13.) 146.8 (17.) 309.7 (16.)
 Trefferlage 0.69 mm rechts, 1.00 mm tief
 Streuwert 8.92, horizontal: 11.04, vertikal: 6.09



Serie 1:
 10.1 ↓ 8.6 ↘ 10.1 ↖ 8.0 ↖ 10.2 →
 8.5 → 10.2 → 9.7 ← 9.3 ← 9.0 →
 beste Teiler 630.2 (5.) 630.7 (7.) 689.8 (3.)
 Trefferlage 0.98 mm rechts, 1.70 mm tief
 Streuwert 10.50, horizontal: 13.53, vertikal: 6.13





Serie 2:
 9.0 → 9.5 → 10.9 * 9.6 ↖ 9.7 →
 10.6 * 10.8 * 8.9 → 10.0 ↘ 10.1 ↘
 beste Teiler 21.0 (13.) 146.8 (17.) 309.7 (16.)
 Trefferlage 5.32 mm rechts, 0.61 mm tief
 Streuwert 6.17, horizontal: 8.13, vertikal: 3.15




Serie 3:
 9.9 ↖ 9.5 ← 9.3 ↘ 9.2 ↓ 9.7 ↑
 8.1 ← 10.5 * 10.1 ← 9.2 → 9.1 ↖
 beste Teiler 357.4 (27.) 698.4 (28.) 809.3 (21.)
 Trefferlage 4.21 mm links, 0.69 mm tief
 Streuwert 9.07, horizontal: 9.65, vertikal: 8.44

Unterschrift des Schützen


Ergebnis: **304.1** (292)
 Serien: 102.0 100.3 101.8
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1227 (16), 1211 (7), 1165 (14)
 beste Teiler 107.0 (10.) 188.3 (30.) 236.3 (17.)
 Trefferlage 0.55 mm links, 1.40 mm hoch
 Streuwert 5.05, horizontal: 5.89, vertikal: 4.05



Serie 1:
 10.2 ↘ 10.5 * 10.2 ↖ 9.9 ← 10.1 ↑
 10.6 * 9.4 ← 10.2 ↗ 10.1 ↑ 10.8 *
 beste Teiler 107.0 (10.) 296.6 (6.) 386.7 (2.)
 Trefferlage 2.14 mm links, 2.65 mm hoch
 Streuwert 4.29, horizontal: 4.80, vertikal: 3.71





Serie 2:
 10.5 * 9.7 → 10.3 ↘ 9.5 ↑ 9.8 →
 9.4 ← 10.7 * 10.0 ↘ 10.3 * 10.1 ↗
 beste Teiler 236.3 (17.) 337.4 (11.) 530.2 (19.)
 Trefferlage 2.91 mm rechts, 1.77 mm hoch
 Streuwert 5.46, horizontal: 6.42, vertikal: 4.30




Serie 3:
 10.1 ↓ 10.0 ↘ 9.6 ↖ 10.2 ← 10.5 *
 10.5 * 9.9 ← 10.0 ← 10.3 ↗ 10.7 *
 beste Teiler 188.3 (30.) 326.0 (25.) 368.6 (26.)
 Trefferlage 2.43 mm links, 0.20 mm tief
 Streuwert 4.65, horizontal: 5.24, vertikal: 3.98

Unterschrift des Schützen


Ergebnis: **308.5** (295)
 Serien: 101.3 103.1 104.1
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1172 (19), 1084 (20), 1007 (10)
 beste Teiler 87.0 (13.) 87.9 (14.) 273.7 (23.)
 Trefferlage 0.72 mm links, 1.06 mm tief
 Streuwert 4.23, horizontal: 4.47, vertikal: 3.98



Serie 1:
 10.6 * 10.0 ← 10.2 ↖ 10.3 ↓ 10.0 ←
 9.8 ↑ 10.2 ← 10.4 * 10.1 ↑ 9.7 ↘
 beste Teiler 319.8 (1.) 413.5 (8.) 547.7 (4.)
 Trefferlage 1.47 mm links, 0.59 mm hoch
 Streuwert 4.98, horizontal: 4.78, vertikal: 5.17





Serie 2:
 10.0 → 10.6 * 10.8 * 10.8 * 10.1 ↓
 10.5 * 10.6 * 10.6 * 9.5 ← 9.6 ↘
 beste Teiler 87.0 (13.) 87.9 (14.) 275.1 (17.)
 Trefferlage 0.65 mm rechts, 1.64 mm tief
 Streuwert 4.53, horizontal: 5.30, vertikal: 3.60




Serie 3:
 10.5 * 10.2 ← 10.6 * 10.5 * 10.5 *
 10.5 * 9.9 ↘ 10.6 * 10.5 * 10.3 *
 beste Teiler 273.7 (23.) 302.4 (28.) 329.4 (25.)
 Trefferlage 1.34 mm links, 2.15 mm tief
 Streuwert 2.91, horizontal: 3.20, vertikal: 2.58

Unterschrift des Schützen


Ergebnis: **285.7** (273)
 Serien: 90.9 97.3 97.5
 Zähler: 9 16 4 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2430 (12), 2207 (1), 1934 (5)
 beste Teiler 146.0 (18.) 272.3 (11.) 282.9 (27.)
 Trefferlage 0.00 mm , 5.92 mm hoch
 Streuwert 8.09, horizontal: 7.67, vertikal: 8.50



Serie 1:
 8.2 ↘ 10.1 ↘ 9.1 ↘ 9.0 ↗ 8.5 ↘
 9.4 ↑ 9.3 ↘ 8.6 ↘ 9.1 ↗ 9.6 ↑
 beste Teiler 689.5 (2.) 1110.5 (10.) 1213.3 (6.)
 Trefferlage 2.58 mm links, 8.93 mm hoch
 Streuwert 9.25, horizontal: 7.79, vertikal: 10.52





Serie 2:
 10.6 * 7.9 ↗ 9.9 ↗ 10.5 * 9.2 ↑
 10.2 ↗ 10.0 ↑ 10.8 * 9.3 ↗ 8.9 ↘
 beste Teiler 146.0 (18.) 272.3 (11.) 354.8 (14.)
 Trefferlage 1.97 mm rechts, 8.30 mm hoch
 Streuwert 6.11, horizontal: 6.10, vertikal: 6.11




Serie 3:
 9.6 ↖ 10.0 → 9.5 ↘ 9.2 ↘ 9.5 →
 9.8 ← 10.6 * 9.8 ↘ 9.5 ↘ 10.0 ↘
 beste Teiler 282.9 (27.) 741.4 (22.) 757.0 (30.)
 Trefferlage 0.62 mm rechts, 0.54 mm hoch
 Streuwert 7.60, horizontal: 8.91, vertikal: 6.01

Unterschrift des Schützen


Ergebnis: **292.7** (279)
 Serien: 98.6 99.1 95.0
 Zähler: 12 15 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2362 (28), 2235 (23), 1701 (24)
 beste Teiler 69.3 (16.) 148.6 (27.) 239.0 (5.)
 Trefferlage 1.32 mm links, 0.50 mm tief
 Streuwert 7.90, horizontal: 8.02, vertikal: 7.77



Serie 1:
 9.8 ↙ 10.2 ↙ 9.7 ← 9.8 ↘ 10.7 *
 9.8 ↘ 10.6 * 9.4 ↗ 9.0 ↗ 9.6 ←
 beste Teiler 239.0 (5.) 245.1 (7.) 625.8 (2.)
 Trefferlage 3.43 mm links, 1.56 mm hoch
 Streuwert 6.53, horizontal: 6.68, vertikal: 6.37





Serie 2:
 9.5 ↑ 9.8 → 10.1 ↘ 9.3 ↗ 9.5 ↘
 10.9 * 9.4 ↘ 10.1 ↘ 10.5 * 10.0 ↗
 beste Teiler 69.3 (16.) 355.6 (19.) 699.4 (13.)
 Trefferlage 0.77 mm rechts, 3.77 mm hoch
 Streuwert 6.32, horizontal: 7.05, vertikal: 5.48




Serie 3:
 10.3 * 10.1 ↓ 8.2 ← 8.8 ↓ 9.6 ↘
 9.4 ↘ 10.8 * 8.0 ↘ 10.6 * 9.2 ↓
 beste Teiler 148.6 (27.) 277.0 (29.) 497.9 (21.)
 Trefferlage 1.30 mm links, 6.85 mm tief
 Streuwert 8.87, horizontal: 10.16, vertikal: 7.36

Unterschrift des Schützen


Ergebnis: **283.7** (268)
 Serien: 96.8 93.5 93.4
 Zähler: 5 18 7 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2283 (28), 2111 (12), 1886 (16)
 beste Teiler 44.3 (19.) 354.6 (21.) 441.4 (9.)
 Trefferlage 2.70 mm rechts, 1.22 mm hoch
 Streuwert 9.10, horizontal: 9.51, vertikal: 8.67



Serie 1:
 8.8 ↓ 9.8 ↘ 9.5 → 9.6 ↗ 10.1 ↘
 9.4 → 10.1 → 9.7 → 10.4 * 9.4 ↖
 beste Teiler 441.4 (9.) 709.5 (7.) 719.2 (5.)
 Trefferlage 3.21 mm rechts, 0.67 mm tief
 Streuwert 7.58, horizontal: 7.73, vertikal: 7.42



Serie 2:
 9.3 ↑ 8.3 ↘ 8.8 → 9.8 ↖ 9.3 →
 8.6 ↗ 9.5 ↗ 9.7 ↗ 10.9 * 9.3 ↑
 beste Teiler 44.3 (19.) 899.2 (14.) 1020.3 (18.)
 Trefferlage 6.45 mm rechts, 4.58 mm hoch
 Streuwert 8.64, horizontal: 7.08, vertikal: 9.97





Serie 3:
 10.5 * 8.7 ↖ 9.2 ↖ 9.8 ↑ 9.6 →
 9.5 ↓ 9.5 ↓ 8.1 → 8.7 ← 9.8 ↗
 beste Teiler 354.6 (21.) 918.0 (30.) 943.1 (24.)
 Trefferlage 1.56 mm links, 0.24 mm tief
 Streuwert 10.35, horizontal: 12.07, vertikal: 8.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294.5** (285)
 Serien: 98.2 99.9 96.4
 Zähler: 17 11 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2340 (6), 1903 (19), 1480 (27)
 beste Teiler 276.5 (10.) 276.6 (14.) 322.7 (25.)
 Trefferlage 3.55 mm links, 0.70 mm tief
 Streuwert 6.88, horizontal: 8.24, vertikal: 5.17



Serie 1:
 9.4 → 9.8 ← 10.0 ← 10.1 ↖ 10.2 ↓
 8.0 ← 10.0 ↗ 10.1 → 10.0 ↘ 10.6 *
 beste Teiler 276.5 (10.) 576.6 (5.) 644.4 (4.)
 Trefferlage 1.29 mm links, 1.43 mm tief
 Streuwert 7.65, horizontal: 10.07, vertikal: 3.94



Serie 2:
 10.0 ← 9.7 ↓ 9.9 ← 10.6 * 10.0 ←
 10.4 * 10.4 * 10.2 ← 8.6 ← 10.1 ↗
 beste Teiler 276.6 (14.) 424.0 (16.) 474.6 (17.)
 Trefferlage 5.09 mm links, 1.21 mm tief
 Streuwert 5.25, horizontal: 6.29, vertikal: 3.95





Serie 3:
 9.1 ↓ 9.9 → 9.2 ↖ 10.2 ↓ 10.5 *
 9.2 ↘ 9.1 ↖ 10.5 * 9.3 ← 9.4 ↖
 beste Teiler 322.7 (25.) 343.9 (28.) 591.3 (24.)
 Trefferlage 4.28 mm links, 0.54 mm hoch
 Streuwert 7.79, horizontal: 8.31, vertikal: 7.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302.7** (290)
 Serien: 99.8 102.8 100.1
 Zähler: 21 8 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1628 (24), 1461 (10), 1289 (5)
 beste Teiler 133.2 (20.) 229.4 (25.) 276.7 (17.)
 Trefferlage 0.30 mm rechts, 1.96 mm tief
 Streuwert 5.44, horizontal: 5.41, vertikal: 5.47



Serie 1:
 10.5 * 9.8 ↘ 10.3 ↑ 10.1 ↓ 9.3 ←
 10.6 * 10.0 → 9.7 ↓ 10.4 * 9.1 ↘
 beste Teiler 300.1 (6.) 389.3 (1.) 477.6 (9.)
 Trefferlage 0.36 mm rechts, 3.53 mm tief
 Streuwert 5.86, horizontal: 6.35, vertikal: 5.32



Serie 2:
 10.3 * 9.8 ↘ 10.3 ← 10.5 * 9.5 ↖
 10.1 ↓ 10.6 * 10.4 * 10.5 * 10.8 *
 beste Teiler 133.2 (20.) 276.7 (17.) 364.2 (14.)
 Trefferlage 0.09 mm links, 0.03 mm tief
 Streuwert 4.56, horizontal: 4.01, vertikal: 5.05





Serie 3:
 10.1 ↓ 10.5 * 9.9 ↖ 8.9 → 10.7 *
 10.1 ↙ 9.5 ↓ 10.1 ↓ 10.0 ↑ 10.3 →
 beste Teiler 229.4 (25.) 344.7 (22.) 555.6 (30.)
 Trefferlage 0.65 mm rechts, 2.33 mm tief
 Streuwert 6.05, horizontal: 6.14, vertikal: 5.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302.8** (289)
 Serien: 102.3 100.8 99.7
 Zähler: 20 9 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1754 (21), 1208 (29), 1027 (26)
 beste Teiler 107.3 (9.) 253.5 (10.) 284.0 (18.)
 Trefferlage 1.46 mm links, 3.45 mm hoch
 Streuwert 4.74, horizontal: 4.83, vertikal: 4.64



Serie 1:
 10.1 → 10.1 ← 9.7 ↘ 10.2 ↓ 10.1 →
 10.3 ↘ 10.5 * 9.9 ← 10.8 * 10.6 *
 beste Teiler 107.3 (9.) 253.5 (10.) 327.9 (7.)
 Trefferlage 1.38 mm links, 0.70 mm hoch
 Streuwert 4.62, horizontal: 5.37, vertikal: 3.72





Serie 2:
 10.3 ← 9.8 ↘ 9.8 ↖ 10.1 ↖ 10.5 *
 9.9 ↗ 10.0 ← 10.6 * 9.9 ↗ 9.9 ↘
 beste Teiler 284.0 (18.) 389.9 (15.) 537.3 (11.)
 Trefferlage 2.67 mm links, 3.81 mm hoch
 Streuwert 4.09, horizontal: 4.38, vertikal: 3.79




Serie 3:
 8.8 ↖ 10.2 ↗ 10.1 ↗ 10.4 * 10.2 ↖
 9.7 ↘ 10.4 * 10.0 ↑ 9.4 ↗ 10.5 *
 beste Teiler 397.8 (30.) 432.3 (24.) 466.2 (27.)
 Trefferlage 0.34 mm links, 5.83 mm hoch
 Streuwert 5.02, horizontal: 4.92, vertikal: 5.13

Unterschrift des Schützen


Ergebnis: **282.9** (270)
 Serien: 91.7 95.5 95.7
 Zähler: 11 9 9 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2727 (29), 2259 (13), 2177 (9)
 beste Teiler 329.1 (18.) 429.3 (21.) 489.2 (28.)
 Trefferlage 4.40 mm links, 5.77 mm hoch
 Streuwert 8.34, horizontal: 9.92, vertikal: 6.39



Serie 1:
 8.4 ↘ 8.4 ↑ 10.0 ↑ 9.1 ↘ 8.7 ↗
 10.2 ↑ 9.6 ↗ 8.9 ↖ 8.2 ↖ 10.2 ↖
 beste Teiler 566.3 (10.) 569.4 (6.) 740.3 (3.)
 Trefferlage 4.28 mm links, 8.88 mm hoch
 Streuwert 8.79, horizontal: 11.27, vertikal: 5.25





Serie 2:
 8.6 ↖ 9.7 ↖ 8.1 ↘ 9.9 ← 10.0 ↗
 9.9 ↑ 9.4 ↖ 10.5 * 10.0 → 9.4 ↖
 beste Teiler 329.1 (18.) 751.3 (19.) 755.7 (15.)
 Trefferlage 4.67 mm links, 6.14 mm hoch
 Streuwert 7.11, horizontal: 8.08, vertikal: 5.97




Serie 3:
 10.4 * 10.1 ← 9.7 ↑ 8.9 ↘ 10.2 →
 9.9 ↘ 8.4 ← 10.3 * 7.5 ↖ 10.3 *
 beste Teiler 429.3 (21.) 489.2 (28.) 515.4 (30.)
 Trefferlage 4.26 mm links, 2.30 mm hoch
 Streuwert 9.19, horizontal: 11.16, vertikal: 6.64

Unterschrift des Schützen


Ergebnis: **299.1** (287)
 Serien: 100.6 98.4 100.1
 Zähler: 18 11 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1952 (5), 1429 (12), 1335 (7)
 beste Teiler 41.1 (9.) 150.0 (2.) 175.1 (3.)
 Trefferlage 2.49 mm rechts, 0.88 mm tief
 Streuwert 6.08, horizontal: 6.98, vertikal: 5.02



Serie 1:
 10.3 ↘ 10.8 * 10.7 * 9.7 ↗ 8.5 ↘
 10.2 ↘ 9.3 ↖ 10.2 ↘ 10.9 * 10.0 ↑
 beste Teiler 41.1 (9.) 150.0 (2.) 175.1 (3.)
 Trefferlage 2.44 mm rechts, 0.42 mm tief
 Streuwert 6.55, horizontal: 5.71, vertikal: 7.29





Serie 2:
 10.1 ↗ 9.2 → 10.4 * 9.5 → 9.9 ←
 10.2 ↖ 9.4 ↘ 9.5 → 10.2 ↗ 10.0 →
 beste Teiler 455.6 (13.) 571.0 (19.) 588.8 (16.)
 Trefferlage 4.74 mm rechts, 0.27 mm hoch
 Streuwert 6.06, horizontal: 7.48, vertikal: 4.18




Serie 3:
 10.4 * 9.7 → 10.1 ↖ 9.7 → 9.8 →
 10.0 ← 10.3 * 10.3 ↓ 9.5 ← 10.3 ↖
 beste Teiler 435.4 (21.) 486.0 (27.) 535.8 (28.)
 Trefferlage 0.30 mm rechts, 2.48 mm tief
 Streuwert 5.63, horizontal: 7.57, vertikal: 2.47

Unterschrift des Schützen


Ergebnis: **269.7** (257)
 Serien: 87.7 87.1 94.9
 Zähler: 7 12 5 5 0 0 1 0 0 0
 Innenzehner: 5
 weiteste: 5274 (6), 3090 (12), 2688 (13)
 beste Teiler 189.6 (4.) 219.9 (1.) 426.3 (3.)
 Trefferlage 1.81 mm links, 3.31 mm tief
 Streuwert 13.19, horizontal: 16.03, vertikal: 9.55



Serie 1:
 10.7 * 9.2 ← 10.4 * 10.7 * 9.4 ↖
 4.4 ← 7.8 ← 8.5 → 7.7 ↗ 8.9 →
 beste Teiler 189.6 (4.) 219.9 (1.) 426.3 (3.)
 Trefferlage 3.62 mm links, 2.02 mm tief
 Streuwert 16.56, horizontal: 21.55, vertikal: 9.16





Serie 2:
 8.8 → 7.1 ← 7.6 ↓ 7.6 → 9.4 ←
 9.5 ↓ 10.0 ← 9.1 → 9.0 ← 9.0 ↓
 beste Teiler 787.0 (17.) 1135.5 (16.) 1246.0 (15.)
 Trefferlage 0.18 mm rechts, 7.52 mm tief
 Streuwert 13.26, horizontal: 15.86, vertikal: 9.99




Serie 3:
 9.1 ↘ 10.4 * 8.2 ← 9.7 ↘ 8.8 ↗
 9.3 ← 9.1 ↑ 9.7 ↓ 10.3 * 10.3 ↓
 beste Teiler 446.2 (22.) 516.7 (29.) 546.7 (30.)
 Trefferlage 1.99 mm links, 0.39 mm tief
 Streuwert 9.55, horizontal: 10.17, vertikal: 8.89

Unterschrift des Schützen


Ergebnis: **304.7** (289)
 Serien: 98.6 103.5 102.6
 Zähler: 20 9 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1641 (2), 1545 (3), 1166 (16)
 beste Teiler 131.6 (19.) 151.2 (25.) 151.7 (13.)
 Trefferlage 1.47 mm links, 1.82 mm hoch
 Streuwert 5.15, horizontal: 4.62, vertikal: 5.63



Serie 1:
 10.2 ↘ 8.9 ↑ 9.0 ↑ 9.9 ↗ 10.3 *
 9.6 → 10.8 * 9.6 ↙ 9.9 ↖ 10.4 *
 beste Teiler 154.7 (7.) 437.1 (10.) 527.3 (5.)
 Trefferlage 0.49 mm links, 5.47 mm hoch
 Streuwert 6.16, horizontal: 5.20, vertikal: 6.98





Serie 2:
 9.6 ← 10.4 * 10.8 * 10.7 * 10.2 ←
 9.5 ← 10.5 * 10.5 * 10.8 * 10.5 *
 beste Teiler 131.6 (19.) 151.7 (13.) 186.9 (14.)
 Trefferlage 2.32 mm links, 0.82 mm tief
 Streuwert 4.01, horizontal: 5.30, vertikal: 2.02




Serie 3:
 10.3 * 10.3 ← 10.3 * 9.8 ↘ 10.8 *
 9.8 ↘ 10.2 ↓ 10.3 * 10.6 * 10.2 ↘
 beste Teiler 151.2 (25.) 265.9 (29.) 504.6 (21.)
 Trefferlage 1.61 mm links, 0.83 mm hoch
 Streuwert 4.32, horizontal: 3.42, vertikal: 5.06

Unterschrift des Schützen


Ergebnis: **294.4** (280)
 Serien: 95.5 99.0 99.9
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2377 (2), 1925 (17), 1592 (20)
 beste Teiler 147.0 (14.) 271.2 (19.) 307.7 (6.)
 Trefferlage 1.12 mm links, 0.63 mm hoch
 Streuwert 7.41, horizontal: 8.57, vertikal: 6.03



Serie 1:
 9.6 ↘ 8.0 ↖ 9.2 ← 10.0 → 9.5 ←
 10.6 * 9.8 ← 9.2 ← 9.9 ↓ 9.7 ↖
 beste Teiler 307.7 (6.) 776.7 (4.) 807.7 (9.)
 Trefferlage 6.31 mm links, 0.32 mm tief
 Streuwert 8.00, horizontal: 9.60, vertikal: 6.00





Serie 2:
 10.5 * 9.5 → 9.5 ↖ 10.8 * 9.9 ↓
 10.3 * 8.5 → 10.4 * 10.6 * 9.0 ↑
 beste Teiler 147.0 (14.) 271.2 (19.) 344.0 (11.)
 Trefferlage 2.29 mm rechts, 0.43 mm hoch
 Streuwert 7.36, horizontal: 8.17, vertikal: 6.45




Serie 3:
 9.9 ↖ 9.9 ↗ 9.6 ↖ 9.7 → 10.0 ←
 10.3 ↗ 9.5 ↘ 10.4 * 10.2 ↓ 10.4 *
 beste Teiler 406.4 (30.) 453.0 (28.) 532.1 (26.)
 Trefferlage 0.65 mm rechts, 1.79 mm hoch
 Streuwert 5.85, horizontal: 5.62, vertikal: 6.07

Unterschrift des Schützen


Ergebnis: **299.9** (289)
 Serien: 98.1 99.0 102.8
 Zähler: 20 9 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1846 (3), 1476 (10), 1457 (29)
 beste Teiler 130.9 (25.) 163.3 (6.) 165.5 (21.)
 Trefferlage 1.11 mm links, 0.42 mm hoch
 Streuwert 6.22, horizontal: 6.52, vertikal: 5.92



Serie 1:
 9.2 ↗ 9.2 → 8.6 ↙ 10.0 ↓ 10.3 *
 10.7 * 10.2 ↘ 10.3 * 10.5 * 9.1 ↘
 beste Teiler 163.3 (6.) 324.7 (9.) 491.0 (5.)
 Trefferlage 0.20 mm rechts, 1.55 mm tief
 Streuwert 7.78, horizontal: 8.61, vertikal: 6.85





Serie 2:
 10.0 ↓ 10.0 ↓ 10.1 ← 9.7 → 10.6 *
 9.6 ← 9.3 ↗ 10.0 ↘ 9.7 ↘ 10.0 ↗
 beste Teiler 280.6 (15.) 668.2 (13.) 727.4 (12.)
 Trefferlage 0.93 mm links, 2.46 mm hoch
 Streuwert 6.15, horizontal: 6.08, vertikal: 6.21




Serie 3:
 10.7 * 10.3 * 10.7 * 10.6 * 10.8 *
 10.0 ↙ 10.3 ← 10.4 * 9.1 ↘ 9.9 ↘
 beste Teiler 130.9 (25.) 165.5 (21.) 201.9 (23.)
 Trefferlage 2.63 mm links, 0.37 mm hoch
 Streuwert 4.45, horizontal: 4.61, vertikal: 4.28

Unterschrift des Schützen


Ergebnis: **299.6** (283)
 Serien: 97.6 98.4 103.6
 Zähler: 15 13 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1623 (13), 1614 (14), 1551 (9)
 beste Teiler 154.8 (27.) 158.8 (12.) 246.9 (25.)
 Trefferlage 1.06 mm rechts, 1.85 mm tief
 Streuwert 6.13, horizontal: 7.05, vertikal: 5.06



Serie 1:
 9.1 ↘ 10.3 * 9.8 ← 9.8 → 9.9 ↘
 10.0 ↙ 9.8 ↗ 10.3 * 9.0 ← 9.6 ↘
 beste Teiler 486.7 (2.) 512.5 (8.) 761.6 (6.)
 Trefferlage 0.70 mm rechts, 1.52 mm tief
 Streuwert 7.40, horizontal: 8.37, vertikal: 6.28



Serie 2:
 10.3 * 10.8 * 8.9 ↘ 8.9 ↘ 9.8 →
 9.9 ↘ 9.3 ↙ 10.3 * 10.4 * 9.8 ↗
 beste Teiler 158.8 (12.) 477.1 (19.) 481.7 (18.)
 Trefferlage 1.68 mm rechts, 3.12 mm tief
 Streuwert 7.01, horizontal: 8.65, vertikal: 4.83





Serie 3:
 10.6 * 9.7 ↘ 10.1 ↗ 10.4 * 10.6 *
 10.5 * 10.8 * 10.5 * 10.5 * 9.9 ↗
 beste Teiler 154.8 (27.) 246.9 (25.) 250.1 (21.)
 Trefferlage 0.80 mm rechts, 0.91 mm tief
 Streuwert 3.96, horizontal: 3.80, vertikal: 4.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **305.9** (291)
 Serien: 99.9 102.9 103.1
 Zähler: 21 9 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1255 (3), 1231 (24), 1052 (2)
 beste Teiler 80.9 (22.) 150.7 (27.) 154.6 (20.)
 Trefferlage 1.47 mm rechts, 1.52 mm hoch
 Streuwert 4.72, horizontal: 5.19, vertikal: 4.21



Serie 1:
 9.9 ↗ 9.6 ↗ 9.4 ← 9.7 ↗ 10.6 *
 10.2 ↘ 9.8 → 10.4 * 10.6 * 9.7 ↑
 beste Teiler 304.5 (5.) 318.3 (9.) 453.1 (8.)
 Trefferlage 2.90 mm rechts, 3.11 mm hoch
 Streuwert 5.33, horizontal: 6.62, vertikal: 3.62





Serie 2:
 10.7 * 9.8 ↑ 10.0 ↙ 10.3 ↖ 10.6 *
 10.4 * 10.0 ↗ 10.1 ↓ 10.2 ↘ 10.8 *
 beste Teiler 154.6 (20.) 235.2 (11.) 295.6 (15.)
 Trefferlage 0.75 mm rechts, 0.20 mm hoch
 Streuwert 4.43, horizontal: 3.66, vertikal: 5.08




Serie 3:
 10.7 * 10.9 * 10.4 * 9.4 ↗ 9.8 ←
 10.5 * 10.8 * 10.1 ↙ 10.2 → 10.3 →
 beste Teiler 80.9 (22.) 150.7 (27.) 186.1 (21.)
 Trefferlage 0.75 mm rechts, 1.24 mm hoch
 Streuwert 4.45, horizontal: 5.12, vertikal: 3.64

Unterschrift des Schützen


Ergebnis: **299.1** (284)
 Serien: 97.4 100.1 101.6
 Zähler: 16 12 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1620 (9), 1605 (6), 1299 (11)
 beste Teiler 76.1 (7.) 144.7 (24.) 313.4 (14.)
 Trefferlage 0.40 mm rechts, 0.21 mm tief
 Streuwert 6.24, horizontal: 7.38, vertikal: 4.84



Serie 1:
 9.6 ↗ 9.5 ↘ 10.1 ↙ 9.9 ↘ 9.9 ↖
 8.9 ↖ 10.9 * 9.9 ↘ 8.9 → 9.8 →
 beste Teiler 76.1 (7.) 684.3 (3.) 827.3 (5.)
 Trefferlage 1.24 mm rechts, 0.83 mm tief
 Streuwert 7.76, horizontal: 9.41, vertikal: 5.64





Serie 2:
 9.3 → 9.6 ↖ 10.0 ↑ 10.6 * 10.1 ←
 10.5 * 10.3 * 9.5 ↙ 10.1 ↘ 10.1 ↘
 beste Teiler 313.4 (14.) 338.6 (16.) 525.3 (17.)
 Trefferlage 0.72 mm links, 0.75 mm tief
 Streuwert 6.07, horizontal: 6.96, vertikal: 5.03




Serie 3:
 10.0 ↙ 10.0 ← 10.3 ↖ 10.8 * 9.9 ↖
 10.5 * 10.6 * 9.7 ↗ 9.4 → 10.4 *
 beste Teiler 144.7 (24.) 316.0 (27.) 322.4 (26.)
 Trefferlage 0.68 mm rechts, 0.94 mm hoch
 Streuwert 5.13, horizontal: 6.04, vertikal: 4.03

Unterschrift des Schützen


Ergebnis: **283.7** (268)
 Serien: 93.4 96.6 93.7
 Zähler: 10 10 8 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2774 (16), 2502 (7), 2112 (10)
 beste Teiler 121.4 (20.) 296.1 (17.) 342.6 (30.)
 Trefferlage 1.14 mm rechts, 7.31 mm hoch
 Streuwert 8.26, horizontal: 8.60, vertikal: 7.91



Serie 1:
 10.5 * 10.1 ↘ 8.9 ↗ 9.9 ↗ 8.7 ↗
 9.4 ↗ 7.8 ↑ 9.9 ↗ 9.9 ↑ 8.3 →
 beste Teiler 346.7 (1.) 712.0 (2.) 831.9 (9.)
 Trefferlage 8.23 mm rechts, 7.03 mm hoch
 Streuwert 7.11, horizontal: 6.20, vertikal: 7.91





Serie 2:
 9.7 ↖ 10.0 ↖ 8.5 ↑ 10.2 ← 10.3 *
 7.5 ↖ 10.6 * 9.8 ↖ 9.2 ↑ 10.8 *
 beste Teiler 121.4 (20.) 296.1 (17.) 502.2 (15.)
 Trefferlage 3.19 mm links, 8.54 mm hoch
 Streuwert 6.82, horizontal: 4.52, vertikal: 8.52




Serie 3:
 9.7 ↖ 8.9 ↖ 8.7 ↑ 10.0 ↘ 10.0 →
 8.8 ↖ 8.8 ↖ 9.0 ← 9.3 → 10.5 *
 beste Teiler 342.6 (30.) 735.8 (24.) 748.7 (25.)
 Trefferlage 1.59 mm links, 6.36 mm hoch
 Streuwert 8.88, horizontal: 9.70, vertikal: 7.97

Unterschrift des Schützen


Ergebnis: **283.1** (269)
 Serien: 91.3 94.8 97.0
 Zähler: 9 13 6 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2813 (9), 2484 (4), 2229 (11)
 beste Teiler 132.5 (14.) 321.4 (29.) 496.6 (21.)
 Trefferlage 4.69 mm links, 3.72 mm hoch
 Streuwert 8.88, horizontal: 10.33, vertikal: 7.14



Serie 1:
 10.0 ↗ 9.3 ↖ 8.6 ↗ 7.8 ↖ 9.5 ↖
 9.5 ↗ 10.0 → 9.9 ↗ 7.4 ↖ 9.3 ↖
 beste Teiler 746.6 (1.) 765.3 (7.) 857.2 (8.)
 Trefferlage 7.07 mm links, 6.71 mm hoch
 Streuwert 9.57, horizontal: 10.89, vertikal: 8.04





Serie 2:
 8.2 ← 8.8 → 9.3 ← 10.8 * 9.8 ↖
 9.5 ↑ 10.1 ↗ 8.8 ↗ 10.2 ↗ 9.3 ↖
 beste Teiler 132.5 (14.) 573.0 (19.) 658.4 (17.)
 Trefferlage 3.59 mm links, 3.77 mm hoch
 Streuwert 9.07, horizontal: 11.01, vertikal: 6.57




Serie 3:
 10.3 * 9.9 ← 10.0 → 8.2 ← 9.9 →
 10.3 * 9.5 ↓ 8.6 ↖ 10.5 * 9.8 ↘
 beste Teiler 321.4 (29.) 496.6 (21.) 517.6 (26.)
 Trefferlage 3.41 mm links, 0.69 mm hoch
 Streuwert 8.09, horizontal: 9.74, vertikal: 6.01

Unterschrift des Schützen


Ergebnis: **296.3** (282)
 Serien: 100.3 101.8 94.2
 Zähler: 17 8 5 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2361 (28), 1847 (29), 1654 (12)
 beste Teiler 19.1 (13.) 93.4 (8.) 141.3 (5.)
 Trefferlage 2.85 mm rechts, 0.40 mm tief
 Streuwert 7.26, horizontal: 8.42, vertikal: 5.87



Serie 1:
 9.2 ↘ 10.3 * 10.6 * 10.5 * 10.8 *
 9.1 ↙ 10.4 * 10.8 * 9.7 ↖ 8.9 →
 beste Teiler 93.4 (8.) 141.3 (5.) 286.5 (3.)
 Trefferlage 0.23 mm links, 2.57 mm tief
 Streuwert 6.60, horizontal: 7.10, vertikal: 6.05



Serie 2:
 10.4 * 8.9 ↖ 10.9 * 10.3 ↗ 10.2 ↘
 9.5 ↙ 10.4 * 10.5 * 10.2 → 10.5 *
 beste Teiler 19.1 (13.) 331.7 (20.) 371.0 (18.)
 Trefferlage 0.48 mm links, 0.78 mm tief
 Streuwert 5.58, horizontal: 6.31, vertikal: 4.73





Serie 3:
 10.3 * 8.9 → 9.5 ↗ 9.3 → 10.1 ↑
 9.7 ↘ 9.1 ↗ 8.0 → 8.6 ↗ 10.7 *
 beste Teiler 228.3 (30.) 519.8 (21.) 690.7 (25.)
 Trefferlage 9.29 mm rechts, 2.15 mm hoch
 Streuwert 7.37, horizontal: 8.32, vertikal: 6.27


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **303.4** (289)
 Serien: 101.0 102.0 100.4
 Zähler: 20 9 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1713 (17), 1534 (5), 1470 (3)
 beste Teiler 147.6 (16.) 193.5 (9.) 194.1 (23.)
 Trefferlage 0.66 mm rechts, 0.74 mm hoch
 Streuwert 5.70, horizontal: 5.83, vertikal: 5.58



Serie 1:
 10.4 * 9.9 ← 9.1 ↘ 10.5 * 9.0 →
 10.6 * 9.8 ↖ 10.4 * 10.7 * 10.6 *
 beste Teiler 193.5 (9.) 247.3 (10.) 315.0 (6.)
 Trefferlage 1.60 mm rechts, 0.79 mm tief
 Streuwert 5.95, horizontal: 6.61, vertikal: 5.19





Serie 2:
 10.6 * 10.4 * 10.2 ↘ 10.6 * 10.7 *
 10.8 * 8.8 ↓ 10.7 * 9.9 ← 9.3 ↗
 beste Teiler 147.6 (16.) 218.2 (15.) 226.3 (18.)
 Trefferlage 0.74 mm links, 0.88 mm tief
 Streuwert 5.82, horizontal: 4.32, vertikal: 7.00




Serie 3:
 9.3 → 9.9 ↘ 10.7 * 10.1 ↗ 10.5 *
 10.2 ↗ 10.0 ← 10.1 ↑ 9.3 → 10.3 *
 beste Teiler 194.1 (23.) 333.6 (25.) 528.3 (30.)
 Trefferlage 1.13 mm rechts, 3.90 mm hoch
 Streuwert 5.05, horizontal: 6.60, vertikal: 2.75

Unterschrift des Schützen


Ergebnis: **285.0** (271)
 Serien: 95.2 95.2 94.6
 Zähler: 7 17 6 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2203 (24), 2119 (19), 1965 (14)
 beste Teiler 310.4 (11.) 448.2 (10.) 450.4 (27.)
 Trefferlage 7.12 mm links, 0.54 mm tief
 Streuwert 7.43, horizontal: 7.43, vertikal: 7.42



Serie 1:
 9.1 ↖ 9.6 ← 9.9 ↘ 8.5 ← 10.0 ←
 8.8 ↘ 9.8 ↗ 9.7 ↖ 9.4 ↙ 10.4 *
 beste Teiler 448.2 (10.) 778.9 (5.) 872.6 (3.)
 Trefferlage 6.76 mm links, 3.38 mm hoch
 Streuwert 7.21, horizontal: 6.81, vertikal: 7.58





Serie 2:
 10.6 * 9.4 ← 9.8 ← 8.5 ← 10.1 ↖
 9.6 ↘ 9.6 ↘ 9.6 ← 8.3 ← 9.7 ↙
 beste Teiler 310.4 (11.) 659.3 (15.) 904.9 (13.)
 Trefferlage 9.40 mm links, 0.83 mm tief
 Streuwert 6.14, horizontal: 6.56, vertikal: 5.69




Serie 3:
 9.4 ↘ 9.3 ↓ 9.1 ↙ 8.2 ← 9.6 ↗
 10.0 ↘ 10.4 * 8.8 ← 9.6 ← 10.2 ←
 beste Teiler 450.4 (27.) 583.8 (30.) 764.0 (26.)
 Trefferlage 5.20 mm links, 4.18 mm tief
 Streuwert 8.19, horizontal: 8.87, vertikal: 7.46

Unterschrift des Schützen


Ergebnis: **302.6** (288)
 Serien: 99.6 103.5 99.5
 Zähler: 18 12 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1550 (6), 1379 (27), 1288 (17)
 beste Teiler 92.7 (19.) 112.1 (11.) 133.0 (10.)
 Trefferlage 1.20 mm rechts, 0.21 mm tief
 Streuwert 5.72, horizontal: 5.63, vertikal: 5.80



Serie 1:
 10.6 * 10.0 ↘ 9.4 → 10.4 * 10.4 *
 9.0 ↑ 9.8 ↘ 9.4 ↗ 9.8 ← 10.8 *
 beste Teiler 133.0 (10.) 287.8 (1.) 417.7 (4.)
 Trefferlage 1.59 mm rechts, 3.04 mm hoch
 Streuwert 6.30, horizontal: 6.58, vertikal: 6.02



Serie 2:
 10.8 * 10.6 * 9.6 ↓ 10.7 * 10.6 *
 10.5 * 9.3 ↓ 10.1 → 10.8 * 10.5 *
 beste Teiler 92.7 (19.) 112.1 (11.) 229.3 (14.)
 Trefferlage 1.71 mm rechts, 3.02 mm tief
 Streuwert 3.78, horizontal: 2.23, vertikal: 4.86





Serie 3:
 10.0 ↘ 9.9 ↓ 10.3 * 9.7 ↗ 9.6 ↘
 10.6 * 9.2 ← 9.6 → 10.5 * 10.1 ↙
 beste Teiler 300.1 (26.) 360.5 (29.) 502.2 (23.)
 Trefferlage 0.31 mm rechts, 0.64 mm tief
 Streuwert 6.34, horizontal: 7.25, vertikal: 5.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **301.2** (284)
 Serien: 100.8 101.3 99.1
 Zähler: 15 14 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1899 (21), 1371 (12), 1351 (28)
 beste Teiler 238.4 (20.) 260.1 (27.) 270.5 (11.)
 Trefferlage 1.90 mm rechts, 2.36 mm hoch
 Streuwert 5.51, horizontal: 5.78, vertikal: 5.24



Serie 1:
 9.9 ↗ 10.1 ↘ 9.8 ↖ 10.3 ↓ 9.9 →
 10.6 * 9.6 ↗ 10.4 * 10.3 → 9.9 ↗
 beste Teiler 297.5 (6.) 443.1 (8.) 539.0 (4.)
 Trefferlage 1.98 mm rechts, 1.73 mm hoch
 Streuwert 5.10, horizontal: 4.65, vertikal: 5.51





Serie 2:
 10.6 * 9.2 ↗ 10.6 * 10.3 ↖ 10.0 ↗
 9.8 → 9.9 ↗ 10.5 * 9.7 → 10.7 *
 beste Teiler 238.4 (20.) 270.5 (11.) 283.9 (13.)
 Trefferlage 3.60 mm rechts, 2.01 mm hoch
 Streuwert 4.75, horizontal: 4.99, vertikal: 4.49




Serie 3:
 8.6 ↗ 10.2 ↗ 9.9 ↖ 9.8 → 9.8 ←
 10.5 * 10.6 * 9.3 ↖ 10.6 * 9.8 ↗
 beste Teiler 260.1 (27.) 315.2 (29.) 322.4 (26.)
 Trefferlage 0.13 mm rechts, 3.34 mm hoch
 Streuwert 6.72, horizontal: 7.36, vertikal: 6.01

Unterschrift des Schützen


Ergebnis: **304.0** (287)
 Serien: 101.2 100.7 102.1
 Zähler: 18 11 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1728 (5), 1516 (12), 1320 (2)
 beste Teiler 46.8 (6.) 65.9 (22.) 110.9 (21.)
 Trefferlage 4.19 mm rechts, 0.97 mm tief
 Streuwert 4.67, horizontal: 5.37, vertikal: 3.84



Serie 1:
 10.7 * 9.3 → 9.5 ↘ 9.9 ↓ 8.8 →
 10.9 * 10.4 * 10.6 * 10.6 * 10.5 *
 beste Teiler 46.8 (6.) 165.5 (1.) 286.5 (8.)
 Trefferlage 5.11 mm rechts, 2.02 mm tief
 Streuwert 4.93, horizontal: 6.16, vertikal: 3.26





Serie 2:
 10.0 ↘ 9.1 ↘ 9.9 ↓ 10.2 → 9.9 ↓
 10.6 * 10.0 ↘ 10.1 → 10.6 * 10.3 *
 beste Teiler 280.4 (16.) 310.6 (19.) 496.2 (20.)
 Trefferlage 4.63 mm rechts, 2.90 mm tief
 Streuwert 4.13, horizontal: 4.41, vertikal: 3.83




Serie 3:
 10.8 * 10.9 * 9.8 ↗ 9.9 → 9.5 ↗
 9.9 → 10.6 * 10.3 * 9.8 ↖ 10.6 *
 beste Teiler 65.9 (22.) 110.9 (21.) 282.4 (30.)
 Trefferlage 2.84 mm rechts, 2.00 mm hoch
 Streuwert 4.44, horizontal: 5.68, vertikal: 2.65

Unterschrift des Schützen


Ergebnis: **299.7** (283)
 Serien: 96.8 99.7 103.2
 Zähler: 16 12 1 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2421 (3), 1682 (14), 1377 (20)
 beste Teiler 136.7 (28.) 139.7 (12.) 236.2 (4.)
 Trefferlage 1.37 mm links, 1.66 mm tief
 Streuwert 6.39, horizontal: 7.64, vertikal: 4.81



Serie 1:
 9.9 ↘ 9.6 ↘ 7.9 ← 10.7 * 9.5 ←
 9.3 ← 10.1 ↙ 9.6 ← 9.9 ↖ 10.3 *
 beste Teiler 236.2 (4.) 492.8 (10.) 671.3 (7.)
 Trefferlage 6.83 mm links, 2.84 mm tief
 Streuwert 6.76, horizontal: 8.34, vertikal: 4.69





Serie 2:
 9.7 ↑ 10.8 * 10.4 * 8.8 ↘ 10.6 *
 10.2 → 9.7 ← 10.5 * 9.8 ↖ 9.2 ↘
 beste Teiler 139.7 (12.) 281.5 (15.) 362.0 (18.)
 Trefferlage 0.80 mm rechts, 0.74 mm tief
 Streuwert 6.74, horizontal: 7.09, vertikal: 6.38




Serie 3:
 10.3 * 10.3 → 10.4 * 9.9 ↖ 10.0 ↘
 10.5 * 10.6 * 10.8 * 9.9 ↖ 10.5 *
 beste Teiler 136.7 (28.) 261.2 (27.) 336.5 (26.)
 Trefferlage 1.89 mm rechts, 1.40 mm tief
 Streuwert 3.71, horizontal: 4.27, vertikal: 3.05

Unterschrift des Schützen


Ergebnis: **297.6** (284)
 Serien: 98.3 99.1 100.2
 Zähler: 14 16 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1593 (7), 1508 (3), 1366 (5)
 beste Teiler 166.2 (30.) 304.9 (6.) 384.2 (13.)
 Trefferlage 1.10 mm rechts, 1.83 mm hoch
 Streuwert 6.25, horizontal: 7.72, vertikal: 4.31



Serie 1:
 10.2 → 10.2 → 9.1 → 9.9 → 9.2 ↑
 10.6 * 9.0 → 10.0 ← 10.4 * 9.7 ↘
 beste Teiler 304.9 (6.) 438.2 (9.) 581.4 (1.)
 Trefferlage 3.24 mm rechts, 2.80 mm hoch
 Streuwert 6.70, horizontal: 8.45, vertikal: 4.30





Serie 2:
 9.4 → 10.5 * 10.5 * 9.8 ← 9.9 ↗
 9.9 ← 9.7 ← 9.5 ↘ 9.8 ← 10.1 ↘
 beste Teiler 384.2 (13.) 398.1 (12.) 678.3 (20.)
 Trefferlage 1.58 mm links, 0.29 mm hoch
 Streuwert 6.43, horizontal: 8.22, vertikal: 3.88




Serie 3:
 9.7 ← 10.0 ↑ 10.4 * 9.6 ↗ 10.2 ↗
 9.9 ↑ 10.2 ↘ 9.4 → 10.1 → 10.7 *
 beste Teiler 166.2 (30.) 470.6 (23.) 596.2 (27.)
 Trefferlage 1.65 mm rechts, 2.40 mm hoch
 Streuwert 5.56, horizontal: 6.29, vertikal: 4.72

Unterschrift des Schützen


Ergebnis: **285.8** (271)
 Serien: 94.1 94.6 97.1
 Zähler: 8 16 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2482 (7), 2096 (20), 1995 (30)
 beste Teiler 160.5 (28.) 254.7 (15.) 501.4 (13.)
 Trefferlage 1.41 mm rechts, 6.74 mm hoch
 Streuwert 7.58, horizontal: 8.61, vertikal: 6.38



Serie 1:
 10.3 * 8.8 → 9.3 ↗ 9.1 ↗ 10.3 ↗
 10.3 * 7.8 ↘ 9.2 → 9.7 ← 9.3 →
 beste Teiler 502.0 (1.) 516.7 (6.) 533.3 (5.)
 Trefferlage 0.94 mm rechts, 5.95 mm hoch
 Streuwert 9.07, horizontal: 10.71, vertikal: 7.07





Serie 2:
 9.6 → 10.1 ↗ 10.3 * 8.6 ↗ 10.6 *
 9.5 ↗ 9.3 ↗ 8.8 ← 9.5 ↗ 8.3 ↘
 beste Teiler 254.7 (15.) 501.4 (13.) 671.8 (12.)
 Trefferlage 1.09 mm rechts, 6.19 mm hoch
 Streuwert 8.47, horizontal: 9.61, vertikal: 7.14




Serie 3:
 9.8 ↗ 10.2 ↗ 9.4 ↗ 9.9 ↑ 9.7 ↗
 9.0 ↘ 9.9 → 10.8 * 9.9 ↗ 8.5 ↑
 beste Teiler 160.5 (28.) 621.3 (22.) 825.1 (27.)
 Trefferlage 2.20 mm rechts, 8.09 mm hoch
 Streuwert 5.39, horizontal: 5.55, vertikal: 5.23

Unterschrift des Schützen


Ergebnis: **285.5** (272)
 Serien: 94.9 98.0 92.6
 Zähler: 9 14 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2106 (23), 1972 (12), 1893 (1)
 beste Teiler 206.1 (9.) 284.4 (13.) 309.2 (11.)
 Trefferlage 2.59 mm rechts, 6.29 mm hoch
 Streuwert 7.67, horizontal: 8.27, vertikal: 7.03



Serie 1:
 8.6 ↗ 8.7 ↗ 9.4 ↑ 9.5 → 10.3 *
 8.7 ↗ 9.2 → 9.5 → 10.7 * 10.3 *
 beste Teiler 206.1 (9.) 525.1 (10.) 530.5 (5.)
 Trefferlage 5.81 mm rechts, 6.93 mm hoch
 Streuwert 6.99, horizontal: 7.61, vertikal: 6.31





Serie 2:
 10.6 * 8.5 → 10.6 * 10.1 ↖ 9.6 ↖
 9.6 ↑ 10.0 ↑ 10.3 * 9.7 ↘ 9.0 ↗
 beste Teiler 284.4 (13.) 309.2 (11.) 487.1 (18.)
 Trefferlage 1.79 mm rechts, 5.50 mm hoch
 Streuwert 6.57, horizontal: 7.18, vertikal: 5.89




Serie 3:
 9.4 → 9.3 ↑ 8.3 ↑ 8.8 ↑ 9.5 ←
 10.1 → 9.1 → 8.6 ↖ 9.6 ↖ 9.9 ↓
 beste Teiler 710.9 (26.) 825.7 (30.) 1066.5 (29.)
 Trefferlage 0.18 mm rechts, 6.43 mm hoch
 Streuwert 9.37, horizontal: 9.60, vertikal: 9.14

Unterschrift des Schützen


Ergebnis: **290.1** (277)
 Serien: 98.2 93.8 98.1
 Zähler: 12 13 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2222 (20), 2128 (13), 1760 (5)
 beste Teiler 170.6 (11.) 231.1 (29.) 310.8 (21.)
 Trefferlage 2.32 mm links, 1.59 mm hoch
 Streuwert 8.13, horizontal: 8.96, vertikal: 7.20



Serie 1:
 10.3 * 9.7 ↖ 10.5 * 10.3 ↓ 8.8 ←
 10.4 * 8.8 → 9.2 → 10.3 * 9.9 ↘
 beste Teiler 355.1 (3.) 431.2 (6.) 493.9 (1.)
 Trefferlage 0.57 mm rechts, 1.36 mm tief
 Streuwert 7.60, horizontal: 9.83, vertikal: 4.35





Serie 2:
 10.7 * 8.8 ↖ 8.3 ↗ 10.1 ↓ 9.5 ←
 9.4 ↘ 9.1 ← 9.5 ↖ 10.2 ← 8.2 ↗
 beste Teiler 170.6 (11.) 572.4 (19.) 720.2 (14.)
 Trefferlage 5.13 mm links, 5.18 mm hoch
 Streuwert 8.96, horizontal: 9.83, vertikal: 8.00




Serie 3:
 10.6 * 9.7 ↘ 10.0 ↖ 9.2 ↖ 9.9 ↘
 9.6 ↘ 9.0 ↖ 10.3 * 10.7 * 9.1 ↖
 beste Teiler 231.1 (29.) 310.8 (21.) 484.6 (28.)
 Trefferlage 2.42 mm links, 0.94 mm hoch
 Streuwert 7.32, horizontal: 6.90, vertikal: 7.71

Unterschrift des Schützen


Ergebnis: **294.7** (283)
 Serien: 96.3 100.4 98.0
 Zähler: 14 15 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2254 (2), 1523 (26), 1503 (6)
 beste Teiler 172.4 (5.) 442.4 (17.) 450.5 (20.)
 Trefferlage 2.65 mm rechts, 0.89 mm hoch
 Streuwert 6.88, horizontal: 7.30, vertikal: 6.43



Serie 1:
 9.5 ↘ 8.1 ↖ 10.3 * 9.6 ↘ 10.7 *
 9.1 → 9.9 → 9.5 ↖ 9.3 → 10.3 ←
 beste Teiler 172.4 (5.) 525.4 (3.) 531.5 (10.)
 Trefferlage 1.48 mm rechts, 0.09 mm tief
 Streuwert 8.78, horizontal: 9.29, vertikal: 8.25





Serie 2:
 9.7 ↑ 10.3 * 10.2 ↑ 9.6 → 10.1 →
 10.1 ↖ 10.4 * 10.0 → 9.6 ↑ 10.4 *
 beste Teiler 442.4 (17.) 450.5 (20.) 504.8 (12.)
 Trefferlage 2.40 mm rechts, 3.17 mm hoch
 Streuwert 4.81, horizontal: 5.19, vertikal: 4.40




Serie 3:
 9.5 ↘ 9.2 ↘ 9.5 → 9.9 ↙ 10.4 *
 9.0 → 10.1 ↖ 10.4 * 9.7 ↗ 10.3 *
 beste Teiler 453.7 (28.) 460.0 (25.) 524.9 (30.)
 Trefferlage 4.08 mm rechts, 0.38 mm tief
 Streuwert 6.78, horizontal: 7.40, vertikal: 6.11

Unterschrift des Schützen


Ergebnis: **272.9** (260)
 Serien: 87.5 93.9 91.5
 Zähler: 8 10 8 3 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4155 (3), 3043 (6), 2593 (29)
 beste Teiler 180.2 (10.) 280.5 (17.) 423.8 (25.)
 Trefferlage 5.58 mm rechts, 1.85 mm hoch
 Streuwert 11.74, horizontal: 11.66, vertikal: 11.81



Serie 1:
 8.0 ↗ 9.9 ↘ 5.8 → 8.2 ↗ 10.1 ↘
 7.1 → 10.2 ↖ 9.1 ↑ 8.4 → 10.7 *
 beste Teiler 180.2 (10.) 609.7 (7.) 699.9 (5.)
 Trefferlage 11.30 mm rechts, 4.71 mm hoch
 Streuwert 12.89, horizontal: 15.65, vertikal: 9.34





Serie 2:
 9.8 ↘ 8.4 ↘ 8.1 ↗ 8.8 ↗ 9.2 →
 9.4 ↑ 10.6 * 10.3 * 9.9 → 9.4 ↗
 beste Teiler 280.5 (17.) 525.6 (18.) 822.3 (19.)
 Trefferlage 7.89 mm rechts, 2.59 mm hoch
 Streuwert 8.27, horizontal: 6.10, vertikal: 9.98




Serie 3:
 9.0 ↙ 10.3 * 8.4 ↖ 7.9 ↓ 10.4 *
 10.1 ↓ 9.5 ↓ 9.4 ↗ 7.7 ↑ 8.8 ↓
 beste Teiler 423.8 (25.) 509.2 (22.) 665.0 (26.)
 Trefferlage 2.45 mm links, 1.75 mm tief
 Streuwert 11.84, horizontal: 6.48, vertikal: 15.45

Unterschrift des Schützen


Ergebnis: **298.9** (284)
 Serien: 98.3 99.4 101.2
 Zähler: 15 14 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1904 (13), 1445 (25), 1357 (3)
 beste Teiler 60.6 (17.) 273.2 (26.) 282.1 (14.)
 Trefferlage 2.09 mm rechts, 1.80 mm tief
 Streuwert 6.20, horizontal: 5.85, vertikal: 6.52



Serie 1:
 9.3 ↘ 10.0 ↑ 9.3 ↘ 10.1 ↑ 9.6 ↘
 9.3 ↑ 9.9 ↘ 10.5 * 9.8 ← 10.5 *
 beste Teiler 347.8 (8.) 381.1 (10.) 708.5 (4.)
 Trefferlage 1.89 mm rechts, 1.40 mm tief
 Streuwert 6.96, horizontal: 5.62, vertikal: 8.08





Serie 2:
 9.6 ↘ 9.9 → 8.6 ↘ 10.6 * 10.5 *
 10.5 * 10.9 * 9.3 ↘ 9.6 ↘ 9.9 ↓
 beste Teiler 60.6 (17.) 282.1 (14.) 329.4 (15.)
 Trefferlage 2.61 mm rechts, 2.16 mm tief
 Streuwert 6.78, horizontal: 6.45, vertikal: 7.09




Serie 3:
 10.2 ← 10.4 * 10.5 * 9.9 → 9.1 →
 10.6 * 9.4 ↘ 10.5 * 10.4 * 10.2 ↘
 beste Teiler 273.2 (26.) 347.0 (28.) 354.6 (23.)
 Trefferlage 1.76 mm rechts, 1.84 mm tief
 Streuwert 5.38, horizontal: 6.05, vertikal: 4.62

Unterschrift des Schützen


Ergebnis: **281.4** (271)
 Serien: 92.8 93.3 95.3
 Zähler: 11 11 6 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2928 (3), 2516 (29), 2210 (1)
 beste Teiler 329.1 (7.) 336.6 (16.) 382.8 (23.)
 Trefferlage 4.02 mm links, 6.81 mm tief
 Streuwert 8.41, horizontal: 6.97, vertikal: 9.64



Serie 1:
 8.2 ↓ 9.4 ← 7.3 ↓ 9.5 ↘ 8.5 ↓
 10.0 ↗ 10.5 * 10.0 ↓ 10.0 ↗ 9.4 ←
 beste Teiler 329.1 (7.) 747.5 (9.) 762.8 (8.)
 Trefferlage 3.14 mm links, 10.42 mm tief
 Streuwert 8.07, horizontal: 6.02, vertikal: 9.69





Serie 2:
 9.2 ↘ 8.6 ↖ 9.4 ↗ 8.6 ↘ 9.3 ↘
 10.5 * 10.1 → 8.6 ← 10.0 ↑ 9.0 ↘
 beste Teiler 336.6 (16.) 710.5 (17.) 773.5 (19.)
 Trefferlage 6.89 mm links, 4.04 mm tief
 Streuwert 8.52, horizontal: 7.36, vertikal: 9.54




Serie 3:
 9.5 ↖ 10.2 ↖ 10.5 * 9.8 ↘ 10.2 ↘
 9.5 ↗ 9.0 ← 10.1 ↘ 7.8 ↓ 8.7 ↓
 beste Teiler 382.8 (23.) 586.3 (22.) 610.7 (25.)
 Trefferlage 2.04 mm links, 5.96 mm tief
 Streuwert 8.44, horizontal: 7.19, vertikal: 9.53

Unterschrift des Schützen

Ergebnis: **296.1** (282)
 Serien: 98.8 100.8 96.5
 Zähler: 16 10 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2026 (28), 1815 (27), 1724 (19)
 beste Teiler 16.1 (13.) 118.1 (14.) 130.5 (3.)
 Trefferlage 1.10 mm rechts, 0.28 mm hoch
 Streuwert 7.11, horizontal: 8.60, vertikal: 5.21



Serie 1:
 9.7 ↙ 8.9 → 10.8 * 10.0 ↑ 9.4 ↘
 9.7 ← 9.9 ↙ 10.0 ↘ 10.2 ↘ 10.2 ↘
 beste Teiler 130.5 (3.) 612.3 (9.) 614.5 (10.)
 Trefferlage 2.74 mm links, 0.78 mm tief
 Streuwert 6.63, horizontal: 7.31, vertikal: 5.87





Serie 2:
 10.7 * 10.5 * 10.9 * 10.8 * 9.4 →
 9.5 ↗ 10.2 ↑ 10.0 ← 8.8 ↘ 10.0 ↑
 beste Teiler 16.1 (13.) 118.1 (14.) 171.4 (11.)
 Trefferlage 3.64 mm rechts, 1.57 mm hoch
 Streuwert 5.81, horizontal: 6.94, vertikal: 4.39




Serie 3:
 9.5 → 10.2 ↙ 10.0 ↓ 9.6 ↗ 9.9 →
 9.6 ↑ 8.7 ← 8.4 → 10.3 → 10.3 *
 beste Teiler 502.8 (30.) 540.2 (29.) 613.0 (22.)
 Trefferlage 2.41 mm rechts, 0.05 mm hoch
 Streuwert 8.41, horizontal: 10.54, vertikal: 5.51

Unterschrift des Schützen


Ergebnis: **296.2** (284)
 Serien: 100.6 98.2 97.4
 Zähler: 14 16 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1379 (25), 1297 (27), 1277 (1)
 beste Teiler 253.8 (17.) 272.2 (5.) 464.6 (2.)
 Trefferlage 1.42 mm rechts, 0.69 mm hoch
 Streuwert 6.51, horizontal: 6.91, vertikal: 6.08



Serie 1:
 9.4 ↘ 10.4 * 10.0 → 10.3 * 10.6 *
 9.8 ↑ 10.3 * 10.0 ← 10.2 → 9.6 ↘
 beste Teiler 272.2 (5.) 464.6 (2.) 486.0 (7.)
 Trefferlage 0.59 mm rechts, 0.41 mm hoch
 Streuwert 5.68, horizontal: 5.74, vertikal: 5.61



Serie 2:
 9.6 ↘ 9.5 ↘ 9.4 ↑ 9.5 ← 10.3 *
 9.6 → 10.6 * 10.1 ↓ 9.7 ← 9.9 ↑
 beste Teiler 253.8 (17.) 514.2 (15.) 719.1 (18.)
 Trefferlage 1.06 mm links, 1.21 mm hoch
 Streuwert 6.99, horizontal: 7.39, vertikal: 6.57





Serie 3:
 9.7 ↓ 9.4 ↗ 10.1 ↓ 9.5 → 9.2 →
 10.4 * 9.3 → 10.3 * 9.5 ↖ 10.0 ↑
 beste Teiler 476.9 (26.) 497.2 (28.) 718.2 (23.)
 Trefferlage 4.73 mm rechts, 0.45 mm hoch
 Streuwert 6.73, horizontal: 6.81, vertikal: 6.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **258.1** (247)
 Serien: 88.2 87.0 82.9
 Zähler: 3 8 14 4 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4247 (21), 3077 (27), 2833 (12)
 beste Teiler 471.8 (17.) 519.9 (25.) 585.0 (8.)
 Trefferlage 10.04 mm links, 3.53 mm hoch
 Streuwert 12.44, horizontal: 13.43, vertikal: 11.35



Serie 1:
 9.0 ↖ 8.3 ← 8.4 ↙ 7.4 ↑ 9.5 ↓
 9.5 ↓ 9.5 ↘ 10.2 ↘ 8.4 ← 8.0 ←
 beste Teiler 585.0 (8.) 1122.3 (5.) 1154.0 (7.)
 Trefferlage 9.10 mm links, 2.38 mm tief
 Streuwert 11.66, horizontal: 11.36, vertikal: 11.96





Serie 2:
 9.0 ↖ 7.4 ↑ 8.5 ↖ 8.5 ↗ 8.3 →
 8.7 ↖ 10.4 * 7.8 ← 8.9 ↙ 9.5 ←
 beste Teiler 471.8 (17.) 1189.6 (20.) 1542.2 (11.)
 Trefferlage 4.96 mm links, 6.05 mm hoch
 Streuwert 12.90, horizontal: 14.57, vertikal: 10.98




Serie 3:
 5.6 ← 9.2 ↖ 8.4 ← 9.1 ↖ 10.3 *
 8.2 ↖ 7.1 ← 8.4 ↑ 8.3 ← 8.3 ↑
 beste Teiler 519.9 (25.) 1426.9 (22.) 1490.8 (24.)
 Trefferlage 16.06 mm links, 6.93 mm hoch
 Streuwert 11.47, horizontal: 13.06, vertikal: 9.63

Unterschrift des Schützen


Ergebnis: **284.6** (273)
 Serien: 96.1 96.3 92.2
 Zähler: 9 15 6 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2253 (18), 2173 (16), 2111 (25)
 beste Teiler 109.0 (9.) 324.2 (19.) 533.5 (17.)
 Trefferlage 1.17 mm links, 4.49 mm hoch
 Streuwert 8.74, horizontal: 8.68, vertikal: 8.79



Serie 1:
 9.5 ↘ 9.0 ↖ 8.5 ↑ 9.4 ↙ 10.0 ↓
 9.7 ↗ 10.2 ↘ 9.2 ↑ 10.8 * 9.8 ↘
 beste Teiler 109.0 (9.) 583.2 (7.) 759.4 (5.)
 Trefferlage 1.98 mm links, 5.75 mm hoch
 Streuwert 7.53, horizontal: 6.83, vertikal: 8.16





Serie 2:
 10.1 ↖ 9.5 → 9.6 ↙ 10.3 ← 10.1 ↓
 8.2 ↑ 10.3 ↑ 8.1 ← 10.5 * 9.6 ↘
 beste Teiler 324.2 (19.) 533.5 (17.) 549.8 (14.)
 Trefferlage 3.13 mm links, 2.87 mm hoch
 Streuwert 8.66, horizontal: 8.73, vertikal: 8.59




Serie 3:
 10.2 ← 8.4 ↓ 8.6 ↘ 9.3 → 8.3 →
 9.2 ↗ 9.5 ↑ 9.8 ↖ 9.1 ↑ 9.8 ↑
 beste Teiler 578.1 (21.) 892.5 (28.) 918.0 (30.)
 Trefferlage 1.59 mm rechts, 4.85 mm hoch
 Streuwert 10.26, horizontal: 10.32, vertikal: 10.20

Unterschrift des Schützen


Ergebnis: **300.1** (285)
 Serien: 101.7 98.6 99.8
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2091 (21), 1440 (3), 1279 (19)
 beste Teiler 151.7 (5.) 197.7 (24.) 271.7 (22.)
 Trefferlage 2.19 mm links, 0.81 mm hoch
 Streuwert 5.87, horizontal: 6.64, vertikal: 4.97



Serie 1:
 10.2 ↙ 10.0 ↘ 9.2 ↙ 10.4 * 10.8 *
 9.8 ↙ 10.5 * 9.8 ↘ 10.4 * 10.6 *
 beste Teiler 151.7 (5.) 310.1 (10.) 352.2 (7.)
 Trefferlage 3.43 mm links, 1.34 mm tief
 Streuwert 4.62, horizontal: 3.32, vertikal: 5.64





Serie 2:
 9.6 ↘ 10.2 ↗ 9.7 ↘ 10.1 ↓ 9.9 ↘
 10.1 ↗ 9.9 ↖ 9.9 ↖ 9.4 ↖ 9.8 ↑
 beste Teiler 573.6 (12.) 657.0 (16.) 692.5 (14.)
 Trefferlage 4.48 mm links, 3.43 mm hoch
 Streuwert 5.16, horizontal: 5.85, vertikal: 4.36




Serie 3:
 8.3 → 10.6 * 10.4 * 10.7 * 9.7 ↓
 9.8 ← 10.0 ← 10.3 * 9.9 → 10.1 →
 beste Teiler 197.7 (24.) 271.7 (22.) 431.7 (23.)
 Trefferlage 1.33 mm rechts, 0.36 mm hoch
 Streuwert 6.76, horizontal: 8.69, vertikal: 3.98

Unterschrift des Schützen


Ergebnis: **278.3** (264)
 Serien: 92.6 97.4 88.3
 Zähler: 5 18 5 1 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4504 (25), 2603 (8), 2333 (7)
 beste Teiler 249.6 (3.) 290.5 (11.) 304.2 (4.)
 Trefferlage 0.00 mm , 6.53 mm tief
 Streuwert 10.35, horizontal: 12.33, vertikal: 7.89



Serie 1:
 9.8 → 8.0 ↘ 10.6 * 10.6 * 9.2 ↘
 9.9 ↙ 8.0 ↘ 7.7 ↙ 9.3 ↙ 9.5 ↙
 beste Teiler 249.6 (3.) 304.2 (4.) 880.8 (6.)
 Trefferlage 1.40 mm rechts, 8.73 mm tief
 Streuwert 9.65, horizontal: 10.50, vertikal: 8.71





Serie 2:
 10.6 * 8.9 ↓ 10.4 * 9.7 ↘ 9.0 ↙
 9.9 ↓ 9.8 ↓ 9.7 ↓ 9.2 ↘ 10.2 →
 beste Teiler 290.5 (11.) 471.1 (13.) 606.8 (20.)
 Trefferlage 1.99 mm rechts, 7.15 mm tief
 Streuwert 5.75, horizontal: 6.12, vertikal: 5.36




Serie 3:
 9.4 → 9.4 ↘ 8.2 ↗ 9.7 ↘ 5.3 ←
 9.9 ↗ 9.2 ↓ 9.2 ↙ 9.1 ↙ 8.9 ↙
 beste Teiler 822.6 (26.) 1040.9 (24.) 1238.0 (22.)
 Trefferlage 3.37 mm links, 3.70 mm tief
 Streuwert 14.21, horizontal: 17.97, vertikal: 9.01

Unterschrift des Schützen


Ergebnis: **284.2** (269)
 Serien: 94.0 94.7 95.5
 Zähler: 8 15 5 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2657 (6), 2591 (19), 2296 (2)
 beste Teiler 106.2 (5.) 366.5 (13.) 482.1 (26.)
 Trefferlage 2.74 mm rechts, 3.65 mm hoch
 Streuwert 8.96, horizontal: 10.43, vertikal: 7.19



Serie 1:
 9.8 ↗ 8.1 ↖ 10.1 ↗ 9.3 ↑ 10.8 *
 7.6 → 9.8 ↓ 9.5 ↑ 10.1 ↓ 8.9 ↘
 beste Teiler 106.2 (5.) 667.6 (3.) 717.6 (9.)
 Trefferlage 1.70 mm rechts, 4.54 mm hoch
 Streuwert 10.11, horizontal: 12.12, vertikal: 7.59





Serie 2:
 9.7 → 9.7 ↙ 10.5 * 9.6 ↘ 9.8 →
 9.1 → 8.7 ↑ 9.8 ↗ 7.7 → 10.1 ↓
 beste Teiler 366.5 (13.) 670.6 (20.) 904.0 (18.)
 Trefferlage 5.33 mm rechts, 2.45 mm hoch
 Streuwert 8.88, horizontal: 10.05, vertikal: 7.53




Serie 3:
 10.2 ↘ 8.8 ↗ 9.5 ↑ 9.1 ↘ 9.6 ↖
 10.3 * 9.9 → 10.2 ↘ 9.3 ↙ 8.6 ↗
 beste Teiler 482.1 (26.) 624.6 (28.) 628.2 (21.)
 Trefferlage 1.19 mm rechts, 3.97 mm hoch
 Streuwert 8.41, horizontal: 9.57, vertikal: 7.06

Unterschrift des Schützen


Ergebnis: **287.2** (275)
 Serien: 91.1 96.0 100.1
 Zähler: 14 9 6 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3416 (4), 2138 (10), 2075 (6)
 beste Teiler 58.1 (8.) 155.9 (26.) 185.9 (16.)
 Trefferlage 0.44 mm links, 1.92 mm hoch
 Streuwert 9.45, horizontal: 11.10, vertikal: 7.44



Serie 1:
 9.1 ↘ 8.7 ← 9.4 ← 6.7 ← 10.2 ↙
 8.4 → 9.4 ↘ 10.9 * 10.0 ← 8.3 ↖
 beste Teiler 58.1 (8.) 617.7 (5.) 762.9 (9.)
 Trefferlage 4.09 mm links, 2.25 mm hoch
 Streuwert 12.42, horizontal: 15.17, vertikal: 8.86





Serie 2:
 10.1 ↗ 9.7 ↖ 9.5 ↓ 9.4 → 8.6 ↖
 10.7 * 10.1 ← 8.6 ↘ 10.3 * 9.0 →
 beste Teiler 185.9 (16.) 517.4 (19.) 648.5 (11.)
 Trefferlage 2.62 mm rechts, 1.75 mm hoch
 Streuwert 8.63, horizontal: 9.36, vertikal: 7.83




Serie 3:
 10.2 ← 9.7 ↘ 10.2 ↘ 9.3 ↗ 10.4 *
 10.8 * 10.7 * 10.2 ↓ 10.1 ↖ 8.5 ↖
 beste Teiler 155.9 (26.) 238.4 (27.) 443.6 (25.)
 Trefferlage 0.14 mm rechts, 1.76 mm hoch
 Streuwert 6.78, horizontal: 7.33, vertikal: 6.19

 Unterschrift des Schützen


Ergebnis: **291.6** (276)
 Serien: 98.9 96.2 96.5
 Zähler: 10 16 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1901 (20), 1821 (7), 1654 (1)
 beste Teiler 196.3 (2.) 296.2 (29.) 333.4 (3.)
 Trefferlage 5.08 mm links, 0.31 mm hoch
 Streuwert 6.95, horizontal: 6.20, vertikal: 7.63



Serie 1:
 8.9 ↙ 10.7 * 10.5 * 9.7 ↙ 10.4 *
 10.3 ↑ 8.7 ↘ 9.4 ↙ 9.8 ↖ 10.5 *
 beste Teiler 196.3 (2.) 333.4 (3.) 370.0 (10.)
 Trefferlage 6.70 mm links, 0.08 mm tief
 Streuwert 5.63, horizontal: 5.86, vertikal: 5.39





Serie 2:
 10.0 ← 9.8 ← 9.6 ↙ 9.9 ↘ 9.4 ↓
 9.3 ↓ 9.5 ↓ 9.9 ← 10.2 ↑ 8.6 ↘
 beste Teiler 632.6 (19.) 793.9 (11.) 832.7 (14.)
 Trefferlage 4.68 mm links, 3.56 mm tief
 Streuwert 7.11, horizontal: 6.58, vertikal: 7.61




Serie 3:
 9.3 ↙ 8.9 ↘ 9.6 ↙ 9.1 ↑ 9.5 ↑
 10.4 * 10.5 * 9.1 ↑ 10.6 * 9.5 ↑
 beste Teiler 296.2 (29.) 362.2 (27.) 468.9 (26.)
 Trefferlage 3.86 mm links, 4.60 mm hoch
 Streuwert 7.23, horizontal: 6.43, vertikal: 7.95

Unterschrift des Schützen


Ergebnis: **300.3** (288)
 Serien: 101.8 99.1 99.4
 Zähler: 20 9 0 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2483 (17), 1428 (13), 1412 (30)
 beste Teiler 113.5 (18.) 149.0 (23.) 232.0 (9.)
 Trefferlage 0.06 mm rechts, 1.59 mm hoch
 Streuwert 6.39, horizontal: 8.16, vertikal: 3.87



Serie 1:
 9.4 ↗ 10.5 * 10.1 ← 10.3 * 10.4 *
 9.7 ↗ 10.6 * 10.0 ← 10.7 * 10.1 ↘
 beste Teiler 232.0 (9.) 253.0 (7.) 370.3 (2.)
 Trefferlage 0.17 mm links, 0.12 mm hoch
 Streuwert 5.08, horizontal: 5.87, vertikal: 4.14



Serie 2:
 10.3 * 10.3 * 9.2 ← 9.5 ↘ 10.5 *
 10.3 * 7.8 → 10.8 * 10.1 ↑ 10.3 ↑
 beste Teiler 113.5 (18.) 382.1 (15.) 489.3 (12.)
 Trefferlage 0.77 mm links, 2.23 mm hoch
 Streuwert 7.72, horizontal: 10.01, vertikal: 4.37



Serie 3:
 10.4 * 10.2 ↑ 10.8 * 10.3 ↘ 9.7 ↘
 9.7 → 9.3 ← 10.4 * 9.4 → 9.2 →
 beste Teiler 149.0 (23.) 435.4 (21.) 474.5 (28.)
 Trefferlage 1.12 mm rechts, 2.41 mm hoch
 Streuwert 6.57, horizontal: 8.83, vertikal: 2.89

Unterschrift des Schützen

KK Auflage 30 – Wertung – Senioren I weibl.**StartNr: 170**



StandNr: 8

7. März 2020 14:25

Ehlert, Petra #156

5600 BSV Unna e.V. / BSV Unna e.V.


Ergebnis: **286.8** (273)
Serien: 95.6 99.7 91.5
Zähler: 12 13 3 1 0 1 0 0 0 0
Innenzehner: 2
weiteste: 4145 (27), 2972 (21), 1951 (2)
beste Teiler 335.8 (22.) 437.5 (15.) 558.1 (12.)
Trefferlage 6.93 mm links, 1.40 mm hoch
Streuwert 8.25, horizontal: 10.52, vertikal: 5.04



Serie 1:

10.1 ← 8.5 ← 10.0 ← 10.1 ← 9.5 ↘
9.8 ↘ 9.7 ↘ 9.3 ↑ 8.8 ← 9.8 →


beste Teiler 674.0 (4.) 685.2 (1.) 737.1 (3.)
Trefferlage 5.95 mm links, 2.97 mm hoch
Streuwert 7.30, horizontal: 8.90, vertikal: 5.24



Serie 2:

8.9 ← 10.3 ↘ 10.0 ↙ 10.2 ↗ 10.4 *
9.8 ↙ 9.9 ↗ 10.2 ← 10.2 ← 9.8 ↑

beste Teiler 437.5 (15.) 558.1 (12.) 576.4 (18.)
Trefferlage 2.91 mm links, 0.22 mm hoch
Streuwert 5.96, horizontal: 6.44, vertikal: 5.43





Serie 3:

7.2 ← 10.5 * 9.7 ← 9.4 ← 10.1 ↘
10.0 ↙ 5.8 ← 9.8 ↘ 9.7 ↘ 9.3 ←


beste Teiler 335.8 (22.) 661.4 (25.) 751.7 (26.)
Trefferlage 11.95 mm links, 1.00 mm hoch
Streuwert 10.24, horizontal: 13.75, vertikal: 4.52

Unterschrift des Schützen


Ergebnis: **299.0** (285)
 Serien: 100.1 98.0 100.9
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1711 (11), 1367 (22), 1366 (17)
 beste Teiler 173.8 (21.) 302.0 (28.) 350.7 (10.)
 Trefferlage 1.77 mm links, 0.05 mm hoch
 Streuwert 6.08, horizontal: 6.72, vertikal: 5.38



Serie 1:
 10.2 ↘ 9.8 ↗ 9.5 ↖ 10.2 ↖ 10.2 ↗
 10.3 ↘ 9.9 ↘ 10.1 ↖ 9.4 → 10.5 *
 beste Teiler 350.7 (10.) 541.5 (6.) 575.6 (1.)
 Trefferlage 0.08 mm rechts, 2.02 mm hoch
 Streuwert 5.70, horizontal: 6.76, vertikal: 4.40





Serie 2:
 8.8 ↖ 10.4 * 9.8 ↓ 10.3 * 10.5 *
 9.5 ↙ 9.2 → 9.6 ↑ 10.1 ↖ 9.8 ↓
 beste Teiler 367.8 (15.) 451.2 (12.) 524.6 (14.)
 Trefferlage 2.69 mm links, 0.98 mm tief
 Streuwert 7.15, horizontal: 7.61, vertikal: 6.65




Serie 3:
 10.7 * 9.2 ↖ 9.7 ↓ 10.5 * 9.8 ↖
 10.5 * 10.1 ← 10.6 * 10.0 ↓ 9.8 →
 beste Teiler 173.8 (21.) 302.0 (28.) 376.3 (26.)
 Trefferlage 2.72 mm links, 0.88 mm tief
 Streuwert 5.43, horizontal: 6.00, vertikal: 4.80

Unterschrift des Schützen


Ergebnis: **290.5** (281)
 Serien: 98.1 95.7 96.7
 Zähler: 14 13 3 0 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2281 (27), 2023 (15), 1791 (16)
 beste Teiler 541.9 (12.) 597.5 (23.) 615.0 (2.)
 Trefferlage 1.45 mm rechts, 0.42 mm hoch
 Streuwert 7.86, horizontal: 9.02, vertikal: 6.49



Serie 1:
 10.1 ↘ 10.2 ↙ 9.1 ↖ 9.7 ↗ 10.0 →
 9.5 ↘ 10.1 ↘ 9.7 ↙ 9.8 ↘ 9.9 ↘
 beste Teiler 615.0 (2.) 667.4 (1.) 687.2 (7.)
 Trefferlage 4.87 mm links, 2.13 mm hoch
 Streuwert 5.82, horizontal: 4.95, vertikal: 6.58





Serie 2:
 9.0 ↘ 10.3 ↗ 10.0 ↘ 10.0 → 8.4 →
 8.7 → 9.8 ↗ 9.4 ← 10.0 ↖ 10.1 ↘
 beste Teiler 541.9 (12.) 649.7 (20.) 739.9 (13.)
 Trefferlage 5.67 mm rechts, 0.10 mm tief
 Streuwert 7.91, horizontal: 9.50, vertikal: 5.92




Serie 3:
 10.0 ← 9.5 ↙ 10.2 ↙ 9.2 ↗ 10.1 →
 9.5 → 8.1 ↘ 10.2 ↖ 10.0 ↑ 9.9 →
 beste Teiler 597.5 (23.) 632.1 (28.) 712.9 (25.)
 Trefferlage 3.56 mm rechts, 0.75 mm tief
 Streuwert 8.08, horizontal: 8.84, vertikal: 7.23

Unterschrift des Schützen


Ergebnis: **300.2** (281)
 Serien: 100.2 102.8 97.2
 Zähler: 12 17 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1675 (26), 1267 (3), 1204 (22)
 beste Teiler 55.2 (17.) 208.6 (13.) 296.7 (24.)
 Trefferlage 0.01 mm links, 0.91 mm tief
 Streuwert 6.00, horizontal: 5.72, vertikal: 6.28



Serie 1:
 9.8 ↗ 9.8 ↑ 9.4 ↖ 10.6 * 9.9 ↙
 9.7 ↘ 10.3 ↓ 10.4 * 10.4 * 9.9 ↖
 beste Teiler 319.2 (4.) 410.3 (8.) 441.8 (9.)
 Trefferlage 0.04 mm links, 2.35 mm hoch
 Streuwert 5.72, horizontal: 4.82, vertikal: 6.50





Serie 2:
 10.3 * 9.9 → 10.7 * 10.5 * 10.3 *
 10.6 * 10.9 * 9.8 ↙ 9.8 ↙ 10.0 ←
 beste Teiler 55.2 (17.) 208.6 (13.) 311.0 (16.)
 Trefferlage 0.60 mm links, 1.59 mm tief
 Streuwert 4.44, horizontal: 5.06, vertikal: 3.73




Serie 3:
 9.9 ↙ 9.4 ↗ 9.6 ↖ 10.6 * 9.8 ↘
 8.9 ↘ 9.9 ↓ 9.8 ↗ 9.5 ↙ 9.8 ↓
 beste Teiler 296.7 (24.) 836.4 (21.) 838.6 (27.)
 Trefferlage 0.59 mm rechts, 3.49 mm tief
 Streuwert 7.31, horizontal: 7.47, vertikal: 7.14

Unterschrift des Schützen


Ergebnis: **296.0** (280)
 Serien: 98.5 100.9 96.6
 Zähler: 10 20 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1491 (21), 1451 (1), 1405 (23)
 beste Teiler 145.9 (24.) 289.6 (17.) 301.7 (10.)
 Trefferlage 0.43 mm rechts, 2.06 mm tief
 Streuwert 6.55, horizontal: 6.26, vertikal: 6.83



Serie 1:
 9.1 ↑ 10.5 * 9.6 ↗ 10.1 ↙ 9.8 ↘
 9.5 ← 9.9 → 9.7 ← 9.7 ↘ 10.6 *
 beste Teiler 301.7 (10.) 353.0 (2.) 701.3 (4.)
 Trefferlage 1.85 mm links, 0.72 mm hoch
 Streuwert 6.87, horizontal: 6.57, vertikal: 7.16



Serie 2:
 10.2 ← 9.6 ↖ 9.8 ↖ 10.1 ↖ 10.4 *
 10.3 ↓ 10.6 * 9.9 → 9.7 ↘ 10.3 *
 beste Teiler 289.6 (17.) 432.2 (15.) 489.6 (20.)
 Trefferlage 0.98 mm links, 0.02 mm tief
 Streuwert 5.34, horizontal: 5.84, vertikal: 4.79





Serie 3:
 9.1 ↓ 9.8 → 9.2 ↘ 10.8 * 9.5 ↓
 9.7 ↗ 9.4 → 9.4 ↘ 9.8 ↓ 9.9 ↓
 beste Teiler 145.9 (24.) 851.6 (30.) 947.7 (29.)
 Trefferlage 4.15 mm rechts, 6.87 mm tief
 Streuwert 5.59, horizontal: 5.06, vertikal: 6.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288.7** (274)
 Serien: 95.9 94.5 98.3
 Zähler: 11 12 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2212 (15), 1931 (25), 1892 (16)
 beste Teiler 239.2 (13.) 262.7 (11.) 303.4 (24.)
 Trefferlage 0.45 mm links, 1.77 mm hoch
 Streuwert 8.43, horizontal: 8.44, vertikal: 8.42



Serie 1:
 10.2 ↘ 9.5 ↘ 9.5 ↗ 9.2 ↗ 9.4 ↗
 9.8 ← 8.9 → 9.9 ← 9.5 ↗ 10.0 ↗
 beste Teiler 563.1 (1.) 770.1 (10.) 810.9 (8.)
 Trefferlage 1.56 mm rechts, 5.14 mm hoch
 Streuwert 7.29, horizontal: 8.34, vertikal: 6.05



Serie 2:
 10.6 * 9.8 ↗ 10.7 * 9.4 → 8.2 ↘
 8.6 ↓ 9.8 ↗ 8.8 ↙ 8.6 → 10.0 ↓
 beste Teiler 239.2 (13.) 262.7 (11.) 733.9 (20.)
 Trefferlage 0.78 mm rechts, 1.46 mm tief
 Streuwert 10.16, horizontal: 10.78, vertikal: 9.49





Serie 3:
 10.0 ↘ 9.3 ← 10.4 * 10.6 * 8.5 ↙
 10.1 ↓ 10.4 * 8.7 ↑ 10.5 * 9.8 ↑
 beste Teiler 303.4 (24.) 362.3 (29.) 410.6 (23.)
 Trefferlage 3.71 mm links, 1.64 mm hoch
 Streuwert 7.17, horizontal: 5.04, vertikal: 8.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284.4** (269)
 Serien: 93.9 94.9 95.6
 Zähler: 7 15 8 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2202 (27), 2118 (12), 2110 (13)
 beste Teiler 198.4 (8.) 207.6 (24.) 442.8 (17.)
 Trefferlage 2.85 mm links, 4.75 mm tief
 Streuwert 8.52, horizontal: 7.26, vertikal: 9.62



Serie 1:
 9.4 → 10.3 * 9.6 ↗ 8.9 ↓ 8.9 ↓
 8.5 ↙ 9.6 ↓ 10.7 * 9.4 ↘ 8.6 ↓
 beste Teiler 198.4 (8.) 493.2 (2.) 1097.1 (3.)
 Trefferlage 0.47 mm links, 5.57 mm tief
 Streuwert 9.27, horizontal: 8.50, vertikal: 9.99





Serie 2:
 9.9 ↙ 8.3 ↓ 8.3 ↓ 9.7 ↓ 9.5 ↓
 9.9 ↓ 10.4 * 9.5 ↘ 9.8 ↖ 9.6 ↗
 beste Teiler 442.8 (17.) 801.5 (11.) 862.7 (16.)
 Trefferlage 1.55 mm links, 8.69 mm tief
 Streuwert 6.89, horizontal: 6.55, vertikal: 7.21




Serie 3:
 8.8 ↙ 10.3 * 10.0 ↑ 10.7 * 9.0 ↖
 9.7 ↘ 8.2 ↘ 9.4 ↗ 10.4 * 9.1 ↗
 beste Teiler 207.6 (24.) 446.9 (29.) 505.2 (22.)
 Trefferlage 6.54 mm links, 0.00 mm
 Streuwert 8.20, horizontal: 5.58, vertikal: 10.16

Unterschrift des Schützen


Ergebnis: **296.7** (280)
 Serien: 99.8 97.3 99.6
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1998 (10), 1936 (20), 1421 (19)
 beste Teiler 161.6 (8.) 170.3 (6.) 216.5 (28.)
 Trefferlage 3.29 mm rechts, 1.29 mm tief
 Streuwert 6.47, horizontal: 7.61, vertikal: 5.06



Serie 1:
 9.9 ← 9.7 ↗ 9.9 ↙ 10.5 * 10.4 *
 10.7 * 9.6 ↙ 10.7 * 9.9 → 8.5 →
 beste Teiler 161.6 (8.) 170.3 (6.) 340.5 (4.)
 Trefferlage 0.95 mm rechts, 0.41 mm tief
 Streuwert 6.96, horizontal: 8.42, vertikal: 5.10



Serie 2:
 10.3 * 10.3 * 9.7 → 9.7 ↘ 9.8 ↖
 10.4 * 9.9 ↘ 9.5 ↘ 9.2 ↖ 8.5 →
 beste Teiler 427.8 (16.) 499.9 (11.) 517.7 (12.)
 Trefferlage 3.98 mm rechts, 0.17 mm hoch
 Streuwert 7.36, horizontal: 8.56, vertikal: 5.93



Serie 3:
 9.7 ↓ 10.5 * 9.8 → 10.3 * 10.2 →
 9.2 → 9.3 ↘ 10.7 * 10.2 ↓ 9.7 →
 beste Teiler 216.5 (28.) 332.6 (22.) 487.7 (24.)
 Trefferlage 4.94 mm rechts, 3.64 mm tief
 Streuwert 4.75, horizontal: 5.75, vertikal: 3.49

 Unterschrift des Schützen

Meyton Elektronik