





Ergebnis: **289.9** (273)
 Serien: 96.0 96.1 97.8
 Zähler: 10 14 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2536 (19), 2081 (5), 1983 (26)
 beste Teiler 62.0 (13.) 147.7 (27.) 209.3 (4.)
 Trefferlage 1.81 mm rechts, 0.29 mm hoch
 Streuwert 8.50, horizontal: 2.93, vertikal: 11.66



Serie 1:
 9.9 ↗ 9.9 ↓ 9.7 ↓ 10.7 * 8.3 ↗
 8.8 ↑ 9.9 ↑ 9.2 ↓ 10.4 * 9.2 ↑
 beste Teiler 209.3 (4.) 438.4 (9.) 847.4 (7.)
 Trefferlage 1.47 mm rechts, 3.40 mm hoch
 Streuwert 8.61, horizontal: 3.46, vertikal: 11.67





Serie 2:
 9.9 ↗ 10.7 * 10.9 * 10.1 ↙ 9.8 ↓
 8.6 ↓ 9.7 ↘ 8.8 ↑ 7.8 ↑ 9.8 ↘
 beste Teiler 62.0 (13.) 240.2 (12.) 654.6 (14.)
 Trefferlage 1.52 mm rechts, 0.25 mm hoch
 Streuwert 9.60, horizontal: 3.35, vertikal: 13.15




Serie 3:
 10.0 ↗ 9.8 ↑ 9.7 ↑ 10.2 ↘ 10.2 ↓
 8.5 ↓ 10.8 * 9.2 ↓ 9.1 ↓ 10.3 ↑
 beste Teiler 147.7 (27.) 504.0 (30.) 562.7 (25.)
 Trefferlage 2.44 mm rechts, 2.77 mm tief
 Streuwert 7.48, horizontal: 1.97, vertikal: 10.39

Unterschrift des Schützen


Ergebnis: **285.0** (274)
 Serien: 96.2 92.7 96.1
 Zähler: 11 13 5 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2808 (3), 2186 (18), 1992 (25)
 beste Teiler 308.1 (26.) 378.4 (29.) 393.4 (10.)
 Trefferlage 5.48 mm rechts, 2.95 mm hoch
 Streuwert 8.23, horizontal: 5.53, vertikal: 10.25



Serie 1:
 9.6 → 10.3 → 7.4 ↗ 8.6 ↓ 10.1 →
 9.4 ↑ 10.1 ↓ 10.2 ↓ 10.0 ↗ 10.5 *
 beste Teiler 393.4 (10.) 512.2 (2.) 598.4 (8.)
 Trefferlage 5.16 mm rechts, 0.71 mm hoch
 Streuwert 8.69, horizontal: 5.02, vertikal: 11.22



Serie 2:
 9.2 ↗ 9.3 ↗ 10.1 ↗ 9.6 ↘ 8.6 ↗
 9.7 ↑ 9.4 ↑ 8.2 ↓ 9.3 ↑ 9.3 ↓
 beste Teiler 651.3 (13.) 963.1 (16.) 1088.3 (14.)
 Trefferlage 6.41 mm rechts, 2.89 mm hoch
 Streuwert 9.02, horizontal: 4.43, vertikal: 11.96





Serie 3:
 10.2 ↑ 8.6 ↑ 9.2 ↗ 9.7 ↑ 8.5 ↘
 10.6 * 10.2 ↘ 9.1 ↗ 10.5 * 9.5 →
 beste Teiler 308.1 (26.) 378.4 (29.) 598.2 (27.)
 Trefferlage 4.86 mm rechts, 5.24 mm hoch
 Streuwert 7.41, horizontal: 7.21, vertikal: 7.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **293.7** (281)
 Serien: 99.1 100.9 93.7
 Zähler: 16 9 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2359 (8), 2349 (24), 2090 (23)
 beste Teiler 94.8 (20.) 152.5 (10.) 156.1 (13.)
 Trefferlage 1.62 mm links, 6.07 mm tief
 Streuwert 6.77, horizontal: 3.68, vertikal: 8.85



Serie 1:
 10.0 ↓ 10.7 * 10.0 ← 9.8 ↓ 10.4 *
 9.3 ↙ 10.5 * 8.0 ↓ 9.6 ↘ 10.8 *
 beste Teiler 152.5 (10.) 217.3 (2.) 376.1 (7.)
 Trefferlage 3.11 mm links, 5.22 mm tief
 Streuwert 6.33, horizontal: 4.36, vertikal: 7.81





Serie 2:
 10.3 ↙ 10.1 ↑ 10.8 * 10.5 * 9.8 ↘
 10.1 ↓ 9.9 ↘ 9.5 ↓ 9.1 ↓ 10.8 *
 beste Teiler 94.8 (20.) 156.1 (13.) 395.1 (14.)
 Trefferlage 0.41 mm links, 2.85 mm tief
 Streuwert 5.66, horizontal: 3.16, vertikal: 7.35




Serie 3:
 9.7 ↓ 10.2 ↘ 8.3 ↓ 8.0 ↓ 8.5 ↓
 10.5 * 8.7 ↓ 9.4 ↘ 10.0 ↓ 10.4 *
 beste Teiler 375.7 (26.) 459.8 (30.) 603.4 (22.)
 Trefferlage 1.33 mm links, 10.13 mm tief
 Streuwert 7.64, horizontal: 3.22, vertikal: 10.32

Unterschrift des Schützen


Ergebnis: **287.1** (275)
 Serien: 91.5 95.2 100.4
 Zähler: 11 15 2 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2907 (8), 2515 (16), 2146 (4)
 beste Teiler 93.1 (24.) 405.1 (30.) 412.0 (1.)
 Trefferlage 3.67 mm rechts, 4.04 mm tief
 Streuwert 8.27, horizontal: 3.87, vertikal: 11.04



Serie 1:
 10.4 * 9.3 ↘ 9.2 ↑ 8.3 ↘ 9.1 ↘
 9.0 ↘ 9.8 ↘ 7.3 ↓ 9.9 ↘ 9.2 ↓
 beste Teiler 412.0 (1.) 822.7 (9.) 955.9 (7.)
 Trefferlage 4.46 mm rechts, 10.08 mm tief
 Streuwert 8.43, horizontal: 3.36, vertikal: 11.44





Serie 2:
 9.5 ↑ 10.3 ↘ 9.7 ↑ 9.9 ↗ 8.5 ↓
 7.8 ↑ 9.1 ↘ 10.1 ↘ 9.9 ↘ 10.4 *
 beste Teiler 446.3 (20.) 501.9 (12.) 719.1 (18.)
 Trefferlage 2.86 mm rechts, 0.93 mm hoch
 Streuwert 9.48, horizontal: 3.81, vertikal: 12.85




Serie 3:
 10.3 ↗ 9.6 ↘ 10.1 ← 10.8 * 10.1 →
 10.0 ↘ 9.9 ↓ 10.2 ↗ 9.0 ↘ 10.4 *
 beste Teiler 93.1 (24.) 405.1 (30.) 543.4 (21.)
 Trefferlage 3.68 mm rechts, 3.00 mm tief
 Streuwert 4.93, horizontal: 4.58, vertikal: 5.26

Unterschrift des Schützen


Ergebnis: **287.7** (274)
 Serien: 97.9 95.9 93.9
 Zähler: 13 11 4 1 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3429 (28), 2720 (19), 1763 (21)
 beste Teiler 169.5 (4.) 206.2 (13.) 313.4 (7.)
 Trefferlage 1.28 mm links, 5.08 mm hoch
 Streuwert 8.69, horizontal: 6.59, vertikal: 10.38



Serie 1:
 9.0 ↘ 10.5 * 9.4 ↗ 10.7 * 9.4 ↖
 8.9 ↑ 10.6 * 9.4 ↑ 10.0 ↓ 10.0 ↓
 beste Teiler 169.5 (4.) 313.4 (7.) 393.8 (2.)
 Trefferlage 1.73 mm links, 1.84 mm hoch
 Streuwert 7.72, horizontal: 4.18, vertikal: 10.09





Serie 2:
 9.6 ↑ 10.2 ↖ 10.7 * 10.5 * 10.2 ↑
 9.1 ↘ 9.0 ↑ 8.9 ↑ 7.6 ↓ 10.1 ↑
 beste Teiler 206.2 (13.) 376.6 (14.) 595.8 (12.)
 Trefferlage 0.03 mm rechts, 4.79 mm hoch
 Streuwert 9.17, horizontal: 3.62, vertikal: 12.45




Serie 3:
 8.7 ↘ 9.5 ↖ 9.1 ↑ 8.9 ↖ 9.8 ↖
 10.5 * 9.8 ↖ 6.7 ↗ 10.4 * 10.5 *
 beste Teiler 362.6 (30.) 392.6 (26.) 406.3 (29.)
 Trefferlage 2.16 mm links, 8.62 mm hoch
 Streuwert 9.25, horizontal: 10.31, vertikal: 8.04

Unterschrift des Schützen


Ergebnis: **254.7** (241)
 Serien: 84.0 82.8 87.9
 Zähler: 3 9 8 7 2 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4167 (8), 3459 (20), 3342 (9)
 beste Teiler 286.1 (26.) 554.5 (6.) 682.6 (11.)
 Trefferlage 5.97 mm rechts, 1.12 mm tief
 Streuwert 15.19, horizontal: 12.08, vertikal: 17.76



Serie 1:
 9.5 ↘ 8.1 ↓ 7.7 ↘ 8.6 ↑ 9.7 ↗
 10.3 ↑ 8.5 ↗ 5.7 ↓ 6.8 ↗ 9.1 →
 beste Teiler 554.5 (6.) 1035.9 (5.) 1194.1 (1.)
 Trefferlage 8.33 mm rechts, 0.34 mm hoch
 Streuwert 16.05, horizontal: 9.83, vertikal: 20.45





Serie 2:
 10.1 ↗ 7.4 → 7.3 → 9.8 ↙ 9.2 →
 7.0 → 7.2 ↑ 8.9 ↓ 9.3 ↙ 6.6 ↓
 beste Teiler 682.6 (11.) 939.0 (14.) 1313.5 (19.)
 Trefferlage 8.76 mm rechts, 1.63 mm tief
 Streuwert 16.21, horizontal: 15.87, vertikal: 16.56




Serie 3:
 8.3 ↘ 9.0 ↙ 9.8 ↙ 7.0 ↓ 8.8 ↑
 10.6 * 8.2 ↓ 9.8 ↑ 7.9 ↗ 8.5 ↖
 beste Teiler 286.1 (26.) 919.3 (23.) 936.5 (28.)
 Trefferlage 0.83 mm rechts, 2.09 mm tief
 Streuwert 14.09, horizontal: 8.79, vertikal: 17.89

Unterschrift des Schützen


Ergebnis: **284.3** (270)
 Serien: 92.5 96.9 94.9
 Zähler: 9 13 7 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2477 (10), 2310 (27), 2011 (19)
 beste Teiler 259.3 (30.) 316.4 (6.) 404.5 (13.)
 Trefferlage 6.12 mm rechts, 3.22 mm tief
 Streuwert 8.02, horizontal: 6.86, vertikal: 9.04



Serie 1:
 10.0 ← 9.8 → 9.7 ↓ 8.8 ↗ 8.8 ↘
 10.6 * 8.7 ↑ 9.0 → 9.2 ↗ 7.9 ↓
 beste Teiler 316.4 (6.) 750.2 (1.) 929.7 (2.)
 Trefferlage 7.36 mm rechts, 1.03 mm tief
 Streuwert 9.60, horizontal: 7.17, vertikal: 11.53





Serie 2:
 9.6 ↓ 9.9 ↓ 10.4 * 10.0 ↖ 9.4 ↘
 9.9 ↗ 9.8 ↘ 9.4 ↓ 8.4 ↗ 10.1 ↘
 beste Teiler 404.5 (13.) 680.1 (20.) 730.0 (14.)
 Trefferlage 3.10 mm rechts, 4.36 mm tief
 Streuwert 7.08, horizontal: 6.85, vertikal: 7.31




Serie 3:
 10.2 ↗ 10.0 ↓ 9.7 ↗ 9.4 ↘ 9.8 ↓
 8.4 ↘ 8.1 ↘ 8.7 → 10.0 → 10.6 *
 beste Teiler 259.3 (30.) 629.3 (21.) 790.1 (22.)
 Trefferlage 7.91 mm rechts, 4.28 mm tief
 Streuwert 7.30, horizontal: 6.16, vertikal: 8.29

Unterschrift des Schützen


Ergebnis: **279.8** (267)
 Serien: 92.8 95.2 91.8
 Zähler: 8 13 7 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3192 (10), 2644 (25), 2138 (21)
 beste Teiler 144.6 (27.) 311.3 (3.) 324.1 (20.)
 Trefferlage 4.80 mm links, 4.03 mm hoch
 Streuwert 9.58, horizontal: 8.94, vertikal: 10.18



Serie 1:
 9.8 ↙ 9.3 ↗ 10.6 * 8.9 ↑ 9.5 ↓
 10.2 ↙ 9.1 ↘ 9.6 ↘ 8.8 ↘ 7.0 ↑
 beste Teiler 311.3 (3.) 568.3 (6.) 944.5 (1.)
 Trefferlage 2.96 mm links, 6.66 mm hoch
 Streuwert 10.16, horizontal: 7.22, vertikal: 12.43





Serie 2:
 10.0 ↙ 9.5 ↑ 8.7 ↖ 9.2 ↑ 8.4 ↖
 10.0 ↗ 9.1 → 10.3 ↗ 9.5 ↖ 10.5 *
 beste Teiler 324.1 (20.) 549.2 (18.) 758.1 (11.)
 Trefferlage 1.50 mm links, 6.47 mm hoch
 Streuwert 7.97, horizontal: 9.28, vertikal: 6.40




Serie 3:
 8.3 ← 9.2 ↘ 10.0 ↑ 9.7 ↘ 7.6 ↙
 8.6 ← 10.8 * 9.9 ← 9.3 ↑ 8.4 ↙
 beste Teiler 144.6 (27.) 790.1 (23.) 819.2 (28.)
 Trefferlage 9.95 mm links, 1.05 mm tief
 Streuwert 9.21, horizontal: 8.60, vertikal: 9.78

Unterschrift des Schützen


Ergebnis: **283.4** (271)
 Serien: 96.4 95.1 91.9
 Zähler: 11 11 7 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3475 (21), 2232 (24), 2212 (11)
 beste Teiler 226.8 (4.) 459.2 (17.) 468.9 (8.)
 Trefferlage 2.50 mm links, 1.60 mm tief
 Streuwert 9.78, horizontal: 6.88, vertikal: 11.99



Serie 1:
 9.7 ↘ 10.4 * 8.7 ↙ 10.7 * 9.1 ↘
 9.5 ↓ 9.0 ↙ 10.4 * 9.7 ↓ 9.2 →
 beste Teiler 226.8 (4.) 468.9 (8.) 475.1 (2.)
 Trefferlage 1.59 mm links, 8.15 mm tief
 Streuwert 6.06, horizontal: 7.12, vertikal: 4.77





Serie 2:
 8.2 ↓ 9.7 ← 9.1 ↙ 10.1 ↘ 8.8 ↑
 10.3 → 10.4 * 9.7 ← 10.3 ↑ 8.5 ←
 beste Teiler 459.2 (17.) 498.2 (19.) 526.3 (16.)
 Trefferlage 3.92 mm links, 1.37 mm tief
 Streuwert 9.12, horizontal: 8.29, vertikal: 9.89




Serie 3:
 6.6 ↑ 9.9 ↓ 8.6 ↑ 8.2 ↙ 10.1 ↓
 9.7 ↑ 10.2 ↙ 8.5 ↑ 10.0 ↘ 10.1 ↓
 beste Teiler 605.4 (27.) 688.2 (30.) 700.2 (25.)
 Trefferlage 1.99 mm links, 4.70 mm hoch
 Streuwert 11.85, horizontal: 5.45, vertikal: 15.84

Unterschrift des Schützen


Ergebnis: **283.5** (272)
 Serien: 95.3 94.7 93.5
 Zähler: 11 11 7 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2963 (26), 2351 (29), 2229 (8)
 beste Teiler 201.2 (5.) 227.2 (9.) 357.3 (22.)
 Trefferlage 2.45 mm links, 6.82 mm tief
 Streuwert 8.55, horizontal: 7.24, vertikal: 9.68



Serie 1:
 8.8 ↘ 9.1 ↓ 8.2 ↙ 10.4 * 10.7 *
 9.5 ↓ 9.6 ↙ 8.2 ↓ 10.7 * 10.1 ↙
 beste Teiler 201.2 (5.) 227.2 (9.) 459.3 (4.)
 Trefferlage 2.13 mm links, 9.72 mm tief
 Streuwert 6.83, horizontal: 4.50, vertikal: 8.55





Serie 2:
 10.5 * 9.2 ↓ 8.4 ↓ 10.4 * 10.2 ↗
 10.0 ↙ 9.5 ↘ 8.6 ↓ 9.1 ↓ 8.8 ↓
 beste Teiler 362.0 (11.) 456.8 (14.) 583.9 (15.)
 Trefferlage 2.43 mm links, 7.58 mm tief
 Streuwert 7.81, horizontal: 3.60, vertikal: 10.44




Serie 3:
 10.4 * 10.5 * 9.9 ↗ 9.4 ↙ 9.7 →
 7.2 ← 10.1 ← 9.3 ↗ 8.0 ↙ 9.0 ↙
 beste Teiler 357.3 (22.) 453.3 (21.) 655.3 (27.)
 Trefferlage 2.78 mm links, 3.17 mm tief
 Streuwert 10.74, horizontal: 11.64, vertikal: 9.75

Unterschrift des Schützen


Ergebnis: **290.3** (277)
 Serien: 97.2 95.4 97.7
 Zähler: 13 12 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2466 (5), 2062 (19), 1795 (8)
 beste Teiler 112.2 (4.) 189.6 (29.) 244.7 (6.)
 Trefferlage 0.86 mm links, 0.13 mm tief
 Streuwert 8.50, horizontal: 4.33, vertikal: 11.21



Serie 1:
 10.4 * 10.5 * 10.0 ↙ 10.8 * 7.9 ↓
 10.6 * 9.3 ↑ 8.7 ↑ 10.2 ← 8.8 ↘
 beste Teiler 112.2 (4.) 244.7 (6.) 361.5 (2.)
 Trefferlage 2.04 mm links, 0.99 mm hoch
 Streuwert 9.12, horizontal: 3.34, vertikal: 12.45



Serie 2:
 9.9 ↓ 9.3 ↑ 9.1 ↑ 9.2 ↓ 10.6 *
 10.1 ↓ 9.3 ↑ 10.2 ↘ 8.4 ↓ 9.3 ↓
 beste Teiler 298.0 (15.) 606.0 (18.) 641.4 (16.)
 Trefferlage 0.59 mm links, 1.67 mm tief
 Streuwert 9.07, horizontal: 2.70, vertikal: 12.54





Serie 3:
 10.2 ↑ 10.6 * 10.4 * 9.6 ↓ 8.8 ↘
 9.6 ↗ 9.3 ↓ 9.1 ↓ 10.7 * 9.4 ↗
 beste Teiler 189.6 (29.) 303.2 (22.) 415.6 (23.)
 Trefferlage 0.03 mm rechts, 0.25 mm hoch
 Streuwert 7.99, horizontal: 6.28, vertikal: 9.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284.2** (270)
 Serien: 95.9 97.4 90.9
 Zähler: 11 11 6 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3607 (11), 2458 (23), 2321 (21)
 beste Teiler 87.6 (20.) 154.1 (13.) 179.6 (16.)
 Trefferlage 2.20 mm rechts, 0.09 mm tief
 Streuwert 10.13, horizontal: 5.94, vertikal: 13.03



Serie 1:
 9.9 ↘ 10.6 * 9.8 ↘ 8.6 ↑ 10.1 ↖
 9.5 ↑ 9.3 ↓ 9.9 ↑ 8.7 ↑ 9.5 ↑
 beste Teiler 299.1 (2.) 646.2 (5.) 838.5 (1.)
 Trefferlage 1.95 mm rechts, 4.54 mm hoch
 Streuwert 8.09, horizontal: 3.67, vertikal: 10.84





Serie 2:
 6.4 ↓ 10.4 * 10.8 * 8.4 ↑ 10.3 ↑
 10.7 * 9.8 ↖ 9.7 ↘ 10.1 ↘ 10.8 *
 beste Teiler 87.6 (20.) 154.1 (13.) 179.6 (16.)
 Trefferlage 0.82 mm rechts, 1.91 mm tief
 Streuwert 10.38, horizontal: 3.48, vertikal: 14.26




Serie 3:
 8.0 ↑ 10.3 ↖ 7.9 ↘ 10.1 ← 8.5 ↓
 10.3 ← 8.8 ↓ 9.0 → 9.0 ↑ 9.0 ↓
 beste Teiler 514.3 (22.) 519.0 (26.) 689.5 (24.)
 Trefferlage 3.84 mm rechts, 2.91 mm tief
 Streuwert 11.67, horizontal: 9.10, vertikal: 13.78

Unterschrift des Schützen


Ergebnis: **298.6** (282)
 Serien: 100.5 100.2 97.9
 Zähler: 14 14 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2206 (23), 1696 (20), 1460 (8)
 beste Teiler 87.2 (11.) 91.6 (16.) 251.4 (21.)
 Trefferlage 1.51 mm rechts, 0.93 mm tief
 Streuwert 6.71, horizontal: 4.96, vertikal: 8.09



Serie 1:
 10.5 * 9.7 ↑ 10.2 ↘ 9.3 → 10.5 *
 9.8 ↑ 10.5 * 9.1 ↘ 10.5 * 10.4 *
 beste Teiler 336.2 (9.) 346.2 (1.) 396.1 (5.)
 Trefferlage 3.69 mm rechts, 0.57 mm hoch
 Streuwert 5.53, horizontal: 4.42, vertikal: 6.45





Serie 2:
 10.8 * 10.6 * 9.8 → 9.2 ↓ 10.6 *
 10.8 * 10.1 ↙ 9.7 ↙ 9.8 ↓ 8.8 ↑
 beste Teiler 87.2 (11.) 91.6 (16.) 267.1 (12.)
 Trefferlage 0.12 mm rechts, 2.20 mm tief
 Streuwert 6.58, horizontal: 4.57, vertikal: 8.10




Serie 3:
 10.6 * 9.9 ↙ 8.2 ↓ 9.4 ↑ 9.8 ↓
 9.9 ↑ 10.4 * 10.6 * 9.9 ↓ 9.2 ↗
 beste Teiler 251.4 (21.) 257.8 (28.) 403.1 (27.)
 Trefferlage 0.74 mm rechts, 1.18 mm tief
 Streuwert 8.05, horizontal: 5.54, vertikal: 9.95

Unterschrift des Schützen


Ergebnis: **301.6** (287)
 Serien: 100.0 100.0 101.6
 Zähler: 19 9 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1902 (3), 1745 (11), 1496 (16)
 beste Teiler 164.2 (24.) 195.0 (10.) 200.5 (12.)
 Trefferlage 1.13 mm links, 0.07 mm tief
 Streuwert 6.16, horizontal: 3.93, vertikal: 7.77



Serie 1:
 10.7 * 9.9 → 8.6 ↓ 9.8 ↑ 9.9 →
 9.1 ↓ 10.7 * 10.5 * 10.1 ↑ 10.7 *
 beste Teiler 195.0 (10.) 230.7 (1.) 239.3 (7.)
 Trefferlage 2.11 mm rechts, 1.75 mm tief
 Streuwert 6.67, horizontal: 3.57, vertikal: 8.72





Serie 2:
 8.8 ↑ 10.7 * 10.6 * 10.0 ↑ 9.7 ↙
 9.1 ↙ 10.5 * 10.2 ← 9.8 ↖ 10.6 *
 beste Teiler 200.5 (12.) 258.3 (13.) 260.0 (20.)
 Trefferlage 4.03 mm links, 0.90 mm hoch
 Streuwert 6.11, horizontal: 3.66, vertikal: 7.83




Serie 3:
 10.1 ↘ 10.6 * 10.4 ↖ 10.7 * 10.5 *
 10.4 * 9.6 ↓ 9.2 ↑ 10.0 ↑ 10.1 ↓
 beste Teiler 164.2 (24.) 295.0 (22.) 341.2 (25.)
 Trefferlage 1.47 mm links, 0.61 mm hoch
 Streuwert 5.24, horizontal: 1.58, vertikal: 7.24

Unterschrift des Schützen


Ergebnis: **280.5** (266)
 Serien: 92.0 95.4 93.1
 Zähler: 4 18 8 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2053 (8), 2005 (9), 1925 (13)
 beste Teiler 431.8 (2.) 673.3 (12.) 754.6 (14.)
 Trefferlage 5.34 mm rechts, 0.42 mm hoch
 Streuwert 8.89, horizontal: 5.66, vertikal: 11.23



Serie 1:
 8.8 ↘ 10.4 * 9.6 ↗ 9.4 ↘ 9.5 ↘
 9.7 ↓ 9.0 ↘ 8.4 ↑ 8.4 ↘ 8.8 ↑
 beste Teiler 431.8 (2.) 980.8 (6.) 1109.9 (3.)
 Trefferlage 5.28 mm rechts, 3.99 mm tief
 Streuwert 9.88, horizontal: 3.39, vertikal: 13.56





Serie 2:
 9.3 → 10.1 ↘ 8.5 ↘ 10.0 ↗ 9.9 ↑
 9.7 ↓ 8.6 → 10.0 ↗ 9.5 ↘ 9.8 →
 beste Teiler 673.3 (12.) 754.6 (14.) 776.6 (18.)
 Trefferlage 6.40 mm rechts, 1.38 mm hoch
 Streuwert 7.58, horizontal: 7.79, vertikal: 7.36




Serie 3:
 9.2 ↘ 9.1 ↑ 8.8 ↓ 8.8 ↗ 9.3 ↑
 9.6 ↗ 9.4 ↘ 9.6 ↑ 9.9 ↓ 9.4 →
 beste Teiler 809.4 (29.) 1054.8 (26.) 1079.6 (28.)
 Trefferlage 4.35 mm rechts, 3.88 mm hoch
 Streuwert 8.98, horizontal: 5.35, vertikal: 11.51

Unterschrift des Schützen

Ergebnis: **297.9** (282)
 Serien: 99.7 98.4 99.8
 Zähler: 13 16 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1741 (4), 1412 (10), 1405 (3)
 beste Teiler 173.2 (8.) 213.2 (23.) 218.4 (9.)
 Trefferlage 1.79 mm rechts, 1.22 mm tief
 Streuwert 6.40, horizontal: 5.28, vertikal: 7.35



Serie 1:
 10.2 ↗ 10.5 * 9.2 ↓ 8.8 ↙ 10.2 ↘
 9.5 ↗ 10.7 * 10.7 * 10.7 * 9.2 ↓
 beste Teiler 173.2 (8.) 218.4 (9.) 221.7 (7.)
 Trefferlage 0.07 mm rechts, 3.43 mm tief
 Streuwert 6.70, horizontal: 5.80, vertikal: 7.49



Serie 2:
 9.8 ↙ 9.6 ↗ 9.9 ↙ 9.4 ↗ 10.0 →
 9.9 ↓ 9.3 ↑ 9.9 ↘ 10.3 ↘ 10.3 →
 beste Teiler 495.7 (20.) 541.2 (19.) 776.2 (15.)
 Trefferlage 3.00 mm rechts, 0.71 mm hoch
 Streuwert 6.64, horizontal: 6.60, vertikal: 6.67





Serie 3:
 9.8 ↑ 9.2 ↓ 10.7 * 10.0 ↑ 9.9 ↑
 9.9 ↓ 9.8 ↓ 9.8 → 10.5 * 10.2 ↓
 beste Teiler 213.2 (23.) 338.7 (29.) 632.4 (30.)
 Trefferlage 2.31 mm rechts, 0.96 mm tief
 Streuwert 5.96, horizontal: 2.71, vertikal: 7.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290.9** (276)
 Serien: 96.3 99.5 95.1
 Zähler: 14 11 3 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3439 (22), 2715 (17), 1890 (3)
 beste Teiler 129.0 (12.) 177.0 (23.) 304.6 (18.)
 Trefferlage 1.62 mm links, 2.99 mm tief
 Streuwert 8.54, horizontal: 7.55, vertikal: 9.42



Serie 1:
 9.3 ↓ 10.4 * 8.6 ↖ 9.4 ↗ 9.4 ←
 10.1 ↖ 10.2 → 8.8 ↘ 10.6 * 9.5 ↓
 beste Teiler 308.7 (9.) 446.3 (2.) 620.6 (7.)
 Trefferlage 0.64 mm links, 0.68 mm tief
 Streuwert 8.74, horizontal: 8.15, vertikal: 9.29





Serie 2:
 10.2 ↖ 10.8 * 10.3 ↓ 10.0 ↗ 10.3 ↓
 9.8 ↓ 7.6 ↖ 10.6 * 10.4 * 9.5 ↖
 beste Teiler 129.0 (12.) 304.6 (18.) 469.2 (19.)
 Trefferlage 3.54 mm links, 0.01 mm hoch
 Streuwert 7.48, horizontal: 7.54, vertikal: 7.43




Serie 3:
 9.4 ↘ 6.7 ↓ 10.7 * 9.9 ↓ 10.3 ←
 10.3 ↘ 9.9 ↓ 9.6 ↘ 9.5 ← 8.8 ↗
 beste Teiler 177.0 (23.) 496.4 (26.) 504.9 (25.)
 Trefferlage 0.68 mm links, 8.32 mm tief
 Streuwert 8.70, horizontal: 7.36, vertikal: 9.85

Unterschrift des Schützen


Ergebnis: **288.0** (274)
 Serien: 100.6 94.6 92.8
 Zähler: 11 13 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2947 (27), 2387 (21), 2020 (17)
 beste Teiler 120.4 (5.) 238.3 (24.) 283.1 (7.)
 Trefferlage 3.44 mm links, 1.11 mm tief
 Streuwert 8.72, horizontal: 4.93, vertikal: 11.31



Serie 1:
 10.0 ↓ 9.7 ↑ 9.4 ↙ 10.1 ← 10.8 *
 9.8 ↘ 10.6 * 9.7 ↘ 10.3 ↑ 10.2 ↘
 beste Teiler 120.4 (5.) 283.1 (7.) 495.7 (9.)
 Trefferlage 3.63 mm links, 0.45 mm hoch
 Streuwert 5.13, horizontal: 3.04, vertikal: 6.59



Serie 2:
 8.4 ↘ 10.0 ↘ 9.5 ↓ 9.4 ↓ 9.9 ↑
 9.3 ↓ 8.4 ↓ 10.0 ↙ 9.8 ↓ 9.9 ↓
 beste Teiler 731.4 (18.) 799.0 (12.) 805.5 (15.)
 Trefferlage 2.39 mm links, 4.58 mm tief
 Streuwert 8.62, horizontal: 4.55, vertikal: 11.30





Serie 3:
 8.0 ↑ 8.5 ↑ 10.4 * 10.7 * 9.8 ↙
 9.3 ↙ 7.3 ↓ 9.7 ↘ 8.5 ← 10.6 *
 beste Teiler 238.3 (24.) 288.3 (30.) 427.1 (23.)
 Trefferlage 4.31 mm links, 0.77 mm hoch
 Streuwert 11.55, horizontal: 6.81, vertikal: 14.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **294.9** (284)
 Serien: 99.9 98.9 96.1
 Zähler: 17 10 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2116 (30), 2081 (5), 1643 (8)
 beste Teiler 131.8 (4.) 132.0 (10.) 318.5 (16.)
 Trefferlage 1.90 mm links, 1.17 mm tief
 Streuwert 7.35, horizontal: 7.11, vertikal: 7.58



Serie 1:
 10.2 ← 10.2 ↓ 10.2 ↘ 10.8 * 8.3 ←
 10.2 → 10.0 ↓ 8.9 ↘ 10.3 ↘ 10.8 *
 beste Teiler 131.8 (4.) 132.0 (10.) 546.0 (9.)
 Trefferlage 0.30 mm links, 4.76 mm tief
 Streuwert 6.29, horizontal: 7.84, vertikal: 4.19





Serie 2:
 9.5 ↑ 10.2 ← 10.2 ← 9.9 ↗ 10.2 ←
 10.6 * 10.0 ← 9.4 ↘ 9.9 ↓ 9.0 ↑
 beste Teiler 318.5 (16.) 592.3 (12.) 599.4 (13.)
 Trefferlage 1.35 mm links, 0.78 mm hoch
 Streuwert 6.87, horizontal: 5.45, vertikal: 8.05




Serie 3:
 9.6 ← 10.4 * 9.0 ↑ 9.2 ↓ 10.5 *
 10.3 ← 9.2 ↙ 9.3 ↗ 10.3 ↖ 8.3 ←
 beste Teiler 390.5 (25.) 403.1 (22.) 494.4 (29.)
 Trefferlage 4.06 mm links, 0.46 mm hoch
 Streuwert 8.51, horizontal: 7.96, vertikal: 9.02

Unterschrift des Schützen


Ergebnis: **269.3** (256)
 Serien: 88.6 90.0 90.7
 Zähler: 5 9 13 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3059 (1), 3057 (4), 2605 (16)
 beste Teiler 38.9 (6.) 429.1 (17.) 519.6 (2.)
 Trefferlage 5.11 mm links, 5.75 mm hoch
 Streuwert 11.34, horizontal: 7.52, vertikal: 14.16



Serie 1:
 7.1 ↗ 10.3 ↘ 8.7 ↘ 7.1 ↑ 9.8 ↑
 10.9 * 8.6 ↘ 8.1 ↗ 9.0 ↘ 9.0 ↙
 beste Teiler 38.9 (6.) 519.6 (2.) 908.6 (5.)
 Trefferlage 1.98 mm links, 11.55 mm hoch
 Streuwert 11.25, horizontal: 9.22, vertikal: 12.96





Serie 2:
 8.0 ↑ 8.1 ↘ 9.5 ↘ 8.6 ↘ 9.4 ←
 7.7 ↓ 10.4 * 9.9 ↘ 8.1 ↗ 10.3 ↑
 beste Teiler 429.1 (17.) 534.8 (20.) 843.4 (18.)
 Trefferlage 5.91 mm links, 6.86 mm hoch
 Streuwert 11.05, horizontal: 6.43, vertikal: 14.24




Serie 3:
 8.8 ← 8.9 ← 9.0 ↙ 8.5 ↑ 9.9 ←
 8.8 ↑ 10.2 ↑ 8.7 ↙ 8.0 ↓ 9.9 ↙
 beste Teiler 621.0 (27.) 814.6 (25.) 839.1 (30.)
 Trefferlage 7.43 mm links, 1.16 mm tief
 Streuwert 10.53, horizontal: 6.20, vertikal: 13.53

Unterschrift des Schützen


Ergebnis: **292.5** (280)
 Serien: 95.7 95.0 101.8
 Zähler: 13 14 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2255 (3), 2053 (6), 1857 (16)
 beste Teiler 189.0 (1.) 192.0 (30.) 236.9 (25.)
 Trefferlage 4.03 mm rechts, 3.21 mm tief
 Streuwert 7.01, horizontal: 3.90, vertikal: 9.11



Serie 1:
 10.7 * 9.0 ↓ 8.1 ↓ 10.4 * 9.9 ↘
 8.4 ↘ 9.1 ↘ 10.4 * 10.3 ↘ 9.4 ↘
 beste Teiler 189.0 (1.) 454.0 (8.) 459.6 (4.)
 Trefferlage 4.87 mm rechts, 7.77 mm tief
 Streuwert 6.78, horizontal: 4.30, vertikal: 8.57





Serie 2:
 9.6 ↘ 9.5 ↘ 9.7 ↘ 9.4 ↑ 9.2 ↑
 8.6 ↓ 9.0 ↑ 9.8 ↑ 10.1 → 10.1 ↓
 beste Teiler 664.8 (20.) 669.8 (19.) 933.3 (18.)
 Trefferlage 4.75 mm rechts, 0.44 mm tief
 Streuwert 8.27, horizontal: 3.09, vertikal: 11.28




Serie 3:
 10.7 * 10.3 ↗ 10.1 ↘ 9.5 ↓ 10.7 *
 10.3 ↘ 10.3 → 9.5 ↗ 9.7 ↘ 10.7 *
 beste Teiler 192.0 (30.) 236.9 (25.) 237.4 (21.)
 Trefferlage 2.46 mm rechts, 1.42 mm tief
 Streuwert 4.93, horizontal: 4.10, vertikal: 5.63

Unterschrift des Schützen


Ergebnis: **286.0** (271)
 Serien: 92.9 95.9 97.2
 Zähler: 7 18 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2543 (7), 2193 (19), 2174 (8)
 beste Teiler 99.0 (17.) 251.5 (21.) 356.1 (18.)
 Trefferlage 4.90 mm links, 0.31 mm tief
 Streuwert 8.41, horizontal: 8.05, vertikal: 8.75



Serie 1:
 9.4 ↙ 8.8 ↖ 10.1 ↓ 9.5 → 9.6 ←
 10.1 ↘ 7.8 ← 8.2 ↑ 9.5 ↗ 9.9 ←
 beste Teiler 662.3 (3.) 674.5 (6.) 839.3 (10.)
 Trefferlage 5.40 mm links, 1.36 mm hoch
 Streuwert 10.06, horizontal: 10.80, vertikal: 9.26



Serie 2:
 9.6 ← 10.5 * 9.1 ↖ 9.7 ↖ 8.8 ↓
 9.1 ↖ 10.8 * 10.5 * 8.2 ↘ 9.6 ←
 beste Teiler 99.0 (17.) 356.1 (18.) 362.6 (12.)
 Trefferlage 3.56 mm links, 0.97 mm tief
 Streuwert 8.90, horizontal: 8.07, vertikal: 9.66





Serie 3:
 10.6 * 9.9 ↖ 9.0 ↙ 9.3 ↓ 9.5 ↖
 10.4 * 9.9 ↙ 9.9 ← 9.1 ↖ 9.6 ←
 beste Teiler 251.5 (21.) 404.6 (26.) 816.7 (22.)
 Trefferlage 5.75 mm links, 1.33 mm tief
 Streuwert 6.58, horizontal: 4.90, vertikal: 7.91

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **275.9** (262)
 Serien: 91.4 94.1 90.4
 Zähler: 4 15 10 1 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2701 (17), 2312 (28), 2088 (23)
 beste Teiler 431.9 (5.) 501.0 (20.) 536.6 (9.)
 Trefferlage 1.41 mm rechts, 2.20 mm hoch
 Streuwert 10.64, horizontal: 7.79, vertikal: 12.88




Serie 1:
 8.7 ↘ 8.8 ↘ 8.9 ↑ 8.4 ↑ 10.4 *
 9.0 ↘ 9.9 ↙ 8.4 ↘ 10.3 ← 8.6 ↖

beste Teiler 431.9 (5.) 536.6 (9.) 838.4 (7.)
 Trefferlage 1.79 mm rechts, 1.48 mm tief
 Streuwert 11.38, horizontal: 9.46, vertikal: 13.02



Serie 2:
 9.8 ↑ 9.3 ↘ 9.5 ↗ 9.6 ↘ 9.7 ←
 9.5 ↓ 7.6 ↑ 9.4 ↑ 9.4 ↘ 10.3 ↖

beste Teiler 501.0 (20.) 926.5 (11.) 1026.2 (15.)
 Trefferlage 1.84 mm rechts, 1.39 mm hoch
 Streuwert 9.83, horizontal: 5.94, vertikal: 12.58





Serie 3:
 10.2 ↘ 9.2 ↓ 8.3 ↑ 9.7 ↗ 8.8 ↖
 9.3 ↓ 9.4 ↗ 8.1 ↑ 9.0 ↑ 8.4 ↑


beste Teiler 620.6 (21.) 998.4 (24.) 1274.9 (27.)
 Trefferlage 0.61 mm rechts, 6.70 mm hoch
 Streuwert 10.91, horizontal: 8.35, vertikal: 12.97

Unterschrift des Schützen


Ergebnis: **298.5** (281)
 Serien: 99.7 98.3 100.5
 Zähler: 15 11 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2056 (13), 1861 (6), 1722 (14)
 beste Teiler 180.0 (25.) 208.0 (16.) 237.8 (21.)
 Trefferlage 0.86 mm rechts, 2.80 mm tief
 Streuwert 6.55, horizontal: 4.21, vertikal: 8.25



Serie 1:
 10.3 ↘ 9.9 → 10.6 * 9.8 ↘ 10.2 →
 8.6 ↓ 10.6 * 10.2 → 9.8 ↗ 9.7 ↘
 beste Teiler 256.2 (7.) 303.9 (3.) 553.3 (1.)
 Trefferlage 2.11 mm rechts, 3.58 mm tief
 Streuwert 5.90, horizontal: 4.09, vertikal: 7.27





Serie 2:
 10.6 * 10.7 * 8.4 ↓ 8.8 ↘ 9.7 ↘
 10.7 * 9.8 ↗ 9.3 ↓ 9.8 ← 10.5 *
 beste Teiler 208.0 (16.) 238.0 (12.) 287.3 (11.)
 Trefferlage 1.11 mm rechts, 5.35 mm tief
 Streuwert 7.10, horizontal: 5.63, vertikal: 8.32




Serie 3:
 10.7 * 9.9 ↗ 9.2 ↑ 8.8 ↓ 10.7 *
 10.5 * 9.8 ↓ 10.3 ↖ 10.0 ↑ 10.6 *
 beste Teiler 180.0 (25.) 237.8 (21.) 288.1 (30.)
 Trefferlage 0.63 mm links, 0.52 mm hoch
 Streuwert 6.37, horizontal: 2.08, vertikal: 8.76

Unterschrift des Schützen


Ergebnis: **298.6** (285)
 Serien: 101.9 97.7 99.0
 Zähler: 16 13 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1619 (28), 1547 (22), 1479 (18)
 beste Teiler 156.6 (5.) 188.8 (3.) 197.2 (24.)
 Trefferlage 4.42 mm links, 0.10 mm hoch
 Streuwert 5.58, horizontal: 3.71, vertikal: 6.96



Serie 1:
 10.3 ↖ 9.8 ← 10.7 * 10.5 * 10.8 *
 9.7 ↖ 10.6 * 10.0 ↙ 9.8 ↓ 9.7 ↑
 beste Teiler 156.6 (5.) 188.8 (3.) 298.6 (7.)
 Trefferlage 3.43 mm links, 0.55 mm tief
 Streuwert 4.46, horizontal: 3.56, vertikal: 5.20





Serie 2:
 9.7 ↗ 9.1 ↖ 9.8 ← 10.0 ↓ 10.1 ↙
 9.8 ↙ 9.7 ← 9.1 ↓ 10.0 ↓ 10.4 *
 beste Teiler 447.1 (20.) 683.0 (15.) 725.3 (19.)
 Trefferlage 6.23 mm links, 2.01 mm tief
 Streuwert 5.59, horizontal: 2.66, vertikal: 7.44




Serie 3:
 9.6 ↓ 9.0 ↖ 10.3 ← 10.7 * 10.3 ←
 10.2 ↗ 10.3 ↖ 8.9 ↖ 9.3 ↑ 10.4 *
 beste Teiler 197.2 (24.) 434.5 (30.) 494.7 (25.)
 Trefferlage 3.59 mm links, 2.88 mm hoch
 Streuwert 6.28, horizontal: 4.38, vertikal: 7.72

Unterschrift des Schützen


Ergebnis: **305.8** (292)
 Serien: 101.9 100.3 103.6
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1305 (11), 1249 (6), 1113 (17)
 beste Teiler 31.5 (22.) 239.2 (1.) 247.4 (4.)
 Trefferlage 1.06 mm links, 1.97 mm tief
 Streuwert 4.71, horizontal: 3.76, vertikal: 5.49



Serie 1:
 10.7 * 10.5 * 9.6 ↓ 10.6 * 10.2 ↓
 9.4 ↓ 9.9 ↓ 10.4 * 10.0 ↑ 10.6 *
 beste Teiler 239.2 (1.) 247.4 (4.) 314.2 (10.)
 Trefferlage 0.30 mm rechts, 2.19 mm tief
 Streuwert 5.03, horizontal: 2.37, vertikal: 6.71





Serie 2:
 9.3 ← 9.7 ↘ 10.2 ↓ 10.3 ↓ 10.3 ←
 10.4 * 9.6 ↑ 10.2 ↘ 10.5 * 9.8 ↗
 beste Teiler 397.2 (19.) 432.4 (16.) 532.6 (15.)
 Trefferlage 2.50 mm links, 1.82 mm tief
 Streuwert 5.48, horizontal: 5.15, vertikal: 5.80




Serie 3:
 10.5 * 10.9 * 10.1 ↖ 10.3 → 10.5 *
 10.6 * 10.6 * 10.3 ↓ 9.7 ↓ 10.1 ↓
 beste Teiler 31.5 (22.) 256.1 (27.) 288.3 (26.)
 Trefferlage 0.98 mm links, 1.88 mm tief
 Streuwert 3.70, horizontal: 2.99, vertikal: 4.30

Unterschrift des Schützen


Ergebnis: **278.3** (266)
 Serien: 92.9 89.4 96.0
 Zähler: 10 11 5 3 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3706 (25), 2966 (18), 2837 (15)
 beste Teiler 228.3 (21.) 348.4 (24.) 351.0 (19.)
 Trefferlage 1.64 mm rechts, 2.81 mm hoch
 Streuwert 11.19, horizontal: 11.15, vertikal: 11.24



Serie 1:
 8.5 ↗ 9.9 ↘ 9.8 → 10.3 ↙ 8.4 ↑
 9.0 ↗ 9.2 ↗ 9.7 ↘ 7.7 ↙ 10.4 *
 beste Teiler 472.6 (10.) 505.0 (4.) 851.9 (2.)
 Trefferlage 2.13 mm rechts, 4.30 mm hoch
 Streuwert 10.48, horizontal: 9.96, vertikal: 10.97





Serie 2:
 9.2 ↑ 9.8 ↘ 9.0 ↑ 9.1 ← 7.4 ↙
 8.3 ↙ 10.3 ↗ 7.2 ↗ 10.5 * 8.6 ↘
 beste Teiler 351.0 (19.) 494.0 (17.) 918.6 (12.)
 Trefferlage 1.02 mm links, 0.07 mm hoch
 Streuwert 13.41, horizontal: 14.46, vertikal: 12.27




Serie 3:
 10.7 * 8.9 ↓ 9.2 → 10.5 * 6.3 ↗
 10.0 ↘ 10.2 ↗ 10.4 * 9.5 ↑ 10.3 ↘
 beste Teiler 228.3 (21.) 348.4 (24.) 438.6 (28.)
 Trefferlage 3.82 mm rechts, 4.06 mm hoch
 Streuwert 10.06, horizontal: 8.87, vertikal: 11.12

Unterschrift des Schützen


Ergebnis: **299.7** (284)
 Serien: 98.2 100.3 101.2
 Zähler: 14 16 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1394 (15), 1338 (21), 1323 (16)
 beste Teiler 48.5 (14.) 203.2 (27.) 263.0 (1.)
 Trefferlage 0.27 mm links, 1.86 mm tief
 Streuwert 6.07, horizontal: 3.34, vertikal: 7.91



Serie 1:
 10.6 * 9.5 ↑ 9.9 ↓ 10.1 ↑ 9.4 ↓
 9.7 ↙ 9.8 ↑ 9.6 ↗ 10.2 ↘ 9.4 ↓
 beste Teiler 263.0 (1.) 620.8 (9.) 718.0 (4.)
 Trefferlage 1.04 mm links, 0.37 mm hoch
 Streuwert 7.08, horizontal: 3.88, vertikal: 9.23



Serie 2:
 9.8 ↓ 9.4 ↓ 10.5 * 10.9 * 9.2 ↓
 9.3 ↓ 10.5 * 10.3 ↘ 10.6 * 9.8 ↓
 beste Teiler 48.5 (14.) 294.1 (19.) 326.2 (13.)
 Trefferlage 0.53 mm rechts, 5.76 mm tief
 Streuwert 4.78, horizontal: 2.39, vertikal: 6.33





Serie 3:
 9.3 ↑ 10.4 * 9.8 ↑ 10.2 ↘ 10.5 *
 9.8 ↙ 10.7 * 10.4 * 9.6 ↓ 10.5 *
 beste Teiler 203.2 (27.) 321.4 (25.) 365.4 (30.)
 Trefferlage 0.29 mm links, 0.18 mm tief
 Streuwert 5.67, horizontal: 3.70, vertikal: 7.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **282.1** (269)
 Serien: 95.3 90.3 96.5
 Zähler: 8 15 5 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3031 (20), 2771 (12), 2122 (22)
 beste Teiler 296.1 (18.) 299.1 (26.) 326.0 (23.)
 Trefferlage 1.62 mm rechts, 2.63 mm tief
 Streuwert 9.84, horizontal: 5.44, vertikal: 12.81



Serie 1:
 9.4 ↗ 9.6 ↑ 9.7 ↘ 9.0 ↗ 10.0 ↓
 9.7 ↘ 8.8 ↑ 9.0 ↘ 10.2 ↗ 9.9 ↓
 beste Teiler 581.2 (9.) 746.4 (5.) 874.3 (10.)
 Trefferlage 2.69 mm rechts, 3.18 mm hoch
 Streuwert 8.30, horizontal: 5.97, vertikal: 10.11





Serie 2:
 9.3 ↘ 7.5 ↗ 9.6 ↓ 9.2 ↓ 8.9 ↗
 9.2 ↓ 8.4 ↓ 10.6 * 10.4 * 7.2 ↓
 beste Teiler 296.1 (18.) 419.7 (19.) 1049.0 (13.)
 Trefferlage 1.23 mm rechts, 6.36 mm tief
 Streuwert 12.13, horizontal: 6.19, vertikal: 16.00




Serie 3:
 9.8 ↑ 8.3 ↓ 10.5 * 8.6 ↘ 10.3 ↖
 10.6 * 9.3 ↑ 9.9 ↓ 9.1 ↘ 10.1 ↓
 beste Teiler 299.1 (26.) 326.0 (23.) 483.7 (25.)
 Trefferlage 0.92 mm rechts, 4.70 mm tief
 Streuwert 8.13, horizontal: 4.40, vertikal: 10.62

Unterschrift des Schützen


Ergebnis: **295.4** (280)
 Serien: 96.7 97.7 101.0
 Zähler: 13 14 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2278 (14), 1858 (9), 1649 (13)
 beste Teiler 180.1 (11.) 185.8 (8.) 218.5 (27.)
 Trefferlage 4.10 mm links, 0.90 mm tief
 Streuwert 6.57, horizontal: 5.15, vertikal: 7.73



Serie 1:
 9.7 ↓ 9.9 ↖ 9.0 ↓ 9.9 ↑ 9.3 ←
 9.8 ↑ 10.5 * 10.7 * 8.6 ↗ 9.3 ←
 beste Teiler 185.8 (8.) 357.7 (7.) 870.5 (4.)
 Trefferlage 6.22 mm links, 0.46 mm hoch
 Streuwert 7.10, horizontal: 5.94, vertikal: 8.09





Serie 2:
 10.7 * 9.9 ↙ 8.9 ↓ 8.1 ↑ 10.5 *
 9.7 ↓ 10.1 ← 9.7 ↖ 9.8 ↘ 10.3 ←
 beste Teiler 180.1 (11.) 398.0 (15.) 533.5 (20.)
 Trefferlage 4.32 mm links, 1.30 mm tief
 Streuwert 7.53, horizontal: 3.13, vertikal: 10.17




Serie 3:
 9.9 ↙ 10.2 → 9.6 ↓ 10.0 ↓ 9.7 ←
 10.2 ↘ 10.7 * 10.2 ↙ 10.4 * 10.1 →
 beste Teiler 218.5 (27.) 430.4 (29.) 591.6 (22.)
 Trefferlage 1.77 mm links, 1.86 mm tief
 Streuwert 5.00, horizontal: 5.43, vertikal: 4.54

Unterschrift des Schützen


Ergebnis: **287.3** (274)
 Serien: 96.5 95.6 95.2
 Zähler: 12 12 4 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2674 (25), 2542 (17), 2384 (23)
 beste Teiler 268.7 (28.) 270.9 (8.) 314.5 (12.)
 Trefferlage 0.52 mm links, 1.46 mm tief
 Streuwert 9.13, horizontal: 6.74, vertikal: 11.01



Serie 1:
 8.9 ↓ 10.5 * 10.5 * 9.4 ↗ 9.2 ↖
 9.1 ↖ 8.9 ↗ 10.6 * 9.6 ↓ 9.8 ↗
 beste Teiler 270.9 (8.) 323.9 (2.) 365.9 (3.)
 Trefferlage 0.53 mm links, 1.94 mm hoch
 Streuwert 8.58, horizontal: 6.45, vertikal: 10.27



Serie 2:
 9.4 ↘ 10.6 * 9.9 ↘ 9.1 ↓ 10.2 ↓
 9.1 ↑ 7.8 ↓ 10.0 ↑ 9.5 ↘ 10.0 ↗
 beste Teiler 314.5 (12.) 583.9 (15.) 745.5 (20.)
 Trefferlage 3.02 mm rechts, 3.27 mm tief
 Streuwert 8.79, horizontal: 5.55, vertikal: 11.13





Serie 3:
 9.2 ↖ 10.3 ↙ 8.0 ↓ 8.9 ↙ 7.6 ↙
 9.8 ↑ 10.2 ↙ 10.6 * 10.2 ↑ 10.4 *
 beste Teiler 268.7 (28.) 408.9 (30.) 496.4 (22.)
 Trefferlage 4.07 mm links, 3.07 mm tief
 Streuwert 9.69, horizontal: 6.77, vertikal: 11.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290.7** (275)
 Serien: 99.4 94.9 96.4
 Zähler: 11 14 4 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2606 (18), 1863 (11), 1808 (14)
 beste Teiler 167.9 (10.) 208.1 (7.) 277.5 (19.)
 Trefferlage 2.12 mm links, 0.55 mm hoch
 Streuwert 8.15, horizontal: 7.22, vertikal: 8.99



Serie 1:
 9.4 ↗ 9.8 ↗ 10.4 * 9.6 → 9.8 ←
 9.4 ← 10.7 * 10.3 → 9.3 ↓ 10.7 *
 beste Teiler 167.9 (10.) 208.1 (7.) 441.1 (3.)
 Trefferlage 0.25 mm rechts, 0.03 mm hoch
 Streuwert 6.74, horizontal: 6.98, vertikal: 6.48



Serie 2:
 8.6 ↘ 10.5 * 10.6 * 8.7 ↗ 9.0 ↓
 9.9 → 9.3 ← 7.7 ↘ 10.6 * 10.0 ↓
 beste Teiler 277.5 (19.) 282.8 (13.) 329.6 (12.)
 Trefferlage 1.55 mm links, 1.59 mm hoch
 Streuwert 10.23, horizontal: 8.60, vertikal: 11.63





Serie 3:
 9.4 ↖ 10.3 ↗ 9.8 ↓ 10.0 ↖ 8.9 ↖
 9.9 ↑ 10.3 ↓ 9.3 ↓ 8.8 ↓ 9.7 ↑
 beste Teiler 493.6 (27.) 523.7 (22.) 788.7 (24.)
 Trefferlage 5.08 mm links, 0.02 mm hoch
 Streuwert 7.41, horizontal: 5.38, vertikal: 9.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **270.2** (255)
 Serien: 88.8 87.7 93.7
 Zähler: 6 9 10 4 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3943 (11), 2932 (6), 2519 (28)
 beste Teiler 199.6 (30.) 266.7 (1.) 392.5 (20.)
 Trefferlage 8.30 mm links, 6.15 mm hoch
 Streuwert 10.36, horizontal: 10.38, vertikal: 10.35



Serie 1:
 10.6 * 8.5 → 9.9 ↑ 9.6 ← 8.9 ↑
 7.3 ↘ 9.8 ← 8.5 ← 7.9 ↘ 7.8 ↘
 beste Teiler 266.7 (1.) 836.5 (3.) 932.7 (7.)
 Trefferlage 8.13 mm links, 5.70 mm hoch
 Streuwert 11.52, horizontal: 13.43, vertikal: 9.23



Serie 2:
 6.0 ↘ 10.1 ↘ 9.4 ← 9.0 ↘ 8.3 ↑
 8.2 ↘ 8.6 ↙ 8.0 ↑ 9.6 ↘ 10.5 *
 beste Teiler 392.5 (20.) 654.0 (12.) 1118.0 (19.)
 Trefferlage 8.59 mm links, 8.37 mm hoch
 Streuwert 12.01, horizontal: 11.28, vertikal: 12.70





Serie 3:
 9.8 ↑ 9.5 ← 10.0 ↑ 10.1 ↘ 8.7 ↘
 8.9 ↘ 9.3 ← 7.8 ↘ 8.9 ↙ 10.7 *
 beste Teiler 199.6 (30.) 650.6 (24.) 794.5 (23.)
 Trefferlage 8.18 mm links, 4.36 mm hoch
 Streuwert 8.01, horizontal: 6.25, vertikal: 9.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284.7** (274)
 Serien: 92.8 99.1 92.8
 Zähler: 13 11 3 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3176 (7), 2925 (29), 2732 (25)
 beste Teiler 422.2 (1.) 457.0 (15.) 565.2 (19.)
 Trefferlage 3.03 mm rechts, 2.48 mm tief
 Streuwert 9.40, horizontal: 4.90, vertikal: 12.36



Serie 1:
 10.4 * 9.8 ↓ 8.9 ↓ 9.7 ↗ 9.5 ↘
 8.7 ↓ 7.0 ↑ 9.6 ↘ 9.7 ↘ 9.5 ↗
 beste Teiler 422.2 (1.) 914.7 (2.) 998.5 (9.)
 Trefferlage 3.70 mm rechts, 1.63 mm tief
 Streuwert 10.85, horizontal: 6.10, vertikal: 14.07





Serie 2:
 10.0 ↗ 9.4 ↓ 10.2 ↑ 10.0 ↖ 10.4 *
 9.1 ↓ 9.6 ↘ 10.2 ↗ 10.2 → 10.0 →
 beste Teiler 457.0 (15.) 565.2 (19.) 609.4 (13.)
 Trefferlage 2.47 mm rechts, 2.42 mm tief
 Streuwert 6.21, horizontal: 5.09, vertikal: 7.16




Serie 3:
 10.1 ↑ 10.0 ↑ 10.2 ↗ 10.0 ↓ 7.5 ↓
 10.2 ↘ 9.5 ↓ 9.2 ↓ 7.3 ↑ 8.8 ↓
 beste Teiler 575.1 (26.) 628.9 (23.) 679.1 (21.)
 Trefferlage 2.91 mm rechts, 3.39 mm tief
 Streuwert 11.28, horizontal: 3.66, vertikal: 15.53

Unterschrift des Schützen


Ergebnis: **274.6** (261)
 Serien: 96.1 91.5 87.0
 Zähler: 5 15 6 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3038 (19), 2908 (22), 2807 (26)
 beste Teiler 90.0 (4.) 379.9 (12.) 632.6 (7.)
 Trefferlage 0.17 mm links, 0.99 mm hoch
 Streuwert 11.65, horizontal: 12.17, vertikal: 11.11



Serie 1:
 9.3 ↑ 9.3 ↘ 9.6 ↘ 10.8 * 9.9 ↘
 10.0 ↙ 10.2 ↓ 9.2 ↘ 8.2 ↙ 9.6 ←
 beste Teiler 90.0 (4.) 632.6 (7.) 727.0 (6.)
 Trefferlage 3.38 mm links, 0.20 mm tief
 Streuwert 8.56, horizontal: 7.88, vertikal: 9.18



Serie 2:
 10.1 ↑ 10.5 * 8.4 ↓ 9.3 ↘ 9.4 ↑
 8.6 ↙ 9.5 ↗ 9.8 ↗ 7.2 ↗ 8.7 →
 beste Teiler 379.9 (12.) 718.1 (11.) 930.7 (18.)
 Trefferlage 4.19 mm rechts, 3.52 mm hoch
 Streuwert 11.41, horizontal: 11.31, vertikal: 11.50





Serie 3:
 8.2 ← 7.3 ↙ 9.2 ↑ 9.8 → 8.4 ↘
 7.4 ↓ 9.7 ↘ 9.7 ↘ 7.6 → 9.7 ↑
 beste Teiler 922.7 (24.) 970.1 (27.) 1021.4 (28.)
 Trefferlage 1.32 mm links, 0.33 mm tief
 Streuwert 14.56, horizontal: 15.91, vertikal: 13.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276.4** (267)
 Serien: 96.4 91.6 88.4
 Zähler: 7 15 6 2 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3160 (16), 2842 (22), 2373 (29)
 beste Teiler 486.0 (26.) 535.2 (19.) 566.3 (28.)
 Trefferlage 5.66 mm links, 6.47 mm hoch
 Streuwert 9.27, horizontal: 6.03, vertikal: 11.64



Serie 1:
 10.2 ← 10.2 ↘ 9.3 ↓ 9.1 ↖ 9.4 ←
 9.7 ↗ 9.4 ↖ 9.1 ↑ 9.9 ↗ 10.1 ↘
 beste Teiler 587.3 (2.) 604.5 (1.) 658.3 (10.)
 Trefferlage 5.40 mm links, 1.59 mm hoch
 Streuwert 7.08, horizontal: 5.07, vertikal: 8.63



Serie 2:
 9.2 ↓ 9.1 ↑ 9.0 ↖ 9.9 ↖ 9.1 ↘
 7.0 ↖ 10.1 ↓ 9.8 ↖ 10.3 ← 8.1 ↖
 beste Teiler 535.2 (19.) 715.4 (17.) 858.6 (14.)
 Trefferlage 7.01 mm links, 4.72 mm hoch
 Streuwert 10.28, horizontal: 5.98, vertikal: 13.25





Serie 3:
 8.0 ↑ 7.4 ↑ 8.8 ↖ 8.8 ↖ 9.1 ↖
 10.3 ↘ 8.4 ↑ 10.2 ← 8.0 ↑ 9.4 ↗
 beste Teiler 486.0 (26.) 566.3 (28.) 1276.9 (30.)
 Trefferlage 4.58 mm links, 13.11 mm hoch
 Streuwert 8.95, horizontal: 7.23, vertikal: 10.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297.9** (285)
 Serien: 97.8 97.2 102.9
 Zähler: 18 10 1 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2587 (13), 1752 (18), 1440 (6)
 beste Teiler 167.1 (22.) 221.3 (17.) 320.8 (10.)
 Trefferlage 2.24 mm links, 4.31 mm hoch
 Streuwert 5.93, horizontal: 3.99, vertikal: 7.37



Serie 1:
 9.6 ↖ 10.3 ↖ 9.3 ↑ 9.4 ↑ 10.3 ↗
 9.2 ↑ 9.9 ↙ 9.8 ↑ 9.4 ↘ 10.6 *
 beste Teiler 320.8 (10.) 489.9 (2.) 538.9 (5.)
 Trefferlage 2.32 mm links, 6.90 mm hoch
 Streuwert 5.28, horizontal: 4.06, vertikal: 6.26





Serie 2:
 10.1 ↑ 10.2 ↘ 7.7 ↑ 9.8 ↓ 10.0 ↗
 10.3 ↗ 10.7 * 8.8 ↘ 10.0 ↙ 9.6 ↘
 beste Teiler 221.3 (17.) 509.4 (16.) 606.4 (12.)
 Trefferlage 1.75 mm links, 5.25 mm hoch
 Streuwert 7.79, horizontal: 5.21, vertikal: 9.70




Serie 3:
 10.1 ↓ 10.7 * 10.3 ↙ 10.4 * 10.4 *
 10.2 ↘ 10.0 ↖ 10.5 * 9.9 ↑ 10.4 *
 beste Teiler 167.1 (22.) 355.5 (28.) 420.7 (25.)
 Trefferlage 2.65 mm links, 0.76 mm hoch
 Streuwert 3.64, horizontal: 2.69, vertikal: 4.39

Unterschrift des Schützen


Ergebnis: **295.8** (280)
 Serien: 94.8 100.4 100.6
 Zähler: 15 11 3 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2442 (5), 1815 (10), 1807 (22)
 beste Teiler 206.7 (11.) 228.2 (28.) 276.6 (25.)
 Trefferlage 0.77 mm links, 0.02 mm hoch
 Streuwert 7.34, horizontal: 3.69, vertikal: 9.71



Serie 1:
 10.2 → 9.4 ↑ 9.5 ↑ 9.9 ← 7.9 ↓
 9.5 ↓ 10.3 ↘ 9.2 ↓ 10.2 ↑ 8.7 ↑
 beste Teiler 537.1 (7.) 566.3 (1.) 601.5 (9.)
 Trefferlage 0.17 mm rechts, 0.48 mm tief
 Streuwert 9.75, horizontal: 3.79, vertikal: 13.26



Serie 2:
 10.7 * 9.7 ↓ 10.0 ↓ 9.3 ↖ 10.4 *
 10.2 ↑ 10.4 * 9.9 ← 10.2 ↗ 9.6 ↑
 beste Teiler 206.7 (11.) 424.7 (15.) 462.0 (17.)
 Trefferlage 0.50 mm links, 1.24 mm hoch
 Streuwert 5.79, horizontal: 3.95, vertikal: 7.17





Serie 3:
 10.6 * 8.7 ↑ 9.9 ↖ 10.6 * 10.6 *
 10.5 * 8.9 ↓ 10.7 * 9.9 ↓ 10.2 ←
 beste Teiler 228.2 (28.) 276.6 (25.) 281.0 (21.)
 Trefferlage 1.99 mm links, 0.67 mm tief
 Streuwert 6.52, horizontal: 3.35, vertikal: 8.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **260.9** (245)
 Serien: 92.7 78.5 89.7
 Zähler: 3 11 10 3 1 1 1 0 0 0
 Innenzehner: 3
 weiteste: 4856 (19), 4004 (13), 3266 (15)
 beste Teiler 263.8 (25.) 339.5 (10.) 443.7 (2.)
 Trefferlage 0.26 mm rechts, 8.24 mm hoch
 Streuwert 13.46, horizontal: 11.99, vertikal: 14.79



Serie 1:
 8.1 ↑ 10.4 * 9.3 ↗ 8.8 ↑ 9.8 ↓
 9.5 ↑ 7.9 ↗ 9.2 ↗ 9.2 ↖ 10.5 *
 beste Teiler 339.5 (10.) 443.7 (2.) 898.4 (5.)
 Trefferlage 2.38 mm rechts, 9.26 mm hoch
 Streuwert 8.52, horizontal: 7.90, vertikal: 9.10





Serie 2:
 9.4 ← 9.4 ↗ 5.9 ↑ 7.8 ↑ 6.9 ↑
 9.1 ↑ 7.9 ↑ 8.4 ↓ 4.9 ↖ 8.8 ↑
 beste Teiler 1212.7 (11.) 1227.4 (12.) 1443.7 (16.)
 Trefferlage 5.58 mm links, 14.92 mm hoch
 Streuwert 16.54, horizontal: 15.65, vertikal: 17.38




Serie 3:
 8.2 ↑ 9.4 → 8.8 ↗ 8.8 → 10.6 *
 8.5 ↓ 8.3 ↗ 9.0 ↓ 8.2 ↓ 9.9 ↖
 beste Teiler 263.8 (25.) 868.7 (30.) 1203.9 (22.)
 Trefferlage 3.99 mm rechts, 0.55 mm hoch
 Streuwert 12.26, horizontal: 9.86, vertikal: 14.27

Unterschrift des Schützen


Ergebnis: **280.5** (267)
 Serien: 95.8 92.0 92.7
 Zähler: 7 18 1 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3820 (12), 3099 (15), 2561 (5)
 beste Teiler 208.6 (17.) 286.1 (19.) 463.0 (2.)
 Trefferlage 2.18 mm rechts, 1.23 mm hoch
 Streuwert 10.74, horizontal: 3.49, vertikal: 14.79



Serie 1:
 10.2 ↗ 10.4 * 9.9 ↑ 9.2 ↑ 7.7 ↓
 9.9 ↑ 9.5 ↓ 10.2 ↙ 9.1 ↘ 9.7 ↓
 beste Teiler 463.0 (2.) 579.0 (8.) 592.3 (1.)
 Trefferlage 2.33 mm rechts, 1.80 mm tief
 Streuwert 8.99, horizontal: 4.00, vertikal: 12.07





Serie 2:
 9.9 ↘ 6.2 ↑ 9.5 ↑ 10.0 ↑ 7.1 ↑
 9.0 ↓ 10.7 * 9.8 ↓ 10.6 * 9.2 ↑
 beste Teiler 208.6 (17.) 286.1 (19.) 785.1 (14.)
 Trefferlage 2.21 mm rechts, 7.37 mm hoch
 Streuwert 12.12, horizontal: 2.45, vertikal: 16.97




Serie 3:
 9.6 ↘ 9.3 ↑ 8.1 ↑ 9.8 ↘ 9.0 ↑
 7.8 ↓ 9.6 ↙ 9.8 ↓ 9.6 ↘ 10.1 ↘
 beste Teiler 657.6 (30.) 892.2 (28.) 928.4 (24.)
 Trefferlage 1.99 mm rechts, 1.85 mm tief
 Streuwert 10.62, horizontal: 4.15, vertikal: 14.44

Unterschrift des Schützen


Ergebnis: **291.8** (280)
 Serien: 97.4 96.0 98.4
 Zähler: 12 16 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1964 (28), 1920 (17), 1587 (29)
 beste Teiler 309.4 (23.) 340.2 (21.) 355.2 (30.)
 Trefferlage 2.37 mm links, 0.53 mm hoch
 Streuwert 7.67, horizontal: 4.31, vertikal: 9.96



Serie 1:
 9.3 ↑ 10.5 * 9.5 ↙ 10.4 * 9.3 ↙
 9.7 ↘ 9.2 ↘ 9.1 ↘ 10.1 ↓ 10.3 ↘
 beste Teiler 360.4 (2.) 419.0 (4.) 545.2 (10.)
 Trefferlage 4.29 mm links, 4.89 mm tief
 Streuwert 6.24, horizontal: 3.80, vertikal: 7.97





Serie 2:
 9.0 ↑ 10.3 ↘ 9.9 ↙ 9.5 ↘ 10.1 ↑
 9.8 ↙ 8.6 ↑ 10.3 ↘ 9.3 ↑ 9.2 ↓
 beste Teiler 535.7 (12.) 552.2 (18.) 655.3 (15.)
 Trefferlage 2.26 mm links, 4.01 mm hoch
 Streuwert 7.99, horizontal: 4.88, vertikal: 10.20




Serie 3:
 10.5 * 10.2 ↘ 10.6 * 9.8 ↘ 9.7 ↘
 9.3 ↘ 10.3 ↑ 8.5 ↑ 9.0 ↑ 10.5 *
 beste Teiler 309.4 (23.) 340.2 (21.) 355.2 (30.)
 Trefferlage 0.55 mm links, 2.49 mm hoch
 Streuwert 7.60, horizontal: 3.71, vertikal: 10.09

Unterschrift des Schützen


Ergebnis: **300.2** (286)
 Serien: 99.7 100.5 100.0
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1680 (30), 1489 (8), 1451 (19)
 beste Teiler 185.9 (16.) 204.7 (21.) 290.5 (11.)
 Trefferlage 2.92 mm links, 1.09 mm hoch
 Streuwert 5.75, horizontal: 5.70, vertikal: 5.80



Serie 1:
 9.9 ↙ 9.8 ← 9.8 ↓ 9.4 ↗ 10.6 *
 10.5 * 10.0 ↑ 9.1 ↘ 10.4 * 10.2 ↗
 beste Teiler 320.1 (5.) 338.9 (6.) 432.6 (9.)
 Trefferlage 3.23 mm links, 1.78 mm hoch
 Streuwert 5.78, horizontal: 4.42, vertikal: 6.88





Serie 2:
 10.6 * 10.0 ↓ 10.0 ↓ 9.3 → 10.5 *
 10.7 * 10.5 * 9.5 ← 9.1 ↑ 10.3 ↘
 beste Teiler 185.9 (16.) 290.5 (11.) 341.3 (15.)
 Trefferlage 0.34 mm links, 0.15 mm hoch
 Streuwert 6.22, horizontal: 6.11, vertikal: 6.33




Serie 3:
 10.7 * 9.7 ↘ 10.2 ↘ 9.9 ← 10.3 ↗
 9.6 ← 10.5 * 9.8 ← 10.4 * 8.9 ←
 beste Teiler 204.7 (21.) 381.1 (27.) 474.0 (29.)
 Trefferlage 5.19 mm links, 1.33 mm hoch
 Streuwert 5.20, horizontal: 5.89, vertikal: 4.40

Unterschrift des Schützen


Ergebnis: **289.4** (277)
 Serien: 94.2 99.5 95.7
 Zähler: 13 12 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3177 (2), 2016 (27), 1846 (12)
 beste Teiler 123.4 (15.) 211.8 (17.) 256.1 (21.)
 Trefferlage 2.03 mm rechts, 3.30 mm tief
 Streuwert 8.30, horizontal: 6.35, vertikal: 9.86



Serie 1:
 9.2 ↓ 7.0 ↓ 10.0 ↘ 10.1 ↓ 9.7 ↘
 9.4 ↘ 9.7 ↘ 10.1 ↘ 9.3 ↓ 9.7 ↓
 beste Teiler 641.5 (8.) 695.0 (4.) 786.6 (3.)
 Trefferlage 5.44 mm rechts, 9.94 mm tief
 Streuwert 6.33, horizontal: 4.50, vertikal: 7.74





Serie 2:
 9.6 ↗ 8.6 ↓ 10.0 → 9.7 ↖ 10.8 *
 9.9 ↓ 10.7 * 10.1 ↖ 10.0 ↙ 10.1 ←
 beste Teiler 123.4 (15.) 211.8 (17.) 657.2 (20.)
 Trefferlage 1.28 mm links, 0.48 mm tief
 Streuwert 6.75, horizontal: 4.72, vertikal: 8.30




Serie 3:
 10.6 * 10.4 * 8.9 ↗ 10.6 * 10.2 ↓
 9.6 ↓ 8.4 ↗ 9.2 → 9.1 ← 8.7 ↓
 beste Teiler 256.1 (21.) 318.0 (24.) 429.1 (22.)
 Trefferlage 1.92 mm rechts, 0.51 mm hoch
 Streuwert 9.30, horizontal: 7.89, vertikal: 10.52

Unterschrift des Schützen


Ergebnis: **284.8** (270)
 Serien: 96.5 92.9 95.4
 Zähler: 11 14 1 2 2 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3888 (21), 3255 (13), 2506 (7)
 beste Teiler 322.3 (30.) 323.3 (22.) 356.2 (6.)
 Trefferlage 1.01 mm links, 1.48 mm hoch
 Streuwert 10.24, horizontal: 6.41, vertikal: 12.99



Serie 1:
 9.8 ↙ 10.4 * 9.2 ↑ 8.6 ↗ 10.3 ↖
 10.5 * 7.8 ↘ 9.4 ↑ 10.3 ↗ 10.2 →
 beste Teiler 356.2 (6.) 470.7 (2.) 506.0 (5.)
 Trefferlage 1.15 mm links, 6.53 mm hoch
 Streuwert 7.78, horizontal: 5.11, vertikal: 9.75





Serie 2:
 9.3 ↓ 9.7 ↙ 6.9 ↖ 9.5 ← 9.4 →
 10.4 * 9.9 ↓ 7.9 ↑ 9.5 ↖ 10.4 *
 beste Teiler 419.0 (16.) 430.3 (20.) 811.1 (17.)
 Trefferlage 2.86 mm links, 2.52 mm hoch
 Streuwert 11.31, horizontal: 8.06, vertikal: 13.82




Serie 3:
 6.1 ↓ 10.5 * 9.9 ↘ 9.5 ↗ 10.0 ↗
 9.7 ↓ 9.3 ↑ 9.7 ↘ 10.2 ↖ 10.5 *
 beste Teiler 322.3 (30.) 323.3 (22.) 625.8 (29.)
 Trefferlage 0.96 mm rechts, 4.60 mm tief
 Streuwert 10.49, horizontal: 5.76, vertikal: 13.68

Unterschrift des Schützen


Ergebnis: **227.8** (216)
 Serien: 72.1 72.6 83.1
 Zähler: 3 9 5 6 1 1 1 2 1 0
 Innenzehner: 1
 weiteste: 9798 (10), 6783 (14), 6283 (13)
 beste Teiler 356.3 (9.) 479.2 (25.) 750.6 (2.)
 Trefferlage 15.14 mm links, 16.51 mm hoch
 Streuwert 18.87, horizontal: 20.89, vertikal: 16.59



Serie 1:
 7.1 ↑ 10.0 ← 3.4 ↘ 9.4 ↓ 9.5 ←
 9.3 ↖ 8.0 ↘ 4.9 ↘ 10.5 * 0.0 ↖
 beste Teiler 356.3 (9.) 750.6 (2.) 1178.4 (5.)
 Trefferlage 18.98 mm links, 19.05 mm hoch
 Streuwert 24.14, horizontal: 24.34, vertikal: 23.93



Serie 2:
 9.0 ↑ 7.2 ↘ 3.1 ↖ 2.5 ↖ 7.5 ←
 9.7 ↘ 5.8 ↘ 8.9 ↑ 9.2 ↑ 9.7 ↘
 beste Teiler 977.0 (20.) 1014.8 (16.) 1426.4 (19.)
 Trefferlage 19.22 mm links, 15.93 mm hoch
 Streuwert 19.20, horizontal: 24.46, vertikal: 11.80





Serie 3:
 6.9 ↖ 7.3 ↑ 7.5 ↘ 7.0 ↘ 10.4 ↑
 8.6 ↖ 9.0 ↖ 9.1 ↓ 8.6 ↘ 8.7 ↑
 beste Teiler 479.2 (25.) 1443.5 (28.) 1536.4 (27.)
 Trefferlage 7.22 mm links, 14.55 mm hoch
 Streuwert 11.72, horizontal: 10.52, vertikal: 12.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **297.1** (286)
 Serien: 99.7 98.5 98.9
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2134 (18), 1508 (2), 1422 (13)
 beste Teiler 238.5 (14.) 240.4 (28.) 289.0 (7.)
 Trefferlage 2.79 mm links, 0.75 mm hoch
 Streuwert 6.40, horizontal: 5.69, vertikal: 7.03



Serie 1:
 9.4 ← 9.1 ↖ 10.4 * 10.1 ← 10.3 ←
 10.0 ↙ 10.6 * 9.9 ← 10.2 ↙ 9.7 ↙
 beste Teiler 289.0 (7.) 453.0 (3.) 513.6 (5.)
 Trefferlage 6.01 mm links, 1.21 mm tief
 Streuwert 4.62, horizontal: 5.16, vertikal: 4.01



Serie 2:
 10.3 ↓ 10.1 ↘ 9.2 ↑ 10.7 * 10.3 ←
 9.9 ↖ 9.6 ← 8.3 ↑ 10.0 → 10.1 ↖
 beste Teiler 238.5 (14.) 491.6 (15.) 513.3 (11.)
 Trefferlage 3.11 mm links, 2.75 mm hoch
 Streuwert 7.01, horizontal: 5.08, vertikal: 8.51





Serie 3:
 10.1 ↗ 10.0 ↑ 9.5 ↓ 9.7 ↘ 10.0 ↓
 10.2 ↗ 9.9 ← 10.7 * 9.6 ↗ 9.2 ↑
 beste Teiler 240.4 (28.) 593.1 (26.) 676.9 (21.)
 Trefferlage 0.74 mm rechts, 0.72 mm hoch
 Streuwert 6.66, horizontal: 5.15, vertikal: 7.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **296.8** (282)
 Serien: 100.4 95.4 101.0
 Zähler: 14 14 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1970 (13), 1627 (20), 1600 (16)
 beste Teiler 102.8 (7.) 147.5 (24.) 222.2 (5.)
 Trefferlage 0.73 mm rechts, 2.83 mm hoch
 Streuwert 6.78, horizontal: 4.49, vertikal: 8.47



Serie 1:
 10.3 → 9.2 ↘ 10.5 * 10.5 * 10.7 *
 9.4 ↑ 10.8 * 9.7 ↑ 9.9 ↑ 9.4 ↓
 beste Teiler 102.8 (7.) 222.2 (5.) 336.0 (3.)
 Trefferlage 0.75 mm links, 2.72 mm hoch
 Streuwert 6.03, horizontal: 4.63, vertikal: 7.16





Serie 2:
 9.9 ↘ 10.2 ↙ 8.5 ↑ 10.3 ↓ 10.6 *
 9.0 ↘ 9.6 ↘ 9.2 ↑ 9.2 ↑ 8.9 ↑
 beste Teiler 296.3 (15.) 517.7 (14.) 627.4 (12.)
 Trefferlage 2.57 mm rechts, 2.80 mm hoch
 Streuwert 8.88, horizontal: 4.91, vertikal: 11.56




Serie 3:
 10.5 * 10.2 ↑ 9.6 ↙ 10.8 * 10.4 *
 9.6 ↑ 9.1 ↑ 10.2 ↑ 10.7 * 9.9 ↗
 beste Teiler 147.5 (24.) 237.0 (29.) 352.0 (21.)
 Trefferlage 0.39 mm rechts, 2.96 mm hoch
 Streuwert 5.44, horizontal: 3.59, vertikal: 6.80

Unterschrift des Schützen


Ergebnis: **278.4** (266)
 Serien: 91.3 91.5 95.6
 Zähler: 7 14 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3056 (27), 2777 (19), 2334 (10)
 beste Teiler 179.2 (21.) 183.6 (26.) 343.1 (14.)
 Trefferlage 3.67 mm links, 1.62 mm hoch
 Streuwert 10.45, horizontal: 10.93, vertikal: 9.96



Serie 1:
 8.7 ↙ 9.6 ↓ 9.5 ← 10.1 ↖ 9.5 ←
 9.3 ↓ 8.4 ← 8.7 → 9.5 ↖ 8.0 ↗
 beste Teiler 695.3 (4.) 1099.6 (2.) 1153.1 (9.)
 Trefferlage 3.85 mm links, 1.59 mm tief
 Streuwert 11.05, horizontal: 11.42, vertikal: 10.66



Serie 2:
 9.1 ↗ 9.1 ↓ 8.1 ↖ 10.5 * 8.7 ↗
 9.6 → 10.4 * 10.0 ← 7.5 ↙ 8.5 →
 beste Teiler 343.1 (14.) 416.6 (17.) 768.7 (18.)
 Trefferlage 1.17 mm links, 2.50 mm hoch
 Streuwert 11.93, horizontal: 11.74, vertikal: 12.12





Serie 3:
 10.7 * 9.9 ↙ 9.3 ← 10.0 ↑ 9.5 ↑
 10.7 * 7.1 ← 9.2 ↑ 9.8 ← 9.4 ↖
 beste Teiler 179.2 (21.) 183.6 (26.) 753.4 (24.)
 Trefferlage 6.01 mm links, 3.96 mm hoch
 Streuwert 8.48, horizontal: 10.17, vertikal: 6.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295.9** (284)
 Serien: 97.7 98.5 99.7
 Zähler: 15 14 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2139 (9), 1312 (15), 1277 (5)
 beste Teiler 314.6 (12.) 360.8 (8.) 414.1 (25.)
 Trefferlage 3.32 mm links, 0.84 mm tief
 Streuwert 6.37, horizontal: 4.36, vertikal: 7.89



Serie 1:
 10.0 ↘ 10.0 ↘ 10.0 ↘ 9.7 ↘ 9.4 ↑
 10.0 ↘ 9.9 ↓ 10.5 * 8.3 ↑ 9.9 ↓
 beste Teiler 360.8 (8.) 730.1 (6.) 730.9 (1.)
 Trefferlage 2.59 mm links, 0.53 mm hoch
 Streuwert 7.57, horizontal: 4.08, vertikal: 9.89





Serie 2:
 9.6 ← 10.6 * 9.5 ↓ 9.4 ← 9.3 ↑
 10.4 * 10.3 ↓ 9.6 ← 10.3 ↓ 9.5 ↘
 beste Teiler 314.6 (12.) 447.0 (16.) 542.5 (17.)
 Trefferlage 4.10 mm links, 2.05 mm tief
 Streuwert 6.26, horizontal: 5.66, vertikal: 6.81



Serie 3:
 10.2 ↓ 9.4 ↑ 9.5 ↘ 10.1 ↑ 10.4 *
 10.2 ↓ 9.9 ← 10.2 ↘ 9.4 ↘ 10.4 *
 beste Teiler 414.1 (25.) 438.0 (30.) 574.6 (28.)
 Trefferlage 3.27 mm links, 1.00 mm tief
 Streuwert 5.65, horizontal: 3.34, vertikal: 7.25


Unterschrift des Schützen

Ergebnis: **297.5** (286)
 Serien: 97.9 99.2 100.4
 Zähler: 18 10 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2297 (3), 1613 (1), 1486 (11)
 beste Teiler 98.0 (7.) 298.0 (18.) 316.1 (5.)
 Trefferlage 1.07 mm links, 1.49 mm tief
 Streuwert 6.78, horizontal: 5.97, vertikal: 7.51




Serie 1:
 8.9 ↙ 10.2 ↗ 8.1 ↓ 10.4 * 10.6 *
 9.7 ↘ 10.8 * 10.0 ↘ 9.2 ↘

beste Teiler 98.0 (7.) 316.1 (5.) 447.8 (4.)
 Trefferlage 4.53 mm links, 0.51 mm tief
 Streuwert 7.66, horizontal: 4.54, vertikal: 9.84



Serie 2:
 9.1 ↓ 10.4 * 9.2 ↘ 9.9 ↗ 10.4 *
 9.2 ↘ 10.0 ↓ 10.6 * 10.0 ↙ 10.4 *

beste Teiler 298.0 (18.) 428.5 (15.) 439.6 (20.)
 Trefferlage 0.31 mm links, 5.25 mm tief
 Streuwert 5.81, horizontal: 5.32, vertikal: 6.26





Serie 3:
 9.8 ↖ 10.5 * 9.3 ↘ 9.8 → 10.0 ↖
 10.3 ↑ 9.8 ↗ 10.5 * 10.1 → 10.3 ↗


beste Teiler 347.9 (22.) 384.1 (28.) 495.5 (30.)
 Trefferlage 1.63 mm rechts, 1.27 mm hoch
 Streuwert 5.65, horizontal: 6.60, vertikal: 4.50

Unterschrift des Schützen


Ergebnis: **273.9** (260)
 Serien: 91.2 91.5 91.2
 Zähler: 8 12 4 4 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3631 (6), 3303 (1), 2898 (26)
 beste Teiler 233.0 (5.) 334.0 (2.) 462.4 (17.)
 Trefferlage 3.75 mm rechts, 4.45 mm hoch
 Streuwert 11.47, horizontal: 9.07, vertikal: 13.45



Serie 1:
 6.8 ↑ 10.5 * 9.4 ↙ 7.9 → 10.7 *
 6.4 ↑ 10.1 → 10.3 ↑ 9.3 → 9.8 ↑
 beste Teiler 233.0 (5.) 334.0 (2.) 537.0 (8.)
 Trefferlage 3.70 mm rechts, 9.83 mm hoch
 Streuwert 11.60, horizontal: 9.22, vertikal: 13.56



Serie 2:
 10.0 → 7.9 → 9.3 ↓ 9.8 ↗ 9.0 ↗
 9.5 ← 10.4 * 8.7 ↓ 9.5 ↗ 7.4 ↗
 beste Teiler 462.4 (17.) 777.5 (11.) 896.0 (14.)
 Trefferlage 5.63 mm rechts, 3.89 mm hoch
 Streuwert 10.76, horizontal: 9.29, vertikal: 12.06





Serie 3:
 9.2 ↓ 8.6 ↓ 9.4 ↗ 9.5 ↓ 9.3 ↘
 7.3 ↘ 10.3 ← 8.6 ↗ 8.8 → 10.2 ↘
 beste Teiler 533.6 (27.) 604.6 (30.) 1153.2 (24.)
 Trefferlage 1.92 mm rechts, 0.34 mm tief
 Streuwert 11.87, horizontal: 9.27, vertikal: 13.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295.1** (284)
 Serien: 95.1 99.4 100.6
 Zähler: 17 11 1 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3088 (3), 2094 (8), 1563 (20)
 beste Teiler 77.4 (23.) 221.0 (16.) 265.9 (14.)
 Trefferlage 0.15 mm links, 3.88 mm hoch
 Streuwert 7.33, horizontal: 3.23, vertikal: 9.85



Serie 1:
 9.1 ↗ 10.6 * 7.1 ↑ 10.5 * 10.0 ↓
 10.0 ↑ 10.0 ↑ 8.3 ↑ 9.5 ↓ 10.0 ↓
 beste Teiler 318.1 (2.) 374.4 (4.) 738.6 (7.)
 Trefferlage 1.43 mm rechts, 4.88 mm hoch
 Streuwert 9.89, horizontal: 3.82, vertikal: 13.45





Serie 2:
 9.6 ↘ 10.0 ↑ 9.9 ↑ 10.6 * 10.3 ↘
 10.7 * 9.9 ↑ 10.4 * 9.0 ↑ 9.0 ↑
 beste Teiler 221.0 (16.) 265.9 (14.) 420.2 (18.)
 Trefferlage 0.60 mm links, 5.76 mm hoch
 Streuwert 5.42, horizontal: 3.39, vertikal: 6.88




Serie 3:
 10.5 * 10.6 * 10.9 * 9.4 ↑ 9.8 ↓
 10.2 ↙ 10.1 ↑ 9.3 ↑ 9.3 ↓ 10.5 *
 beste Teiler 77.4 (23.) 316.6 (22.) 328.2 (30.)
 Trefferlage 1.29 mm links, 1.02 mm hoch
 Streuwert 6.06, horizontal: 1.76, vertikal: 8.38

Unterschrift des Schützen


Ergebnis: **308.2** (294)
 Serien: 101.8 100.9 105.5
 Zähler: 25 4 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1608 (15), 1336 (3), 1084 (20)
 beste Teiler 91.9 (14.) 137.3 (29.) 160.3 (27.)
 Trefferlage 0.02 mm rechts, 1.40 mm tief
 Streuwert 4.53, horizontal: 2.37, vertikal: 5.95



Serie 1:
 10.3 ← 10.1 ↓ 9.3 ↓ 10.4 * 10.4 ↓
 10.6 * 10.6 * 9.7 ↑ 9.9 ↑ 10.5 *
 beste Teiler 274.3 (6.) 274.4 (7.) 400.2 (10.)
 Trefferlage 0.88 mm links, 0.57 mm tief
 Streuwert 5.17, horizontal: 2.41, vertikal: 6.91





Serie 2:
 10.4 * 10.2 ↓ 10.0 ↘ 10.8 * 8.9 ↓
 10.3 ↓ 10.0 ↓ 10.0 ↑ 10.7 * 9.6 ↓
 beste Teiler 91.9 (14.) 188.9 (19.) 453.0 (11.)
 Trefferlage 0.81 mm rechts, 4.32 mm tief
 Streuwert 4.90, horizontal: 2.87, vertikal: 6.31




Serie 3:
 10.6 * 10.7 * 10.5 * 10.5 * 10.6 *
 10.5 * 10.8 * 10.1 ↖ 10.8 * 10.4 *
 beste Teiler 137.3 (29.) 160.3 (27.) 217.1 (22.)
 Trefferlage 0.15 mm rechts, 0.67 mm hoch
 Streuwert 2.64, horizontal: 1.58, vertikal: 3.38

Unterschrift des Schützen


Ergebnis: **293.8** (281)
 Serien: 97.2 98.8 97.8
 Zähler: 15 11 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2270 (27), 2207 (7), 1903 (3)
 beste Teiler 107.9 (23.) 277.7 (20.) 295.6 (22.)
 Trefferlage 0.99 mm rechts, 0.71 mm tief
 Streuwert 7.77, horizontal: 5.44, vertikal: 9.55



Serie 1:
 9.9 → 10.3 ↗ 8.6 ↑ 9.7 ↖ 10.5 *
 10.2 ↘ 8.2 ↓ 10.1 ↑ 10.1 ↑ 9.6 ↗
 beste Teiler 338.0 (5.) 522.0 (2.) 574.2 (6.)
 Trefferlage 1.53 mm rechts, 2.69 mm hoch
 Streuwert 8.20, horizontal: 5.59, vertikal: 10.16





Serie 2:
 10.6 * 10.1 ↓ 10.2 ↙ 9.4 ↗ 10.2 ↓
 9.7 ↓ 9.9 ↓ 8.8 → 9.3 ↓ 10.6 *
 beste Teiler 277.7 (20.) 305.4 (11.) 587.4 (15.)
 Trefferlage 2.74 mm rechts, 4.01 mm tief
 Streuwert 6.27, horizontal: 6.53, vertikal: 5.99




Serie 3:
 10.3 ↙ 10.6 * 10.8 * 9.2 ↓ 10.4 *
 9.1 ↗ 8.1 ↑ 9.9 ↓ 9.2 ↓ 10.2 ↙
 beste Teiler 107.9 (23.) 295.6 (22.) 411.5 (25.)
 Trefferlage 1.29 mm links, 0.81 mm tief
 Streuwert 8.42, horizontal: 3.46, vertikal: 11.40

Unterschrift des Schützen


Ergebnis: **239.6** (223)
 Serien: 79.1 65.7 94.8
 Zähler: 6 5 4 7 3 2 2 0 0 1
 Innenzehner: 2
 weiteste: 7633 (15), 5455 (27), 5353 (6)
 beste Teiler 132.0 (22.) 394.8 (21.) 593.0 (26.)
 Trefferlage 4.09 mm links, 2.06 mm hoch
 Streuwert 20.76, horizontal: 5.03, vertikal: 28.92



Serie 1:
 7.8 ↓ 8.9 ↘ 9.8 ↙ 6.5 ↑ 8.9 ↑
 4.3 ↑ 7.7 ↓ 8.8 ↘ 7.9 ↓ 8.5 ↑
 beste Teiler 889.5 (3.) 1631.2 (2.) 1635.9 (5.)
 Trefferlage 5.22 mm links, 6.79 mm hoch
 Streuwert 19.16, horizontal: 5.67, vertikal: 26.50





Serie 2:
 6.8 ↓ 7.3 ↙ 5.7 ↖ 5.5 ↑ 1.4 ↑
 7.7 ↓ 9.2 ↙ 7.7 ↓ 6.6 ↓ 7.8 ↓
 beste Teiler 1394.2 (17.) 2499.9 (20.) 2605.7 (16.)
 Trefferlage 6.08 mm links, 2.56 mm tief
 Streuwert 28.22, horizontal: 4.65, vertikal: 39.64




Serie 3:
 10.5 * 10.8 * 9.7 ↘ 9.8 ↓ 9.5 ↓
 10.2 ← 4.1 ↑ 10.0 ↓ 10.2 ↙ 10.0 ↑
 beste Teiler 132.0 (22.) 394.8 (21.) 593.0 (26.)
 Trefferlage 0.97 mm links, 1.96 mm hoch
 Streuwert 13.87, horizontal: 3.36, vertikal: 19.33

Unterschrift des Schützen


Ergebnis: **282.2** (265)
 Serien: 96.3 94.6 91.3
 Zähler: 9 10 9 1 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3572 (30), 2586 (27), 2035 (7)
 beste Teiler 148.1 (3.) 207.4 (18.) 289.9 (4.)
 Trefferlage 0.47 mm links, 6.58 mm tief
 Streuwert 9.40, horizontal: 4.12, vertikal: 12.65



Serie 1:
 8.7 ↓ 10.6 * 10.8 * 10.6 * 9.4 ↓
 10.4 * 8.4 ↓ 8.5 ↑ 9.7 → 9.2 ↓
 beste Teiler 148.1 (3.) 289.9 (4.) 291.3 (2.)
 Trefferlage 0.40 mm links, 4.86 mm tief
 Streuwert 8.78, horizontal: 4.09, vertikal: 11.72





Serie 2:
 8.8 ↓ 9.9 ↓ 9.8 ↙ 10.6 * 8.8 ↓
 9.2 ↑ 9.7 ↘ 10.7 * 8.5 ↘ 8.6 ↓
 beste Teiler 207.4 (18.) 306.4 (14.) 816.0 (12.)
 Trefferlage 0.29 mm links, 8.21 mm tief
 Streuwert 7.87, horizontal: 3.84, vertikal: 10.44




Serie 3:
 9.8 ↑ 10.3 ↑ 8.5 ↑ 8.9 ↓ 10.1 ↓
 9.2 ↓ 7.7 ↓ 10.4 * 9.9 ↓ 6.5 ↘
 beste Teiler 412.4 (28.) 519.7 (22.) 655.8 (25.)
 Trefferlage 0.72 mm links, 6.68 mm tief
 Streuwert 11.96, horizontal: 4.81, vertikal: 16.21

Unterschrift des Schützen


Ergebnis: **219.7** (207)
 Serien: 71.1 70.0 78.6
 Zähler: 3 9 3 3 6 1 1 2 0 0
 Innenzehner: 2
 weiteste: 8465 (2), 8023 (24), 6138 (20)
 beste Teiler 142.2 (5.) 187.9 (22.) 525.8 (12.)
 Trefferlage 6.60 mm links, 5.15 mm tief
 Streuwert 25.03, horizontal: 16.40, vertikal: 31.36



Serie 1:
 8.2 ↖ 0.0 ↓ 6.6 ↘ 5.8 ↓ 10.8 *
 7.8 ← 9.9 ← 7.1 ↓ 8.2 ↘ 6.7 ↘
 beste Teiler 142.2 (5.) 839.1 (7.) 2171.6 (9.)
 Trefferlage 14.66 mm links, 15.76 mm tief
 Streuwert 22.63, horizontal: 9.36, vertikal: 30.60



Serie 2:
 9.8 → 10.3 → 9.2 ↓ 3.3 ↑ 6.4 ↓
 7.9 ↓ 4.3 ↙ 6.3 ↓ 9.2 → 3.3 ↖
 beste Teiler 525.8 (12.) 943.5 (11.) 1416.2 (13.)
 Trefferlage 5.12 mm links, 7.31 mm tief
 Streuwert 27.28, horizontal: 22.27, vertikal: 31.50





Serie 3:
 8.1 ↗ 10.7 * 6.2 ↓ 0.0 ↑ 9.0 ↖
 9.8 ↗ 6.6 ↘ 9.5 ↘ 9.3 ↓ 9.4 ↓
 beste Teiler 187.9 (22.) 922.7 (26.) 1122.8 (28.)
 Trefferlage 0.02 mm links, 7.60 mm hoch
 Streuwert 23.34, horizontal: 12.65, vertikal: 30.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **273.6** (260)
 Serien: 87.8 94.2 91.6
 Zähler: 8 10 8 3 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4168 (4), 3164 (7), 2848 (9)
 beste Teiler 221.1 (10.) 477.6 (25.) 488.8 (14.)
 Trefferlage 0.74 mm links, 6.61 mm tief
 Streuwert 11.27, horizontal: 7.24, vertikal: 14.20



Serie 1:
 9.9 ↗ 8.9 ↑ 10.0 ↗ 5.7 ↓ 8.2 ↘
 10.0 ↓ 7.0 ↑ 10.0 → 7.4 ↓ 10.7 *
 beste Teiler 221.1 (10.) 742.9 (8.) 749.4 (6.)
 Trefferlage 0.51 mm rechts, 3.53 mm tief
 Streuwert 15.67, horizontal: 7.40, vertikal: 20.89





Serie 2:
 8.6 ↓ 9.1 ↙ 9.8 ↙ 10.3 ↘ 9.7 ↖
 9.8 ↖ 10.1 ↑ 7.8 ↓ 9.4 ↗ 9.6 ↓
 beste Teiler 488.8 (14.) 667.1 (17.) 899.3 (13.)
 Trefferlage 1.02 mm links, 4.72 mm tief
 Streuwert 9.30, horizontal: 6.30, vertikal: 11.54




Serie 3:
 8.9 ↘ 9.4 ↙ 10.1 ↘ 8.8 ↓ 10.4 ↘
 9.5 ↓ 8.2 ↓ 8.4 ↙ 9.6 ↓ 8.3 ↓
 beste Teiler 477.6 (25.) 718.9 (23.) 1060.7 (29.)
 Trefferlage 1.72 mm links, 11.58 mm tief
 Streuwert 7.41, horizontal: 8.46, vertikal: 6.19

Unterschrift des Schützen


Ergebnis: **272.6** (259)
 Serien: 92.5 89.3 90.8
 Zähler: 7 14 5 2 0 1 1 0 0 0
 Innenzehner: 3
 weiteste: 5069 (22), 4134 (10), 3148 (15)
 beste Teiler 292.7 (20.) 446.4 (19.) 446.5 (4.)
 Trefferlage 0.22 mm rechts, 0.14 mm tief
 Streuwert 13.14, horizontal: 8.82, vertikal: 16.36



Serie 1:
 9.9 ↗ 10.3 ← 9.7 ↗ 10.4 * 9.2 ↓
 9.5 ↙ 9.9 ↑ 9.2 ↘ 8.6 ↓ 5.8 ↓
 beste Teiler 446.5 (4.) 534.8 (2.) 838.0 (1.)
 Trefferlage 0.41 mm rechts, 4.56 mm tief
 Streuwert 12.21, horizontal: 5.01, vertikal: 16.52





Serie 2:
 8.8 → 8.3 ← 9.0 ↓ 9.6 ↓ 7.0 ↖
 9.1 → 8.9 ↗ 7.6 ↙ 10.4 * 10.6 *
 beste Teiler 292.7 (20.) 446.4 (19.) 1094.5 (14.)
 Trefferlage 0.04 mm rechts, 0.90 mm tief
 Streuwert 13.56, horizontal: 12.40, vertikal: 14.63



Serie 3:
 10.2 ↗ 4.6 ↑ 8.6 ↗ 9.8 ↖ 9.3 ←
 9.6 ↑ 10.1 ↘ 9.2 ↓ 10.2 ← 9.2 ↓
 beste Teiler 614.7 (29.) 631.4 (21.) 679.8 (27.)
 Trefferlage 0.21 mm rechts, 5.03 mm hoch
 Streuwert 14.05, horizontal: 8.46, vertikal: 17.98


Unterschrift des Schützen

Ergebnis: **275.7** (263)
 Serien: 91.4 91.5 92.8
 Zähler: 6 14 7 3 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2666 (29), 2647 (1), 2454 (15)
 beste Teiler 479.9 (10.) 531.8 (27.) 554.0 (26.)
 Trefferlage 3.61 mm links, 0.34 mm hoch
 Streuwert 10.82, horizontal: 10.17, vertikal: 11.42




Serie 1:
 7.6 ↙ 9.2 ↘ 9.3 → 9.8 ↑ 9.5 ↖
 9.9 ↓ 9.0 ↘ 8.0 → 8.7 ← 10.4 ←

beste Teiler 479.9 (10.) 859.1 (6.) 912.4 (4.)
 Trefferlage 1.65 mm links, 2.00 mm tief
 Streuwert 11.64, horizontal: 13.38, vertikal: 9.60



Serie 2:
 9.0 ↗ 10.0 ← 9.5 ← 9.8 → 7.9 ↖
 8.8 ← 9.2 ↘ 10.0 → 9.2 ← 8.1 ↗

beste Teiler 740.1 (12.) 797.9 (18.) 924.8 (14.)
 Trefferlage 1.98 mm links, 5.30 mm hoch
 Streuwert 10.75, horizontal: 10.27, vertikal: 11.22





Serie 3:
 8.7 ↘ 9.7 ↖ 8.8 ← 9.7 ↖ 8.3 ↖
 10.3 ← 10.3 ← 9.1 ↘ 7.6 ↓ 10.3 ←

beste Teiler 531.8 (27.) 554.0 (26.) 556.6 (30.)
 Trefferlage 7.20 mm links, 2.26 mm tief
 Streuwert 9.72, horizontal: 5.23, vertikal: 12.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281.6** (270)
 Serien: 95.7 90.5 95.4
 Zähler: 6 20 3 0 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3855 (18), 2132 (30), 1680 (13)
 beste Teiler 225.8 (24.) 421.3 (2.) 589.9 (5.)
 Trefferlage 3.49 mm links, 4.66 mm hoch
 Streuwert 9.25, horizontal: 6.61, vertikal: 11.29



Serie 1:
 9.0 ↗ 10.4 * 9.4 ↖ 9.2 ↘ 10.2 ↖
 10.1 ↘ 9.4 ↗ 8.9 ↗ 9.4 ↗ 9.7 ↘
 beste Teiler 421.3 (2.) 589.9 (5.) 700.0 (6.)
 Trefferlage 1.24 mm links, 6.45 mm hoch
 Streuwert 7.33, horizontal: 6.17, vertikal: 8.32





Serie 2:
 9.1 ↘ 10.0 ↓ 8.9 ← 9.5 ↓ 9.2 ↖
 9.1 ↘ 9.9 ↗ 6.1 ↗ 9.7 ↗ 9.0 ↗
 beste Teiler 775.8 (12.) 856.4 (17.) 1024.1 (19.)
 Trefferlage 5.61 mm links, 8.37 mm hoch
 Streuwert 10.55, horizontal: 6.30, vertikal: 13.52




Serie 3:
 9.8 ← 9.0 ↘ 9.0 ↘ 10.7 * 10.2 →
 9.8 ↓ 9.6 ↘ 9.7 ↗ 9.3 ↘ 8.3 ↘
 beste Teiler 225.8 (24.) 637.2 (25.) 915.6 (26.)
 Trefferlage 3.63 mm links, 0.81 mm tief
 Streuwert 8.90, horizontal: 7.24, vertikal: 10.30

Unterschrift des Schützen


Ergebnis: **294.5** (281)
 Serien: 96.3 98.7 99.5
 Zähler: 12 17 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2161 (2), 1570 (24), 1557 (3)
 beste Teiler 110.0 (29.) 219.0 (28.) 229.3 (9.)
 Trefferlage 2.64 mm rechts, 3.90 mm hoch
 Streuwert 6.69, horizontal: 4.44, vertikal: 8.35



Serie 1:
 9.9 ↗ 8.2 ↗ 9.0 ↑ 10.6 * 9.3 ↑
 9.1 ↘ 10.5 * 9.8 ↑ 10.7 * 9.2 ↑
 beste Teiler 229.3 (9.) 278.7 (4.) 363.2 (7.)
 Trefferlage 1.72 mm rechts, 8.68 mm hoch
 Streuwert 6.26, horizontal: 4.52, vertikal: 7.61





Serie 2:
 10.4 * 10.3 ↘ 9.9 ↑ 9.4 ↘ 10.2 →
 9.9 → 9.2 ↗ 10.4 ↘ 9.2 ↘ 9.8 ↘
 beste Teiler 472.3 (11.) 480.3 (18.) 515.3 (12.)
 Trefferlage 2.79 mm rechts, 0.53 mm hoch
 Streuwert 6.68, horizontal: 4.63, vertikal: 8.23




Serie 3:
 10.3 ↓ 10.1 ↓ 9.9 → 9.0 ↗ 9.9 ↑
 10.3 ↑ 9.5 ↘ 10.7 * 10.8 * 9.0 ↗
 beste Teiler 110.0 (29.) 219.0 (28.) 550.9 (21.)
 Trefferlage 3.41 mm rechts, 2.49 mm hoch
 Streuwert 6.28, horizontal: 4.46, vertikal: 7.68

Unterschrift des Schützen


Ergebnis: **251.7** (241)
 Serien: 82.1 86.6 83.0
 Zähler: 2 9 11 5 2 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4660 (1), 3913 (24), 3659 (2)
 beste Teiler 677.5 (13.) 741.9 (4.) 1002.7 (5.)
 Trefferlage 8.87 mm links, 3.26 mm tief
 Streuwert 14.60, horizontal: 6.11, vertikal: 19.73



Serie 1:
 5.1 ↓ 6.4 ↓ 9.1 ↙ 10.0 ↓ 9.7 ↖
 9.3 ↖ 7.7 ↓ 8.7 ↖ 8.0 ↑ 8.1 ↓
 beste Teiler 741.9 (4.) 1002.7 (5.) 1322.5 (6.)
 Trefferlage 8.00 mm links, 9.29 mm tief
 Streuwert 16.04, horizontal: 5.55, vertikal: 21.99



Serie 2:
 9.0 ↘ 8.7 ↓ 10.1 ↓ 8.5 ↙ 9.0 ↓
 8.0 ↑ 7.8 ↓ 7.1 ↑ 8.8 ↑ 9.6 ↖
 beste Teiler 677.5 (13.) 1119.4 (20.) 1570.1 (15.)
 Trefferlage 7.03 mm links, 0.98 mm tief
 Streuwert 13.49, horizontal: 4.50, vertikal: 18.54





Serie 3:
 8.3 ↘ 9.2 ↙ 8.2 ↖ 6.1 ↑ 8.9 ↙
 9.3 ↓ 7.8 ↙ 9.3 ↖ 8.7 ↑ 7.2 ↙
 beste Teiler 1299.0 (28.) 1355.5 (26.) 1363.9 (22.)
 Trefferlage 11.58 mm links, 0.49 mm hoch
 Streuwert 14.51, horizontal: 7.50, vertikal: 19.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **283.8** (272)
 Serien: 91.7 96.3 95.8
 Zähler: 12 10 6 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2773 (2), 2620 (17), 2348 (28)
 beste Teiler 229.2 (30.) 269.4 (13.) 367.4 (29.)
 Trefferlage 1.89 mm links, 0.95 mm hoch
 Streuwert 9.91, horizontal: 6.34, vertikal: 12.49



Serie 1:
 9.6 ↖ 7.5 ↑ 9.1 ↘ 9.8 ↑ 9.2 ↓
 10.0 ↓ 9.2 ↙ 10.3 ↗ 8.7 ↓ 8.3 ↑
 beste Teiler 543.6 (8.) 778.9 (6.) 937.3 (4.)
 Trefferlage 0.94 mm links, 2.69 mm hoch
 Streuwert 11.40, horizontal: 6.03, vertikal: 14.96





Serie 2:
 10.2 ← 9.6 ↖ 10.6 * 8.2 ↑ 10.3 ↘
 9.8 ↖ 7.7 ↑ 10.1 ↓ 9.4 ← 10.4 *
 beste Teiler 269.4 (13.) 403.9 (20.) 554.5 (15.)
 Trefferlage 3.23 mm links, 4.35 mm hoch
 Streuwert 8.73, horizontal: 5.07, vertikal: 11.27




Serie 3:
 10.1 ↖ 8.8 ↓ 10.0 ↓ 10.1 ↙ 9.9 ←
 8.0 ↙ 9.7 ↓ 8.0 ↗ 10.5 * 10.7 *
 beste Teiler 229.2 (30.) 367.4 (29.) 684.2 (21.)
 Trefferlage 1.50 mm links, 4.18 mm tief
 Streuwert 9.25, horizontal: 8.03, vertikal: 10.33

Unterschrift des Schützen


Ergebnis: **268.4** (253)
 Serien: 86.8 89.7 91.9
 Zähler: 7 9 7 5 1 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4137 (22), 3999 (17), 2760 (6)
 beste Teiler 102.8 (8.) 360.0 (26.) 384.6 (15.)
 Trefferlage 0.79 mm links, 2.96 mm hoch
 Streuwert 13.55, horizontal: 4.43, vertikal: 18.64



Serie 1:
 9.6 ↗ 7.6 ↓ 7.6 ↑ 7.5 ↓ 8.1 ↓
 7.5 ↓ 8.5 ↓ 10.8 * 9.7 ↑ 9.9 ↓
 beste Teiler 102.8 (8.) 850.6 (10.) 993.5 (9.)
 Trefferlage 1.11 mm rechts, 8.48 mm tief
 Streuwert 13.73, horizontal: 3.45, vertikal: 19.11





Serie 2:
 10.3 ↗ 8.3 ↗ 8.8 ↑ 8.4 ↑ 10.5 *
 9.5 ↗ 6.0 ↗ 10.4 * 8.8 ↑ 8.7 ↗
 beste Teiler 384.6 (15.) 449.8 (18.) 493.0 (11.)
 Trefferlage 3.29 mm links, 15.06 mm hoch
 Streuwert 8.15, horizontal: 5.04, vertikal: 10.37




Serie 3:
 9.9 ↓ 5.8 ↑ 7.7 ↓ 10.2 ↓ 9.0 ↗
 10.5 * 9.8 ↓ 9.1 ↗ 10.4 * 9.5 ↑
 beste Teiler 360.0 (26.) 469.8 (29.) 597.6 (24.)
 Trefferlage 0.21 mm links, 2.31 mm hoch
 Streuwert 13.28, horizontal: 3.82, vertikal: 18.39

Unterschrift des Schützen


Ergebnis: **286.9** (274)
 Serien: 95.2 97.7 94.0
 Zähler: 14 10 2 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2994 (10), 2862 (28), 2669 (21)
 beste Teiler 237.0 (12.) 313.9 (5.) 314.4 (8.)
 Trefferlage 3.73 mm rechts, 4.00 mm tief
 Streuwert 9.02, horizontal: 6.99, vertikal: 10.67



Serie 1:
 9.8 ↖ 9.0 ↓ 9.0 → 9.9 ↗ 10.6 *
 10.3 ↗ 9.4 ↖ 10.6 * 9.4 ↘ 7.2 ↓
 beste Teiler 313.9 (5.) 314.4 (8.) 539.3 (6.)
 Trefferlage 1.09 mm rechts, 4.18 mm tief
 Streuwert 9.78, horizontal: 8.16, vertikal: 11.16





Serie 2:
 10.1 ↗ 10.7 * 10.2 ↗ 10.2 → 9.6 ↘
 9.6 ↓ 8.9 ↘ 10.4 * 10.3 ↘ 7.7 ↓
 beste Teiler 237.0 (12.) 438.9 (18.) 496.1 (19.)
 Trefferlage 4.54 mm rechts, 5.08 mm tief
 Streuwert 7.18, horizontal: 5.35, vertikal: 8.63




Serie 3:
 7.6 ↑ 10.1 ↓ 10.5 * 9.2 ↓ 10.3 ↗
 8.8 ↗ 10.4 * 7.4 ↘ 9.5 → 10.2 ↘
 beste Teiler 369.4 (23.) 414.7 (27.) 526.0 (25.)
 Trefferlage 5.56 mm rechts, 2.74 mm tief
 Streuwert 10.36, horizontal: 7.07, vertikal: 12.83

Unterschrift des Schützen


Ergebnis: **279.0** (267)
 Serien: 97.3 89.7 92.0
 Zähler: 8 13 8 0 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3408 (16), 2399 (22), 2259 (19)
 beste Teiler 48.8 (8.) 433.6 (14.) 443.5 (20.)
 Trefferlage 4.79 mm links, 1.28 mm tief
 Streuwert 10.14, horizontal: 7.66, vertikal: 12.12



Serie 1:
 9.3 ↙ 9.4 ↘ 10.2 ↖ 10.3 ↑ 9.5 ↓
 9.3 ↗ 8.9 ↓ 10.9 * 9.7 ↖ 9.8 ↙
 beste Teiler 48.8 (8.) 537.9 (4.) 577.6 (3.)
 Trefferlage 2.54 mm links, 2.50 mm tief
 Streuwert 7.57, horizontal: 6.66, vertikal: 8.39



Serie 2:
 9.1 ↓ 8.3 ↖ 9.2 ↓ 10.4 * 8.5 ←
 6.7 ↓ 9.9 ↙ 9.1 ↓ 8.1 ↖ 10.4 *
 beste Teiler 433.6 (14.) 443.5 (20.) 805.6 (17.)
 Trefferlage 5.29 mm links, 3.31 mm tief
 Streuwert 12.55, horizontal: 8.57, vertikal: 15.55





Serie 3:
 9.4 ↓ 8.0 ↑ 9.0 ↘ 8.5 ↙ 9.0 ↗
 10.2 ↑ 8.7 ↙ 10.0 ↖ 10.4 * 8.8 ↖
 beste Teiler 451.2 (29.) 617.9 (26.) 796.6 (28.)
 Trefferlage 6.54 mm links, 1.94 mm hoch
 Streuwert 10.14, horizontal: 7.88, vertikal: 11.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288.8** (275)
 Serien: 96.2 97.1 95.5
 Zähler: 12 12 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2862 (5), 2061 (2), 1954 (25)
 beste Teiler 119.1 (28.) 216.9 (11.) 224.0 (8.)
 Trefferlage 1.66 mm rechts, 1.14 mm tief
 Streuwert 8.84, horizontal: 3.72, vertikal: 11.93



Serie 1:
 9.3 ↓ 8.4 ↓ 9.9 ↘ 10.4 * 7.4 ↑
 10.0 ↘ 10.3 ↑ 10.7 * 10.1 ↑ 9.7 ↑
 beste Teiler 224.0 (8.) 475.0 (4.) 490.7 (7.)
 Trefferlage 2.55 mm rechts, 1.74 mm hoch
 Streuwert 9.61, horizontal: 3.37, vertikal: 13.16





Serie 2:
 10.7 * 10.6 * 10.4 ↙ 10.1 ↓ 9.6 ↓
 9.2 ↓ 8.9 ↑ 8.6 ↓ 9.2 ↓ 9.8 ↓
 beste Teiler 216.9 (11.) 281.0 (12.) 476.3 (13.)
 Trefferlage 1.46 mm rechts, 5.99 mm tief
 Streuwert 7.24, horizontal: 2.75, vertikal: 9.87




Serie 3:
 10.1 ↑ 9.1 ↓ 9.4 ↑ 8.6 ↑ 8.5 ↓
 10.3 ↑ 9.8 ↓ 10.8 * 9.5 ↑ 9.4 ↙
 beste Teiler 119.1 (28.) 485.0 (26.) 716.8 (21.)
 Trefferlage 0.98 mm rechts, 0.82 mm hoch
 Streuwert 9.29, horizontal: 4.92, vertikal: 12.18

Unterschrift des Schützen


Ergebnis: **288.3** (277)
 Serien: 94.9 97.4 96.0
 Zähler: 12 14 3 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2651 (24), 2110 (18), 2037 (6)
 beste Teiler 238.8 (15.) 302.6 (20.) 340.4 (30.)
 Trefferlage 3.32 mm links, 3.76 mm tief
 Streuwert 8.04, horizontal: 5.80, vertikal: 9.78



Serie 1:
 10.1 ↘ 9.6 ↓ 9.2 ↙ 10.1 ↙ 9.1 ↙
 8.4 ↗ 8.8 ← 9.2 ↓ 10.4 * 10.0 ↓
 beste Teiler 421.5 (9.) 679.7 (1.) 695.6 (4.)
 Trefferlage 6.01 mm links, 6.51 mm tief
 Streuwert 6.83, horizontal: 5.44, vertikal: 7.97





Serie 2:
 10.3 ↘ 9.1 ↓ 9.7 ↙ 9.9 ← 10.7 *
 9.4 ← 10.4 * 8.3 ↓ 9.0 ↓ 10.6 *
 beste Teiler 238.8 (15.) 302.6 (20.) 455.7 (17.)
 Trefferlage 4.34 mm links, 5.03 mm tief
 Streuwert 6.89, horizontal: 4.51, vertikal: 8.63




Serie 3:
 10.4 * 9.6 ↙ 9.0 ↓ 7.6 ↑ 10.3 →
 9.6 ↗ 9.2 ↓ 9.5 ↗ 10.3 ↙ 10.5 *
 beste Teiler 340.4 (30.) 433.5 (21.) 557.9 (25.)
 Trefferlage 0.39 mm rechts, 0.26 mm hoch
 Streuwert 9.38, horizontal: 5.83, vertikal: 11.91

Unterschrift des Schützen


Ergebnis: **301.4** (286)
 Serien: 100.5 101.2 99.7
 Zähler: 20 7 2 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2686 (29), 2221 (15), 1801 (8)
 beste Teiler 161.5 (20.) 210.7 (4.) 220.7 (21.)
 Trefferlage 1.18 mm rechts, 3.60 mm hoch
 Streuwert 6.16, horizontal: 3.02, vertikal: 8.18



Serie 1:
 9.9 ↓ 10.2 ↑ 10.7 * 10.7 * 9.5 ↗
 10.4 * 10.4 * 8.7 ↘ 10.1 ↗ 9.9 ↑
 beste Teiler 210.7 (4.) 236.5 (3.) 454.6 (7.)
 Trefferlage 1.03 mm rechts, 4.04 mm hoch
 Streuwert 5.62, horizontal: 3.79, vertikal: 6.98



Serie 2:
 10.6 * 10.6 * 9.9 ↑ 9.9 ↑ 8.2 ↑
 10.1 ↘ 10.4 * 10.6 * 10.2 ↓ 10.7 *
 beste Teiler 161.5 (20.) 252.2 (12.) 300.9 (18.)
 Trefferlage 1.45 mm rechts, 2.47 mm hoch
 Streuwert 6.19, horizontal: 2.28, vertikal: 8.45





Serie 3:
 10.7 * 10.4 * 10.6 * 10.6 * 9.6 ↘
 9.5 ↑ 10.2 ↑ 10.5 * 7.6 ↑ 10.0 ↑
 beste Teiler 220.7 (21.) 294.0 (24.) 299.6 (23.)
 Trefferlage 1.06 mm rechts, 4.30 mm hoch
 Streuwert 7.17, horizontal: 3.14, vertikal: 9.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **280.5** (266)
 Serien: 90.5 94.3 95.7
 Zähler: 7 15 5 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2584 (21), 2463 (8), 2411 (4)
 beste Teiler 376.9 (14.) 465.3 (29.) 472.5 (15.)
 Trefferlage 1.32 mm rechts, 1.22 mm tief
 Streuwert 10.20, horizontal: 10.95, vertikal: 9.39



Serie 1:
 9.5 ↘ 9.9 ↖ 9.2 ↘ 7.9 ← 9.2 ↓
 9.3 ↗ 9.9 ↗ 7.9 ← 8.4 ↘ 9.3 ↓
 beste Teiler 818.6 (2.) 859.1 (7.) 1158.1 (1.)
 Trefferlage 0.38 mm links, 4.10 mm tief
 Streuwert 11.64, horizontal: 13.89, vertikal: 8.82





Serie 2:
 9.8 ↓ 9.4 ← 9.3 ↑ 10.5 * 10.4 *
 9.7 ↗ 8.4 ↓ 8.3 ↘ 9.0 ↓ 9.5 ↖
 beste Teiler 376.9 (14.) 472.5 (15.) 960.1 (11.)
 Trefferlage 1.66 mm rechts, 2.78 mm tief
 Streuwert 9.67, horizontal: 7.94, vertikal: 11.14




Serie 3:
 7.7 ← 10.4 * 10.3 ↗ 9.6 ↗ 10.1 ↘
 10.3 ↗ 9.7 ↗ 8.9 → 10.4 * 8.3 ↗
 beste Teiler 465.3 (29.) 475.8 (22.) 502.5 (26.)
 Trefferlage 2.71 mm rechts, 3.20 mm hoch
 Streuwert 9.32, horizontal: 11.18, vertikal: 6.98

Unterschrift des Schützen


Ergebnis: **258.0** (244)
 Serien: 80.8 84.2 93.0
 Zähler: 4 11 7 3 4 0 1 0 0 0
 Innenzehner: 2
 weiteste: 5465 (5), 3950 (16), 3668 (7)
 beste Teiler 324.0 (1.) 436.9 (25.) 714.2 (24.)
 Trefferlage 8.37 mm links, 6.69 mm hoch
 Streuwert 13.93, horizontal: 9.75, vertikal: 17.13



Serie 1:
 10.5 * 8.4 ← 9.8 ↘ 6.8 ↖ 4.1 ↗
 7.5 ↘ 6.4 ↑ 9.4 ↖ 9.9 ↗ 8.0 ↘
 beste Teiler 324.0 (1.) 810.4 (9.) 958.5 (3.)
 Trefferlage 13.34 mm links, 5.68 mm hoch
 Streuwert 17.30, horizontal: 10.85, vertikal: 21.92



Serie 2:
 9.1 ↖ 8.2 ↗ 6.8 ↘ 7.6 ↑ 9.8 ↓
 6.0 ↑ 9.6 ↖ 8.7 ↘ 9.4 ← 9.0 ↓
 beste Teiler 946.9 (15.) 1070.7 (17.) 1222.7 (19.)
 Trefferlage 5.49 mm links, 11.15 mm hoch
 Streuwert 13.89, horizontal: 8.19, vertikal: 17.85





Serie 3:
 10.0 ↖ 9.0 ← 8.6 ↓ 10.1 ↗ 10.4 *
 9.9 ↗ 8.6 ← 8.9 ↖ 7.6 ↑ 9.9 ←
 beste Teiler 436.9 (25.) 714.2 (24.) 748.7 (21.)
 Trefferlage 6.27 mm links, 3.24 mm hoch
 Streuwert 9.72, horizontal: 8.93, vertikal: 10.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **252.8** (238)
 Serien: 77.8 89.4 85.6
 Zähler: 5 8 5 6 4 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4735 (8), 4043 (23), 3519 (13)
 beste Teiler 299.1 (19.) 336.1 (15.) 477.3 (3.)
 Trefferlage 6.20 mm rechts, 5.02 mm hoch
 Streuwert 15.67, horizontal: 14.07, vertikal: 17.12



Serie 1:
 9.2 ↖ 6.8 ↑ 10.4 ↓ 7.5 ↖ 8.8 ↖
 7.2 ↘ 7.7 ↘ 5.0 ↗ 8.3 ↖ 6.9 ↑
 beste Teiler 477.3 (3.) 1383.0 (1.) 1730.4 (5.)
 Trefferlage 2.13 mm rechts, 11.56 mm hoch
 Streuwert 18.65, horizontal: 16.81, vertikal: 20.31





Serie 2:
 9.0 ↗ 9.8 ↗ 6.6 ↘ 7.2 ↘ 10.5 *
 8.7 ↑ 7.8 ↘ 10.1 → 10.6 * 9.1 ↓
 beste Teiler 299.1 (19.) 336.1 (15.) 666.4 (18.)
 Trefferlage 10.05 mm rechts, 2.87 mm tief
 Streuwert 12.06, horizontal: 10.95, vertikal: 13.08




Serie 3:
 9.9 ↗ 6.8 ↗ 5.9 ↗ 9.4 ← 10.3 ↘
 9.3 ↓ 9.2 ↑ 8.6 ↘ 7.6 ↗ 8.6 ←
 beste Teiler 542.2 (25.) 840.3 (21.) 1251.1 (24.)
 Trefferlage 6.41 mm rechts, 6.40 mm hoch
 Streuwert 14.86, horizontal: 14.14, vertikal: 15.54

Unterschrift des Schützen


Ergebnis: **295.1** (279)
 Serien: 102.6 96.3 96.2
 Zähler: 13 14 2 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2894 (20), 2375 (26), 1752 (29)
 beste Teiler 115.1 (7.) 149.4 (21.) 214.2 (5.)
 Trefferlage 0.60 mm rechts, 2.53 mm tief
 Streuwert 7.46, horizontal: 3.79, vertikal: 9.84



Serie 1:
 9.8 → 10.3 ↘ 9.8 ↖ 9.7 ↘ 10.7 *
 10.0 ↓ 10.8 * 10.6 * 10.6 * 10.3 ↑
 beste Teiler 115.1 (7.) 214.2 (5.) 266.4 (8.)
 Trefferlage 1.14 mm rechts, 1.14 mm tief
 Streuwert 4.56, horizontal: 5.16, vertikal: 3.88





Serie 2:
 9.9 ↓ 10.0 ↑ 9.9 ↘ 9.5 ↑ 10.5 *
 9.6 ↑ 9.3 ↑ 10.0 ↓ 10.3 ↓ 7.3 ↓
 beste Teiler 345.8 (15.) 523.8 (19.) 732.2 (18.)
 Trefferlage 0.53 mm rechts, 1.47 mm tief
 Streuwert 9.21, horizontal: 2.84, vertikal: 12.71




Serie 3:
 10.8 * 9.8 ↓ 9.5 ↓ 9.9 ↓ 9.8 ↓
 8.0 ↑ 9.7 ↓ 10.1 ↘ 8.8 ↓ 9.8 ↓
 beste Teiler 149.4 (21.) 672.2 (28.) 805.3 (24.)
 Trefferlage 0.14 mm rechts, 4.98 mm tief
 Streuwert 8.26, horizontal: 3.32, vertikal: 11.20

Unterschrift des Schützen


Ergebnis: **273.1** (258)
 Serien: 94.5 87.1 91.5
 Zähler: 7 13 6 0 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4462 (23), 3585 (18), 3377 (20)
 beste Teiler 198.5 (21.) 398.5 (26.) 572.1 (5.)
 Trefferlage 7.13 mm rechts, 2.09 mm hoch
 Streuwert 11.67, horizontal: 7.50, vertikal: 14.71



Serie 1:
 9.4 ↘ 10.2 → 9.2 ↗ 8.2 ↘ 10.2 ↘
 8.8 ↙ 9.8 → 10.2 ↘ 8.8 ↗ 9.7 ↗
 beste Teiler 572.1 (5.) 581.5 (8.) 607.2 (2.)
 Trefferlage 5.28 mm rechts, 0.87 mm tief
 Streuwert 8.98, horizontal: 7.66, vertikal: 10.12





Serie 2:
 9.7 ↗ 10.1 → 9.6 ↗ 9.2 ↘ 6.8 ↑
 9.0 ↘ 9.9 ↗ 6.5 ↑ 9.6 → 6.7 ↘
 beste Teiler 688.8 (12.) 810.2 (17.) 1034.3 (11.)
 Trefferlage 8.92 mm rechts, 5.45 mm hoch
 Streuwert 13.57, horizontal: 8.23, vertikal: 17.34




Serie 3:
 10.7 * 9.8 ↗ 5.4 ↗ 9.9 ↘ 10.1 →
 10.5 * 8.7 ↘ 9.2 ↓ 8.8 ↘ 8.4 ↑
 beste Teiler 198.5 (21.) 398.5 (26.) 644.3 (25.)
 Trefferlage 7.21 mm rechts, 1.70 mm hoch
 Streuwert 12.63, horizontal: 6.90, vertikal: 16.48

Unterschrift des Schützen


Ergebnis: **280.0** (266)
 Serien: 95.5 91.7 92.8
 Zähler: 6 15 8 1 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2415 (23), 2120 (13), 1992 (12)
 beste Teiler 515.1 (8.) 617.8 (7.) 667.7 (11.)
 Trefferlage 2.48 mm links, 1.40 mm tief
 Streuwert 9.74, horizontal: 7.27, vertikal: 11.71



Serie 1:
 10.0 ↘ 9.1 ↓ 9.6 ↑ 9.9 ↑ 8.8 ↖
 9.0 ↑ 10.2 ↙ 10.3 ← 9.7 ↑ 8.9 ↗
 beste Teiler 515.1 (8.) 617.8 (7.) 725.2 (1.)
 Trefferlage 4.65 mm links, 3.62 mm hoch
 Streuwert 7.70, horizontal: 5.67, vertikal: 9.30



Serie 2:
 10.1 ↖ 8.5 ↘ 8.3 ← 9.3 ↑ 9.4 ↓
 8.7 ↓ 9.7 ↑ 9.2 ↓ 9.6 ↓ 8.9 ↘
 beste Teiler 667.7 (11.) 1026.3 (17.) 1080.7 (19.)
 Trefferlage 1.23 mm links, 5.57 mm tief
 Streuwert 10.40, horizontal: 9.36, vertikal: 11.34





Serie 3:
 9.8 ↑ 8.7 ↑ 7.9 ↗ 10.0 ↓ 9.2 ↓
 9.5 ↙ 8.5 ↓ 9.7 ← 9.5 ↓ 10.0 ↘
 beste Teiler 744.5 (30.) 772.4 (24.) 895.0 (21.)
 Trefferlage 1.54 mm links, 2.28 mm tief
 Streuwert 10.51, horizontal: 6.51, vertikal: 13.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **268.5** (253)
 Serien: 90.8 93.0 84.7
 Zähler: 7 7 11 3 1 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4322 (2), 3254 (7), 2818 (29)
 beste Teiler 73.3 (9.) 213.7 (11.) 238.4 (19.)
 Trefferlage 0.32 mm rechts, 3.97 mm hoch
 Streuwert 13.12, horizontal: 12.95, vertikal: 13.29



Serie 1:
 8.8 ↘ 5.5 ↗ 10.6 * 8.8 ↘ 10.1 →
 8.3 ↘ 6.9 ↗ 10.6 * 10.9 * 10.3 ↘
 beste Teiler 73.3 (9.) 288.9 (8.) 297.4 (3.)
 Trefferlage 0.01 mm links, 11.24 mm hoch
 Streuwert 12.44, horizontal: 10.63, vertikal: 14.02





Serie 2:
 10.7 * 9.2 ↗ 8.9 ↘ 8.3 → 9.0 ↘
 8.9 ↘ 9.4 ↑ 8.6 ↑ 10.7 * 9.3 ↑
 beste Teiler 213.7 (11.) 238.4 (19.) 1209.9 (17.)
 Trefferlage 5.46 mm rechts, 4.62 mm hoch
 Streuwert 9.40, horizontal: 7.51, vertikal: 10.98




Serie 3:
 7.9 ← 8.4 ← 8.8 → 9.8 → 9.2 ↘
 8.1 → 7.4 ← 8.3 ↘ 7.4 ↓ 9.4 ←
 beste Teiler 889.0 (24.) 1259.7 (30.) 1438.9 (25.)
 Trefferlage 4.46 mm links, 3.93 mm tief
 Streuwert 14.82, horizontal: 17.79, vertikal: 11.09

Unterschrift des Schützen


Ergebnis: **269.2** (255)
 Serien: 90.2 90.8 88.2
 Zähler: 6 12 7 3 0 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4756 (7), 4024 (24), 3153 (12)
 beste Teiler 373.0 (20.) 399.4 (8.) 574.9 (26.)
 Trefferlage 5.82 mm links, 4.94 mm tief
 Streuwert 12.31, horizontal: 9.41, vertikal: 14.65



Serie 1:
 9.9 ↗ 9.5 ↓ 9.1 ↖ 10.2 ↑ 8.2 ↘
 9.5 ↘ 5.0 ↘ 10.5 * 9.4 ← 8.9 ←
 beste Teiler 399.4 (8.) 575.1 (4.) 865.1 (1.)
 Trefferlage 6.30 mm links, 6.92 mm tief
 Streuwert 12.74, horizontal: 7.25, vertikal: 16.49





Serie 2:
 9.6 ← 7.0 ← 9.3 ↖ 9.7 ↖ 8.9 ↘
 9.0 ↑ 8.5 ↘ 9.8 ↗ 8.5 ↑ 10.5 *
 beste Teiler 373.0 (20.) 941.3 (18.) 1013.1 (14.)
 Trefferlage 4.40 mm links, 4.43 mm hoch
 Streuwert 11.55, horizontal: 10.96, vertikal: 12.12




Serie 3:
 7.6 ↘ 10.1 ↘ 9.3 ← 5.9 ↘ 10.1 ↘
 10.2 ↑ 7.9 ↓ 8.6 ↘ 8.8 ↓ 9.7 ↘
 beste Teiler 574.9 (26.) 674.1 (25.) 692.0 (22.)
 Trefferlage 6.77 mm links, 12.32 mm tief
 Streuwert 10.46, horizontal: 10.46, vertikal: 10.47

Unterschrift des Schützen


Ergebnis: **219.9** (204)
 Serien: 70.5 67.5 81.9
 Zähler: 0 6 6 6 4 5 2 1 0 0
 Innenzehner: 0
 weiteste: 5955 (4), 4926 (9), 4822 (29)
 beste Teiler 849.0 (8.) 1026.1 (17.) 1091.2 (27.)
 Trefferlage 10.45 mm links, 8.12 mm hoch
 Streuwert 21.11, horizontal: 13.06, vertikal: 26.85



Serie 1:
 7.4 ↙ 5.0 ↑ 5.3 ↑ 3.5 ← 7.7 ↑
 9.5 ↘ 7.9 ↑ 9.9 ← 4.8 ↑ 9.5 ←
 beste Teiler 849.0 (8.) 1139.8 (10.) 1173.8 (6.)
 Trefferlage 9.73 mm links, 14.49 mm hoch
 Streuwert 23.16, horizontal: 18.75, vertikal: 26.85





Serie 2:
 6.5 ↘ 6.3 ↖ 5.2 ↓ 5.4 ↑ 7.2 ↑
 7.3 ↙ 9.7 ↓ 7.1 ↓ 6.2 ↑ 6.6 ↑
 beste Teiler 1026.1 (17.) 2903.3 (16.) 3019.8 (15.)
 Trefferlage 10.42 mm links, 8.13 mm hoch
 Streuwert 24.10, horizontal: 10.08, vertikal: 32.55




Serie 3:
 9.1 ↓ 8.8 ← 8.6 ↑ 5.9 ↗ 8.8 ↙
 8.8 ↘ 9.6 ↓ 8.5 ↑ 4.9 ↙ 8.9 ↖
 beste Teiler 1091.2 (27.) 1462.0 (21.) 1617.9 (30.)
 Trefferlage 11.20 mm links, 1.76 mm hoch
 Streuwert 16.54, horizontal: 9.73, vertikal: 21.27

Unterschrift des Schützen


Ergebnis: **272.1** (258)
 Serien: 93.1 90.7 88.3
 Zähler: 3 18 4 4 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3344 (26), 3084 (5), 2933 (8)
 beste Teiler 279.6 (1.) 571.0 (9.) 699.6 (30.)
 Trefferlage 1.40 mm links, 4.53 mm tief
 Streuwert 11.73, horizontal: 7.12, vertikal: 14.98



Serie 1:
 10.6 * 9.8 ↗ 9.6 ↓ 9.4 ↘ 7.1 ↓
 9.9 ↗ 9.5 ↘ 7.3 ↓ 10.2 ↙ 9.7 ↘
 beste Teiler 279.6 (1.) 571.0 (9.) 868.5 (6.)
 Trefferlage 1.29 mm links, 6.51 mm tief
 Streuwert 10.74, horizontal: 5.61, vertikal: 14.11



Serie 2:
 9.1 ↓ 9.6 ↗ 9.7 ↘ 9.1 ↑ 9.7 ↑
 9.8 → 9.2 ↙ 9.0 ↓ 7.5 ↓ 8.0 ↑
 beste Teiler 955.6 (16.) 977.5 (15.) 1016.3 (13.)
 Trefferlage 0.52 mm rechts, 1.48 mm tief
 Streuwert 12.04, horizontal: 6.57, vertikal: 15.71



Serie 3:
 8.0 ↘ 7.7 ↘ 8.6 ↓ 9.2 ↘ 9.8 ↘
 6.8 ↓ 8.8 ↓ 9.6 ↘ 9.7 ↘ 10.1 ↓
 beste Teiler 699.6 (30.) 945.0 (25.) 997.2 (29.)
 Trefferlage 3.46 mm links, 5.61 mm tief
 Streuwert 13.06, horizontal: 8.93, vertikal: 16.17

Unterschrift des Schützen