

50m Pistole Auflage – Wertung –

Senioren III männl.

StartNr: 3



StandNr: 6

8. März 2020 9:34


König, Peter #54

5300 PSV Bork


Ergebnis: **266** (281.5)
 Serien: 87 95 84
 Zähler: 9 9 11 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 9799 (10), 7738 (21), 7373 (27)
 beste Teiler 396.2 (13.) 939.9 (11.) 1132.2 (20.)
 Trefferlage 6.48 mm links, 0.99 mm tief
 Streuwert 33.68, horizontal: 26.90, vertikal: 39.31



Serie 1:
 10.4 ↑ 10.3 ↑ 9.8 ↓ 9.5 ↙ 9.7 ←
 8.7 ↑ 9.8 ↓ 8.6 ↙ 8.5 ↙ 7.1 ↑
 beste Teiler 1568.4 (1.) 1782.5 (2.) 3102.2 (7.)
 Trefferlage 17.94 mm links, 3.76 mm hoch
 Streuwert 35.60, horizontal: 23.48, vertikal: 44.54



Serie 2:
 10.6 * 9.3 ↑ 10.8 * 10.4 * 9.7 ↓
 10.2 ↘ 8.4 ↖ 9.1 ↑ 10.3 ↑ 10.5 *
 beste Teiler 396.2 (13.) 939.9 (11.) 1132.2 (20.)
 Trefferlage 4.27 mm links, 7.86 mm hoch
 Streuwert 23.87, horizontal: 22.95, vertikal: 24.76



Serie 3:
 8.0 ↖ 8.6 ↓ 10.1 ↓ 8.8 ↓ 8.8 ↖
 9.8 ↓ 8.1 → 8.9 ↓ 9.8 → 8.9 ↓
 beste Teiler 2418.7 (23.) 3046.9 (26.) 3109.4 (29.)
 Trefferlage 2.77 mm rechts, 14.59 mm tief
 Streuwert 39.19, horizontal: 31.73, vertikal: 45.44

Unterschrift des Schützen

Meyton Elektronik

50m Pistole Auflage – Wertung – Senioren I männl.

StartNr: 32



StandNr: 4

8. März 2020 9:46


Albers, Peter #32

5200 PolSV Dortmund


Ergebnis: **284** (294.8)
 Serien: 95 95 94
 Zähler: 16 12 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 6836 (3), 6268 (25), 4959 (29)
 beste Teiler 418.2 (10.) 1154.4 (7.) 1467.7 (22.)
 Trefferlage 7.84 mm links, 5.94 mm tief
 Streuwert 23.05, horizontal: 20.91, vertikal: 25.00



Serie 1:
 9.8 ↖ 10.0 ← 8.3 ↗ 9.7 ↘ 10.1 ↗
 10.1 ↑ 10.5 * 9.6 ↙ 10.2 ↘ 10.8 *
 beste Teiler 418.2 (10.) 1154.4 (7.) 2074.1 (9.)
 Trefferlage 11.59 mm links, 3.33 mm hoch
 Streuwert 22.50, horizontal: 19.10, vertikal: 25.45



Serie 2:
 9.5 ↓ 10.0 ↖ 10.3 ↖ 10.2 ↘ 9.4 ↖
 9.7 ↙ 10.3 ↗ 9.7 ↘ 9.6 ↓ 10.3 ↙
 beste Teiler 1794.3 (20.) 1887.3 (13.) 1919.6 (17.)
 Trefferlage 4.13 mm links, 6.93 mm tief
 Streuwert 21.64, horizontal: 13.05, vertikal: 27.68



Serie 3:
 10.1 ← 10.4 * 10.0 ↓ 9.6 ↓ 8.6 →
 10.3 ← 9.1 ← 10.0 ↓ 9.1 ↓ 9.5 ↖
 beste Teiler 1467.7 (22.) 1765.8 (26.) 2438.4 (21.)
 Trefferlage 7.81 mm links, 14.21 mm tief
 Streuwert 25.20, horizontal: 29.03, vertikal: 20.68

Unterschrift des Schützen

Meyton Elektronik

50m Pistole Auflage – Wertung – Senioren I männl.

StartNr: 33



StandNr: 5

8. März 2020 9:47


Nolte, Manfred #33

5200 PolSV Dortmund


Ergebnis: **283** (294.7)
 Serien: 93 96 94
 Zähler: 15 13 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 6348 (28), 6032 (1), 4950 (21)
 beste Teiler 595.1 (12.) 986.6 (27.) 1218.6 (18.)
 Trefferlage 0.94 mm rechts, 10.45 mm tief
 Streuwert 23.13, horizontal: 22.53, vertikal: 23.71



Serie 1:
 8.6 → 10.4 ↙ 9.2 ↖ 10.1 ↘ 9.7 ↘
 9.7 ↓ 10.4 * 9.8 ↗ 10.0 ↗ 9.6 →
 beste Teiler 1449.2 (7.) 1651.7 (2.) 2363.6 (4.)
 Trefferlage 5.57 mm rechts, 4.03 mm tief
 Streuwert 25.71, horizontal: 29.18, vertikal: 21.69



Serie 2:
 10.2 ↓ 10.7 * 9.3 ↓ 9.6 ↑ 9.5 ↓
 10.4 ↙ 9.7 ↖ 10.5 * 10.4 * 10.3 ↓
 beste Teiler 595.1 (12.) 1218.6 (18.) 1416.1 (19.)
 Trefferlage 2.57 mm links, 11.17 mm tief
 Streuwert 18.65, horizontal: 12.15, vertikal: 23.41





Serie 3:
 9.1 ↓ 9.2 → 10.0 ← 10.1 ↗ 10.0 ↘
 9.3 ↓ 10.6 * 8.5 ↓ 10.3 ← 9.5 ←
 beste Teiler 986.6 (27.) 1810.4 (29.) 2494.6 (24.)
 Trefferlage 0.15 mm links, 16.16 mm tief
 Streuwert 25.57, horizontal: 24.44, vertikal: 26.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **278** (291.8)
 Serien: 92 93 93
 Zähler: 15 9 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 9362 (25), 7664 (14), 7108 (3)
 beste Teiler 529.8 (22.) 661.8 (29.) 725.0 (21.)
 Trefferlage 7.63 mm links, 7.71 mm tief
 Streuwert 27.71, horizontal: 14.69, vertikal: 36.33



Serie 1:
 9.6 ↘ 9.3 ↓ 8.2 ↖ 10.7 * 10.1 ↖
 8.7 ↑ 9.8 ↓ 9.7 ↖ 10.4 ✓ 10.0 ↖
 beste Teiler 771.1 (4.) 1544.2 (9.) 2494.7 (5.)
 Trefferlage 12.38 mm links, 2.78 mm hoch
 Streuwert 27.86, horizontal: 16.06, vertikal: 35.98



Serie 2:
 10.0 ↘ 8.4 ↑ 9.7 ↓ 8.0 ↓ 9.0 ↖
 10.4 ↓ 10.5 * 9.8 ↖ 10.4 ↑ 10.2 ↓
 beste Teiler 1218.0 (17.) 1568.9 (19.) 1652.4 (16.)
 Trefferlage 7.90 mm links, 7.77 mm tief
 Streuwert 29.71, horizontal: 16.06, vertikal: 38.82



Serie 3:
 10.7 * 10.8 * 8.5 ↓ 10.4 ↓ 7.3 ↓
 10.5 * 10.2 ← 9.9 ↖ 10.7 * 9.9 ↓
 beste Teiler 529.8 (22.) 661.8 (29.) 725.0 (21.)
 Trefferlage 2.61 mm links, 18.15 mm tief
 Streuwert 25.82, horizontal: 11.22, vertikal: 34.76

Unterschrift des Schützen

50m Pistole Auflage – Wertung – Herren I

StartNr: 69



StandNr: 3

8. März 2020 9:44


Neise, Klaus #196

5700 SSC Soest–Süd e.V. I / SSC Soest–Süd e.V. I


Ergebnis: **251** (265.0)
 Serien: 87 87 77
 Zähler: 4 13 8 3 0 1 1 0 0 0
 Innenzehner: 2
 weiteste: 15664 (29), 13167 (30), 9603 (2)
 beste Teiler 417.8 (6.) 864.6 (7.) 2106.4 (14.)
 Trefferlage 3.15 mm rechts, 25.88 mm tief
 Streuwert 42.01, horizontal: 40.29, vertikal: 43.65



Serie 1:
 9.1 ← 7.2 ← 9.9 ↑ 8.2 ↗ 7.9 ↓
 10.8 * 10.6 * 9.7 ← 9.4 ↓ 9.6 ↓
 beste Teiler 417.8 (6.) 864.6 (7.) 2877.4 (3.)
 Trefferlage 17.59 mm links, 9.69 mm tief
 Streuwert 36.45, horizontal: 33.57, vertikal: 39.13



Serie 2:
 8.7 ↑ 9.5 → 8.4 ↙ 10.2 → 8.4 ↓
 9.3 → 9.4 ↓ 9.1 ↙ 8.5 → 9.2 ↙
 beste Teiler 2106.4 (14.) 3916.1 (12.) 4231.0 (17.)
 Trefferlage 3.56 mm rechts, 14.67 mm tief
 Streuwert 36.60, horizontal: 35.65, vertikal: 37.53



Serie 3:
 8.2 ↙ 9.9 → 10.0 → 9.3 ↘ 9.6 ↘
 8.3 → 8.2 ↙ 7.8 → 4.8 ↘ 5.8 ↓
 beste Teiler 2702.4 (23.) 2877.8 (22.) 3670.9 (25.)
 Trefferlage 23.49 mm rechts, 53.27 mm tief
 Streuwert 43.77, horizontal: 43.53, vertikal: 44.01

Unterschrift des Schützen

Meyton Elektronik

50m Pistole Auflage – Wertung – Herren I

StartNr: 70



StandNr: 2

8. März 2020 9:23


Wenner, Frank–Georg #177

5700 SSC Soest–Süd e.V. I / SSC Soest–Süd e.V. I


Ergebnis: **231** (245.6)
 Serien: 77 75 79
 Zähler: 4 4 8 9 4 0 1 0 0 0
 Innenzehner: 0
 weiteste: 17364 (2), 11235 (15), 10752 (5)
 beste Teiler 1553.6 (23.) 2127.0 (7.) 2582.2 (19.)
 Trefferlage 2.28 mm links, 0.93 mm tief
 Streuwert 56.84, horizontal: 47.39, vertikal: 64.93



Serie 1:
 7.7 ↗ 4.1 ↗ 10.0 ↘ 8.5 ↗ 6.8 ↑
 8.6 ↓ 10.2 ↘ 8.7 ↘ 7.4 ↘ 9.4 ←
 beste Teiler 2127.0 (7.) 2741.5 (3.) 4164.5 (10.)
 Trefferlage 3.33 mm links, 41.39 mm hoch
 Streuwert 54.92, horizontal: 45.92, vertikal: 62.64



Serie 2:
 7.9 ↘ 9.4 ← 6.8 ↓ 8.2 ↓ 6.6 ↓
 6.9 ← 7.0 ↘ 9.8 ↓ 10.0 ↓ 7.8 →
 beste Teiler 2582.2 (19.) 3189.1 (18.) 4072.4 (12.)
 Trefferlage 5.88 mm rechts, 40.65 mm tief
 Streuwert 52.52, horizontal: 58.33, vertikal: 45.99



Serie 3:
 7.9 ↘ 7.4 ↗ 10.4 ↑ 8.2 ↘ 8.7 ↗
 9.3 ↓ 7.5 ↓ 8.1 ↑ 7.7 ↘ 8.6 ↘
 beste Teiler 1553.6 (23.) 4342.5 (26.) 5846.0 (25.)
 Trefferlage 9.39 mm links, 3.53 mm tief
 Streuwert 51.92, horizontal: 39.92, vertikal: 61.62

Unterschrift des Schützen

Meyton Elektronik

50m Pistole Auflage – Wertung – Senioren I männl.

StartNr: 85



StandNr: 7

8. März 2020 9:34


Wunderlich, Leo #168

5700 KKS SV Geseke e.V.


Ergebnis: **259** (272.9)
 Serien: 84 88 87
 Zähler: 7 12 6 3 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 12043 (10), 11903 (9), 10265 (27)
 beste Teiler 601.8 (29.) 1264.7 (18.) 1900.4 (4.)
 Trefferlage 12.01 mm rechts, 12.69 mm tief
 Streuwert 39.33, horizontal: 33.74, vertikal: 44.22



Serie 1:
 9.4 ↘ 7.8 ↖ 9.6 ↑ 10.3 ← 9.9 →
 10.0 ↗ 9.4 ↖ 9.9 ↙ 6.3 ↓ 6.2 ↓
 beste Teiler 1900.4 (4.) 2511.9 (6.) 2794.6 (5.)
 Trefferlage 1.07 mm rechts, 16.80 mm tief
 Streuwert 47.10, horizontal: 34.81, vertikal: 56.80



Serie 2:
 8.8 ↗ 9.6 ← 10.2 ↗ 10.0 ↘ 9.6 ↖
 9.5 → 8.6 ↓ 10.5 * 7.1 ↘ 8.2 →
 beste Teiler 1264.7 (18.) 2147.2 (13.) 2605.6 (14.)
 Trefferlage 20.32 mm rechts, 5.88 mm tief
 Streuwert 35.66, horizontal: 36.17, vertikal: 35.13





Serie 3:
 10.2 ↑ 9.8 ↙ 8.2 ↘ 9.9 ↓ 8.6 →
 9.5 ↓ 7.0 ↓ 8.7 ↗ 10.7 * 9.4 ↗
 beste Teiler 601.8 (29.) 2094.2 (21.) 2948.4 (24.)
 Trefferlage 14.63 mm rechts, 15.38 mm tief
 Streuwert 36.71, horizontal: 30.52, vertikal: 42.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **247** (259.9)
 Serien: 84 81 82
 Zähler: 7 8 8 4 2 0 0 0 0 1
 Innenzehner: 3
 weiteste: 22971 (20), 10462 (5), 10433 (23)
 beste Teiler 469.6 (11.) 1365.1 (2.) 1484.6 (27.)
 Trefferlage 7.61 mm links, 17.45 mm tief
 Streuwert 51.23, horizontal: 35.07, vertikal: 63.39



Serie 1:
 8.4 ↘ 10.5 * 10.3 ↘ 7.0 ↓ 6.9 ↖
 7.2 ↓ 9.4 ↙ 9.8 ↖ 10.1 ↓ 8.0 ↓
 beste Teiler 1365.1 (2.) 1712.8 (3.) 2407.4 (9.)
 Trefferlage 16.94 mm links, 20.94 mm tief
 Streuwert 45.53, horizontal: 28.10, vertikal: 57.93





Serie 2:
 10.8 * 8.9 ↗ 8.5 ↖ 9.2 ↖ 10.1 ←
 8.4 ← 10.1 ↑ 9.3 ↘ 8.0 ↓ 1.9 ↓
 beste Teiler 469.6 (11.) 2336.4 (15.) 2490.4 (17.)
 Trefferlage 12.85 mm links, 23.94 mm tief
 Streuwert 61.64, horizontal: 34.51, vertikal: 80.05




Serie 3:
 8.5 ↘ 7.3 ↓ 6.9 ↗ 9.7 ↖ 9.6 ↗
 8.5 ↘ 10.4 * 9.6 ↑ 7.4 ↙ 9.2 ↖
 beste Teiler 1484.6 (27.) 3481.9 (24.) 3612.5 (25.)
 Trefferlage 6.94 mm rechts, 7.46 mm tief
 Streuwert 48.13, horizontal: 40.25, vertikal: 54.90

Unterschrift des Schützen


Ergebnis: **262** (271.4)
 Serien: 81 87 94
 Zähler: 11 8 5 4 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 11898 (6), 10344 (7), 9607 (1)
 beste Teiler 148.5 (25.) 1550.8 (23.) 1975.3 (28.)
 Trefferlage 15.56 mm rechts, 0.86 mm tief
 Streuwert 40.35, horizontal: 36.91, vertikal: 43.52



Serie 1:
 7.2 ↙ 8.4 ↘ 7.3 ↘ 8.8 → 10.2 ↗
 6.3 ↘ 6.9 ↙ 10.0 ↑ 9.0 ↑ 10.2 ↗
 beste Teiler 1979.9 (10.) 2134.7 (5.) 2554.8 (8.)
 Trefferlage 19.02 mm rechts, 20.10 mm tief
 Streuwert 51.31, horizontal: 55.75, vertikal: 46.44



Serie 2:
 7.8 ↗ 10.0 → 7.6 ↗ 9.4 ↘ 9.5 ↓
 10.1 ↙ 9.4 ↑ 8.0 ↑ 10.1 ↓ 8.6 →
 beste Teiler 2286.4 (16.) 2342.8 (19.) 2543.4 (12.)
 Trefferlage 15.53 mm rechts, 21.86 mm hoch
 Streuwert 36.02, horizontal: 28.84, vertikal: 41.99



Serie 3:
 10.2 ↑ 9.0 ↘ 10.4 ↗ 9.7 ↓ 10.9 *
 8.0 ↑ 9.0 ↓ 10.2 ↓ 9.2 → 10.0 ↘
 beste Teiler 148.5 (25.) 1550.8 (23.) 1975.3 (28.)
 Trefferlage 12.13 mm rechts, 4.35 mm tief
 Streuwert 28.36, horizontal: 20.58, vertikal: 34.42

Unterschrift des Schützen

Meyton Elektronik